

Tekstilna industrija



1868 - 2019

SAVEZ INŽENJERA I TEHNIČARA TEKSTILACA SRBIJE
UNION OF TEXTILE ENGINEERS AND TECHNICIANS
OF SERBIA

TAILOR'S DUMMY



SEWING PATTERN

CROSS STITCH

BOBBIN

Naučni i stručni časopis tekstilne i odevne industrije

Scientific and professional journal of the Union of textile engineers and technicians of Serbia

KNITTING

BOWKNOT

CLOTHING

MEASURING TAPE

DRESS SHIRT

SAFETY PIN

KNITTING

BOWKNOT



IRON



BLOUSE



BOBBIN CASE



CLOTH



SEWING MACHINE



SPOOL



IRON



BLOUSE



PINCUSHION



TAILOR'S RULER



CHALK



NEEDLE



THIMBLE



SEWING MACHINE



PINCUSHION



TAILOR'S RULER



BUTTONS



SEWING PATTERN



SEWING NEEDLES



SKELIN OF YARN



ZIPPER



FABRIC ROLL



BUTTONS




SEWING PATTERN



JACKET



TAILOR'S DUMMY



CROCHET



LEATHER



BOBBIN



TAILOR'S SHEARS



KNITWEAR



BUTTONS



SEWING PATTERN



CROSS STITCH



BOBBIN

Najbolja publikacija za 2018. godinu



УНИВЕРЗИТЕТ У БЕОГРАДУ ТЕХНИЧКИ ФАКУЛТЕТ У БОРУ

www.tfbor.bg.ac.rs



АКРЕДИТОВАНИ СТУДИЈСКИ ПРОГРАМИ НА ТРИ НИВОА АКАДМЕСКИХ СТУДИЈА

ОСНОВНЕ

Рударско
инжењерство

Металуршко
инжењерство

Технолошко
инжењерство

Инжењерски
менаџмент

Експлоатација лежишта минералних сировина (ЕЛМС)
Припрема минералних сировина (ПМС)
Рециклажне технологије и одрживи развој (РТОР)

Екстрактивна металургија
Прерађивачка металургија

Неорганска хемијска технологија
Инжењерство заштите животне средине

Пословни менаџмент
Информационе технологије

МАСТЕР

Рударско инжењерство (ЕЛМС, ПМС, РТОР)
Металуршко инжењерство
Технолошко инжењерство
Инжењерски менаџмент

ДОКТОРСКЕ

Рударско инжењерство
Металуршко инжењерство
Технолошко инжењерство
Инжењерски менаџмент



Војске Југославије 12 , 192 10 Бор
тел./факс (0 30) 42 4 555 / 42 1 0 78
office@tfbor.bg.ac.rs



1868 - 2019

tekstilna industrija

Naučni i stručni časopis tekstilne industrije UDK 677+687 ISSN 0040-2389
Scientific and professional journal of the Union of textile engineers and technicians of Serbia

Godina LXVII • Broj 1 • Beograd 2019 • Strana 1-80 • Tiraž 100

Izdavač: SAVEZ INŽENJERA I TEHNIČARA TEKSTILACA SRBIJE

11000 Beograd, Kneza Miloša 7a/II, tel: 064 15 03 053

e-mail: casopistekstilnaindustrija@gmail.com

Tekući račun: 295-1201292-77 Srpska banka

Štampa: M studio, Stara Pazova

Za izdavača: Prof. dr Snežana Urošević

Predsednik Izdavačkog saveta: Stanko Kiš, dipl. ing.

Redakcioni savet: Prof. dr Snežana Urošević, dr Ana Jelić-Aksentijević, dr Danijela Paunović, dr Gordana Čolović

Glavni i odgovorni urednik: Prof. dr Snežana Urošević

Lektor: Bojana Pejčić, M.Sc.

Tehnički urednik: ing. Aleksandar Sokolović

Dizajn korica: ing. Aleksandar Sokolović

REDAKcioni ODBOR:

Dr Ana Jelić-Aksentijević	DTM, Beograd
Dr Biljana M. Pejčić	DTM, Beograd
Dr Biljana Popović	DTM, Beograd
Dr Branislava Lazić	DTM, Beograd
Dr Božidar Stavić	Tehnološko-metalurški fakultet, Beograd
Dr Danijela Paunović	DTM, Beograd
Dr Dragan Đorđević	Tehnološki fakultet, Leskovac
Dr Dušan Trajković	Tehnološki fakultet, Leskovac
Dr Gordana Čolović	DTM, Beograd
Dr Gordana Kokeza	Tehnološko-metalurški fakultet, Beograd
Dr Ineta Nemeša	Tehnički fakultet „Mihajlo Pupin“ Zrenjanin
Dr Jovan Stepanović	Tehnološki fakultet, Leskovac
Dr Koviljka Asanović	Tehnološko-metalurški fakultet, Beograd
Dr Nada Štrbac	Tehnički fakultetu u Boru, Bor
Dr Nemanja Kašiković	Fakultet tehničkih nauka, Novi Sad
Dr Mirjana Kostić	Tehnološko-metalurški fakultet, Beograd
Dr Snežana Urošević	Tehnički fakultet u Boru, Bor
Dr Tatjana Šarac	Tehnološki fakultet, Leskovac
Herbert Kranjc	Pančevo
Mr Katarina Nikolić	DTM, Beograd
Mr Marina Kocareva	
Ranisavljev	DTM, Beograd
Dr Mira Reljić	Institut CIS Srbije, Beograd
Dr Nenad Ćirković	Tehnološki fakultet, Leskovac


INTERNACIONALNI REDAKcioni ODBOR:

Dr Bruno Završnik	Ekonomsko poslovna fakulteta, Maribor
Dr Goran Demboski	Tehnološko-metalurški. fakultet, Skopje
Dr Isak Karabegović	Tehnički fakultet, Bihać
Dr Svetlana Janjić	Tehnološki fakultet u Banjoj Luci, Bosna i Hercegovina
Dr Simona Jevšnik	Tehnološki fakultetu u Banjoj Luci
Dr Miloš Sorak	Tehnološki fakultet, Banja Luka
Mr Almina Duraković	Fakultet za dizajn, Trzin, Slovenija
Dr Damjana Celcar	Fakultet za dizajn, Trzin, Slovenija
Dr Zoran Stjepanović	Fakulteta za strojništvo, Maribor
Dr Liliana Indrie	Faculty of Energy Engineering and Industrial Management, University of Oradea, Romania
Dr Zlatina Kazlacheva	Faculty of Technics and Technologies, Trakia University, Bulgaria
Dr Sanja Risteski	Tehnološko-tehnički fakultet, Štip, Makedonija
Dr Elsayed Elnashar	Faculty of Specific Education, Kafrelsheikh University, Egypt
Dr Lubos Hes	Faculty of Textiles, Technical University of Liberec, Czech Republic
Dr Nuno Belino	University of Beira Interior, Faculty of Engineering, Covilhã, Portugal
Dr Boris Mahltig	Hochschule Niederrhein, Faculty of Textile and Clothing Technology Monchengladbach, Germany
Dr Victoria Vlasenko	Kyiv National University of Technologies and Design, Kyiv, Ukraine
Dr Emilia Visileanu	Nacional Research and Development Insitute for Textiles and leather, Bucharest, Romania
Dr Vineta Srebrenkoska	Tehnološko-tehnički fakultet, Štip, Makedonija

SADRŽAJ

Reč urednika	3
Sanja Risteski, Sonja Kortoseva, Vineta Srebrenkoska INTER-PHASE CONTROL OF DEFECTS AND REASONS FOR THEIR OCCURENCE IN THE PROCESS OF SEWING WOMEN'S TROUSERS	4
Koviljka A. Asanović, Mirjana M. Kostić, Tatjana V. Mihailović KVALITET SUNĐERASTIH KRPA OCENJEN NA OSNOVU PREKIDNIH SVOJSTAVA	12
Kiro Mojsov, Aco Janevski, Darko Andronikov, Sonja Jordeva, Marija Kertakova, Saska Golomeova, Stevan Gaber, Ivan Ignjatov BEHAVIOUR OF BIOPOLISHING ON DYEABILITY AND CERTAIN PROPERTIES OF COTTON FABRICS	20
Nebojša Ristić, Ivanka Ristić, Dragana Marković Nikolić, Aleksandra Mičić, Aleksandar Zdravković UKLANJANJE HIDROLIZOVANE REAKTIVNE BOJE SA PAMUČNE TKANINE NAKON BOJENJA	25
Ineta Nemeša, Volkan Kaplan ZAVRŠNA OBRADA TEKSTILA LASEROM	33
Dragan Dimitrijević, Živoslav Adamović, Snežana Urošević, Bratislav Prokopović PROCES GENERISANJA MODELA MSP-PARTICIPACIJA I BENEFITI KOMPJUTERSKOG MODELOVANJA (2. DEO)	39
Zoran Ilić POTENCIJALI RAZVOJA INDUSTRIJSKOG TURIZMA U LESKOVCU GRADU TEKSTILA - „SRPSKOM MANČESTERU“	51
Vesti i informacije	58
Tržište tekstila	71
Uputstvo autorima	77

U FINANSIRANJU ČASOPISA UČESTVOVALO
MINISTARSTVO PROSVETE, NAUKE I
TEHNOLOŠKOG RAZVOJA REPUBLIKE SRBIJE



1868 - 2019

Naučni i stručni časopis tekstilne industrije UDK 677+687 ISSN 0040-2389
Scientific and professional journal of the Union of textile engineers and technicians of Serbia

Volume LXVII • Number 1 • Beograd 2019 • Page 1-80 • Printing 100
Publisher: Textile Engineers and Technicians Union of the Republic Serbia
Editorial offices: Serbia, 11000 Beograd, Kneza Miloša 7a/II, tel: 064 15 03 053
e-mail: casopistekstilnaindustrija@gmail.com

For publisher: Snežana Urošević, Ph.D.

President of the Publishing Council: Stanko Kiš, dip.ing.

Editorial Council: Snežana Urošević, Ph.D., Ana Jelić-Aksentijević, Ph.D., Danijela Paunović, Gordana Čolović, Ph.D.

Editor in Chief: Snežana Urošević, Ph.D.

Translation: Bojana Pejčić M.Sc.

Technical Editor: Aleksandar Sokolović, ing.

Cover design: Aleksandar Sokolović, ing.

EDITORIAL BOARD:

Ana Jelić-Aksentijević Ph.D.	DTM, Belgrade
Biljana Pejić Ph.D.	DTM, Belgrade
Biljana Popović, Ph.D.	DTM, Belgrade
Branisalava Lazić, Ph.D.	DTM, Belgrade
Božidar Stavrić Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Danijela Paunović Ph.D.	DTM, Belgrade
Dragan Đorđević Ph.D.	Faculty of Technology, Leskovac
Dušan Trajković Ph.D.	Faculty of Technology, Leskovac
Gordana Čolović Ph.D.	DTM, Belgrade
Gordana Kokeza Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Ineta Nemeša Ph.D.	Technical Faculty „Mihajlo Pupin“ Zrenjanin
Jovan Stepanović Ph.D.	Faculty of Technology, Leskovac
Koviljka Asanović Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Nada Štrbac Ph.D.	Technical Faculty, Bor
Nemanja Kašiković Ph.D.	Faculty of Technical Sciences, Novi Sad
Mirjana Kostić Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Snežana Urošević Ph.D.	Technical Faculty, Bor
Tatjana Šarac, Ph.D.	Faculty of Technology, Leskovac
Herbert Kranjc	Pančevo
Katarina Nikolić Mr	DTM, Belgrade
Marina Kočareva	
Ranisavljev Mr	DTM, Belgrade
Mirjana Reljić Ph.D.	Institut CIS Srbije, Belgrade
Nenad Ćirković Ph.D.	Faculty of Technology, Leskovac
Bruno Završnik Ph.D.	Faculty of Economics and Business, Maribor
Goran Demboski Ph.D.	Faculty of Technology and Metallurgy, Skopje
Isak Karabegović Ph.D.	Faculty of Technology, Banja Luka
Svjetlana Janjić Ph.D.	Faculty of Technology, Banja Luka
Simona Jevšnik Ph.D.	Faculty of Technology, Banja Luka
Miloš Sorak, Ph.D.	Faculty of Technology, Banja Luka
Sanja Risteski, Ph.D.	University „Goce Delchev“, Faculty of technology, Shtip, Macedonia
Almina Duraković, Mr	Faculty of Design, Trzin, Slovenia
Damjana Celcar Ph.D.	Faculty of Design, Trzin, Slovenia
Zoran Stjepanović Ph.D.	Faculty of Mechanical Engineering, Maribor
Liliana Indrie Ph.D.	Faculty of Energy Engineering and Industrial Management, University of Oradea, Romania
Zlatina Kazlacheva Ph.D.	Faculty of Technics and Technologies, Trakia University, Bulgaria
Elsayed Elnashar Ph.D.	Faculty of Specific Education, Kafrelsheikh University, Egypt
Lubos Hes Ph.D.	Faculty of Textiles, Technical University of Liberec, Czech Republic
Nuno Belino Ph.D.	University of Beira Interior, Faculty of Engineering, Covilhã, Portugal
Boris Mahltig Ph.D.	Hochschule Niederrhein, Faculty of Textile and Clothing Technology Monchengladbach, Germany
Victoria Vlasenko Ph.D.	Kyiv National University of Technologies and Design, Kyiv, Ukraine
Emilia Visileanu Ph.D.	National Research and Development Institute for Textiles and leather, Bucharest, Romania
Vineta Srebrenkoska	University „Goce Delchev“, Faculty of technology, Shtip, Macedonia

CONTENT

Editorial Council	3
Sanja Risteski, Sonja Kortoseva, Vineta Srebrenkoska INTER-PHASE CONTROL OF DEFECTS AND REASONS FOR THEIR OCCURENCE IN THE PROCESS OF SEWING WOMEN'S TROUSERS	4
Koviljka A. Asanović, Mirjana M. Kostić, Tatjana V. Mihailović QUALITY OF SPONGE CLOTHS EVALUATED ON THE BASIS OF THEIR STRENGTH PROPERTIES	12
Kiro Mojsov, Aco Janevski, Darko Andronikov, Sonja Jordeva, Marija Kertakova, Saska Golomeova, Stevan Gaber, Ivan Ignjatov BEHAVIOUR OF BIOPOLISHING ON DYEABILITY AND CERTAIN PROPERTIES OF COTTON FABRICS	20
Nebojša Ristić, Ivanka Ristić, Dragana Marković Nikolić, Aleksandra Mičić, Aleksandar Zdravković REMOVAL OF HYDROLIZED REACTIVE DYES FROM COTTON FABRIC AFTER DYEING	25
Ineta Nemeša, Volkan Kaplan TEXTILE FINISHING BY LASER	33
Dragan Dimitrijević, Živoslav Adamović, Snežana Urošević, Bratislav Prokopović THE PROCESS OF CREATING OF THE MODEL OF SME - PARTICIPATION AND BENEFITS OF COMPUTING MODELING (Part 2)	39
Zoran Ilić POTENTIALS OF DEVELOPMENT OF INDUSTRIAL TOURISM IN LESKOVAC CITY OF TEXTILE - "SERBIAN MANCHESTER"	51
New and information	58
Tekstile market	71
Instructuin for Autors	77
THE MINISTRY OF EDUCATION, SCIENCE AND TECHNOLOGICAL DEVELOPMENT PARTICIPATED IN FINANCING OF THE JOURNAL	

REČ UREDNIKA

Kao potvrda za dugogodišnji uspešan rad i neprekidno publikovanje časopisa „Tekstilna industrija“ dodeljeno nam je priznanje „Najbolja IT publikacija“ u Srbiji za 2018. godinu. Povelja je svečano uručena 8. februara 2019. godine na Svečanoj sednici Skupštine Saveza inženjera i tehničara Srbije. Posebno se radujemo da je priznanje dodeljeno u godini Jubileja, proslave 150 godina postojanja Saveza inženjera i tehničara Srbije.

Časopis „Tekstilna industrija“ ima dugu istoriju i tradiciju. Kao glasilo Saveza inženjera i tehničara tekstilaca Srbije izlazi već punih 66 godina. Prvi broj je objavljen davne 1953. godine i bio je usmeren na praćenje savremenih kretanja u tekstilnoj industriji, a kasnije i u odevnoj industriji i procesima koji ih prate kroz dizajn i menadžment.

Publikovanje časopisa se tokom ovih dugih godina susretalo i sa mnogim problemima, ali je „Tekstilna industrija“ opstajala i opstaje više od pola veka. Glavni problem sa kojim se susreće je finansiranje časopisa, te glavni i odgovorni urednik, članovi redakcije i rukovodstvo Saveza inženjera i tehničara tekstilaca Srbije pokušavaju da povećaju broj pretplatnika i time omoguće potrebna sredstva za štampanje časopisa.

U 2018. godinu, izašla su četiri broja časopisa „Tekstilna industrija“ u predviđenim terminima, sa novim korigovanim dizajnom korica i tiražom od 100 komada. Time je ispunjen plan o redovnosti izlaženja časopisa. Redakcioni odbor sa glavnim i odgovornim urednikom se potrudio da poboljša kvalitet časopisa te je publikovano ukupno 35 radova, a od toga je 17 radova iz inostranstva i ukupno 18 radova na engleskom jeziku. U protekloj godini svoje radove su objavljivali autori iz Indije, Ukrajine, Turske, Makedonije, Bosne i Hercegovine i Srbije. Treba napomenuti da je časopis „Tekstilna industrija“ u 2018. godini podržan od Ministarstva prosvete, nauke i tehnološkog razvoja Republike Srbije.

Takođe, ulažu se naponi od strane Uređivačkog odbora da se poveća prepoznatljivost časopisa. Takođe, čine se svi naponi da se dobije bolja kategorizacija časopisa pri Ministarstvu prosvete, nauke i tehnološkog razvoja Republike Srbije za oblast Materijali i hemijske tehnologije.

Dobijeno priznanje „Najbolja IT publikacija“ doprineće nastavku uspešnog publikovanja časopisa „Tekstilna industrija“, a uredništvo i glavni i odgovorni urednik biće motivisani za bolji i kvalitetniji rad, trudeći se da opravdaju dato poverenje.

Glavni i odgovorni urednik
Prof. dr Snežana Urošević

INTER-PHASE CONTROL OF DEFECTS AND REASONS FOR THEIR OCCURRENCE IN THE PROCESS OF SEWING WOMEN'S TROUSERS

Sanja Risteski^{1*}, Sonja Kortoseva², Vineta Srebrenkoska¹

¹ University "Goce Delčev", Faculty of Technology, Shtip, Macedonia

² University "Saints Cyril and Methodius", Skopje, Macedonia
Faculty of Technology and Metallurgy

* e-mail: sanja.risteski@ugd.edu.mk

Stručni rad

UDC: 687.1.02

DOI: 10.5937/tekstind1901004R

Abstract: *Quality is the best investment to strengthen the competitiveness of enterprises in the international market. Achieving quality is the responsibility of every worker in the organization. The role of quality control is to detect defects by constantly monitoring the production process, analyzing the defects, find the source of their occurrence and take appropriate corrective measurements.*

In this paper, are presented some factors that have influence on defects occurrence in the process of sewing one model of female trousers. The obtained results during the inter-phase control in two production lines in the four week period are analyzed. Possible reasons for detected defects are indicated by: Working days in the week, the structure of the employees in the production lines, their work experience, their age and difficulty of operations. The influence of each of these factors is discussed separately.

Keywords: Quality, monitoring, defect, operator.

MEĐU-FAZNA KONTROLA DEFEKTA I RAZLOGA ZA NJIHOVO POJAVLJIVANJE U PROCESU ŠIVENJA ŽENSKIH PANTALONA

Apstrakt: *Kvalitet je najbolja investicija za jačanje konkurentnosti preduzeća na međunarodnom tržištu. Postizanje kvaliteta je odgovornost svakog radnika u organizaciji. Uloga kontrole kvaliteta je otkrivanje nedostataka, konstantnim praćenjem proizvodnog procesa, analiziranjem defekata, pronalaženjem izvora njihove pojave i preduzimanjem odgovarajućih korektivnih mera.*

U ovom radu su predstavljeni neki faktori koji utiču na pojave defekata u procesu šivenja jednog modela ženskih pantalona. Analizirani su dobijeni rezultati tokom međufazne kontrole u dve proizvodne linije u u periodu od četiri nedelja ili četvoronedeljnog periodu. Mogući razlozi za otkrivanje nedostataka obuhvataju: Radne dane u nedelji, strukturu zaposlenih u proizvodnim linijama, njihovo radno iskustvo, njihovu starost i teškoće izvođenja operacija. Uticaj svakog od ovih faktora se razmatra odvojeno.

Ključne reči: Kvalitet, monitoring, defekt, operator.

1. INTRODUCTION

The main goal of every textile company is to create production without defects, because it is the only way to enter into the race with the great competitiveness of the market.

Quality by definition means "superiority" or "superior." At a minimum, this means "better than average", but in practice achieving quality is very complicated task because it depends of every single worker in the company. Only with good organized team work, high quality results can be obtained. Quality is a duty for every working individual, but it is necessary to make the right choice of specialists who are well-organized and motivated to provide the services that are needed in quality assurance.

In the clothing (textile) industry, there are many factors that affects to the quality of the product, usually the final control misses 10-15% of the defects that appear on the market. For these reasons, inter-phase control has a big influence on the percentage of defects of the final product. The task of this control is to serve as a filter that will detect defects on time and enable their timely prevention [1,2,3].

Determination of the control positions in a production line is usually a matter of assessment, and the following factors are important and should be taken into account:

- Achieving minimum percentage of defects in the production process.
- Quick check of the work for critical product features.
- Control of the new features and increased control of newly employment workers.
- Control of operations in which the required quality is close to the control limits, because of the condition of the machines or the operators work.
- Detect the operations where the most of the defects occurs.
- Control of workplaces where different parts of the garment are interconnected [4,5,6].

Usually defects may not be detected for several days, which will be reflected in further stages of production. The large number of garment with defects leads to economic losses, problems in balancing the process and wasted time for their correction. It is considered that the analysis of reports about defects from previous weeks or months can contribute to a better perception of the cause of their occurrence. If in due

time the defects are detected than appropriate corrective actions can be taken [7, 8].

One of the most important factor that has a major impact on quality are employees. Significant for every company is to succeed in the goal of changing the perception of the employees about quality. That means that primarily the management staff should understand the value and meaning of the quality, and then to find a best way to share it with other employees, especially with operators who work in production lines [9].

In order to achieve high quality, the company should strive to:

- Develop employee conscience that quality is crucial for all workers, because quality assures sales, and sales assures work/profit.
- Every employer on his working position can contribute to quality.
- Any idea of quality improvement is helpful and can lead to a better quality.

The most important goal of all is employers to understand and accept the fact that "quality is a matter of everyone" [10,11, 12, 13].

In this paper are presented causes that lead to reduced quality and occurrence of defects in the production of one modern model of women's trousers. Factors that have impact on the quality are clearly presented: Working days in the week, the structure of the employees in the production lines, their work experience, their age and difficulty of operations. The analysis was made in two production lines in a four-week period. Defects were detected by the inter-phase control, which controlled the operators in production lines twice a day.

2. EXPERIMENTAL

The model of women trousers that is subject to this analysis is shown below (Fig. 1). The model is fashionable and modern. It is composed of two pockets on the front and two pockets on the back side. This model has decorative leather accessories, which makes the model more sporty. The belt has loops, and the fastening is made by zipper and one button. The model is made of cotton material in beige color. The leather accessories are in brown color. For sewing the model was made list of operations which lead to its completion.




Figure 1: Front and rear part of the women trousers

The obtained results from inter-phase control in four weeks period are shown in Tables (1-4).

For the first week defects that were detected from the inter-phase control, with the reasons for their occurrence are given below.

The model in this week was produced in production line II, with the number of operators 27, their age ranges is 20 to 48 years, and the operators work experience vary from 6 months to 14 years. The total number of defects in the first week is 1.65% (Table 1). The highest number of defects (19) in this week occurs in operations of sewing zipper and bar-tack. The reason for the occurrence of a large number of defects in this two operations was noticed in the short work experience (1 year) of the operators who performed the operation. The operation proved to be quite complicated and it requires operators with more work experience. The obtained results according to the days of the week indicated that the highest percentage of defects was made on Wednesday (2.31%) and the lowest in Friday (1.08%). The big percentage of defects at the beginning of the week was expected, due to the complexity of the model that requires operators adapt to the new model. At the end of the week (Friday), it was noted that the percentage of defects was significantly reduced (1.08%), which means that the operators are beginning to adapt to the new operation plan.

In the second week the sewing of the model was performed in the production line II. Defects that were detected from the inter-phase control with the reasons for their occurrence are given as follows. In this week the total number of defects decreased to 1.37% (Table 2). The largest number of defects was recorded in the operation with number 1. This operation was performed by 3 operators of different age and different work experience. The results of the analysis of the three operators showed that work experience has a major impact on the quality and the number of defects. The operator with 1 year work experience made 13 defects, the operator with 5 years of work experience

made 7, while the operator with the greatest working experience of 14 years did only 4. The operation proved to be highly complicated for this type of model and it requires greater experience and skill for it's performance by the operator. According to the days of the week, most of the defects were recorded on Monday (1.94%), and the smallest number of defects was recorded on Thursday (0,94%).

In the third week the sewing of the model was performed in the production line I (Table 3). In this production line operates 26 operators, their age ranges is 21 to 52 years, of which 10 are with working experience of 14 years (in the production line II this number was only 2). The number of operators is lower (26) compared to production line II (27), but in this case work experience has influenced the reduction of the percentage of incurred defects. The largest number of defects this week was detected in the operation with number 6 (12 defects), and the number of operations where no defect was recorded was even 8, which indicates that by constant monitoring and timely reaction, inter-phase control managed to reduce the number of defects from the first to the third week for 0,95%. The obtained results according to the days of this week indicated that the highest percentage of defects was recorded on Monday (1.31%) and Wednesday (0.45%). The total number of defects this week was reduced to 0.70%.

For the fourth week the sewing of the model was performed in the production line I. Defects that were detected from the inter-phase control with the reasons for their occurrence are also shown (Table 4). The obtained results for this week indicated that the highest number of defects was reduced to 7 (in the operation of sewing leather accessories on front middle side), and the lowest percentage of errors (0) was observed in the operation of sewing button hole. The results from the number of the defects according to the days of this week, indicated that in this week the highest percentage of defects was recorded on Monday (1.18%) and Tuesday (0.45%), but the total percent of defects was significantly lower than the previous weeks (from 1,65 % first week to 0.73% in the fourth week). The total number of occurred defects in period of four weeks as for comparison is shown on diagram (Figure 2).

The obtained results according to the operations plan for sewing the model in the period of four weeks, indicated that the greatest number of defects occurred in operations with number 2, 3, 5 and 8.

Number of operation 2 (sewing and closing the belt): Detected defects were as a result of puffed belt,

twisted belt or belt gloss. A problem with a puffed belt occurred because of the stretching of the belt, and the crease of the trousers or inversely. The problem was solved by unstitching the belt and removing the spare. This defect may also occur as a consequence of a tightened selvage. This problem was resolved by stretching the selvage with simultaneous ironing. A problem with a twisted belt occurs when notches on the belt didn't correspond with the notches of the trousers. The problem was solved by unstitching the belt, his correction and sewing over again.

Number of operation 3 (sewing zipper): Detected defects where result of inappropriate sewn zipper that causes stretching the material or pleat occurrence. In this case operator unstitched the zipper, took

the corrective measures and sewn the zipper all over again.

Number of operation 5 (sewing pocket): This defect usually occurs as a result of a sloping pocket and an inadequate height on both pockets. For correction of this defect the operator should carefully sew the pocket of exactly marked positions. In some cases the problem can be partially resolved by ironing the pocket.

Number of operation 8 (Inter-phase ironing): Detected defects are result of material gloss, that negatively reflects on the final look of the model. Correction of his defect is very hard, so the operator should be very careful while performing the operation, also taking care to not use high pressure with the iron.

Table 1: Number of defects in inter-phase control in the first week

Number of operation	Type of operation	Number of operators	Working experience (years)	Age (years)	I (first) week, quality check in production line II twice per day first check/second check					Total number of pieces	Total number of defects
					Monday	Tuesday	Wednesday	Thursday	Friday		
1	Overlock of pocket and sides	1	1	29	2/0	4/0	0/2	0/0	0/1	285	9
		2	14	34	0/3	1/0	0/0	0/1	0/0	285	5
		3	5	20	0/1	1/1	3/0	0/2	0/1	285	9
2	Sewing and closing the belt	4	3	41	0/3	0/1	1/1	1/3	1/2	140	13
		5	3	29	0/2	0/1	0/0	0/1	0/0	140	4
		6	3	39	0/0	0/0	0/1	0/0	0/1	140	2
		7	3	23	0/0	0/1	0/0	0/0	0/2	140	3
		8	3	33	0/0	0/1	1/2	0/0	0/1	140	5
		9	1	26	4/0	1/0	2/1	3/0	0/0	140	11
3	Sewing zipper	10	3	31	0/0	1/1	3/1	½	0/1	425	10
		11	1	22	3/4	½	3/2	1/1	0/2	425	19
4	Sewing loops and labels	12	3	46	0/0	0/1	0/2	0/0	0/0	425	3
		13	1	32	0/1	0/0	0/0	0/1	0/2	425	4
5	Sewing pocket	14	3	42	0/0	0/1	0/1	0/2	1/0	285	5
		15	2	34	1/1	2/2	3/2	0/2	2/0	285	15
		16	1	27	1/0	3/0	3/2	0/1	0/0	285	10
	Sewing leather accessories on front middle side	17	½	27	0/0	0/0	0/0	0/0	0/0	425	0
		18	½	27	0/0	0/0	0/0	0/0	0/0	425	0
6	Sewing side (leg) seams with chain stitch	19	2	31	0/0	0/0	0/1	0/1	0/0	425	2
		20	1	28	2/0	0/2	0/0	4/0	0/1	425	9
	Making basil	21	3	40	0/0	0/0	0/2	2/3	0/0	750	7
7	Interphase ironing of side seams	22	14	34	0/0	0/0	0/1	0/0	0/0	750	1
8	Interphase ironing of flap and pocket	23	2	21	0/0	1/1	5/0	3/0	0/1	750	11
	Interphase ironing of belt	24	1	48	1/1	½	3/2	3/3	3/0	750	19
9	Sewing bar-tack	25	3	32	0/0	0/0	0/1	0/0	0/0	750	1

10	Sewing button	26	7	38	1/0	1/1	0/0	0/0	2/0	750	5
11	Sewing button hole	27	7	34	0/0	0/0	0/0	0/0	0/0	750	0
	Total number of defects				31	35	51	41	24		182
	Total number of pieces				2210	2210	2210	2210	2210	11010	
	Percentage of defects (%)				1,41	1,58	2,31	1,85	1,08		1,65

Table 2: Number of defects in inter-phase control in the second week

Number of operation	Type of operation	Number of operators	Working experience (years)	Age (years)	II (second) week, quality check in production line II twice per day first check/second check					Total number of pieces	Total number of defects
					Monday	Tuesday	Wednesday	Thursday	Friday		
1	Overlock of pocket and sides	1	1	29	2/0	2/2	2/0	2/2	0/1	285	13
		2	14	34	0/1	0/0	0/1	0/0	0/2	285	4
		3	5	20	0/0	2/0	0/3	0/1	1/0	285	7
2	Sewing and closing the belt	4	3	41	0/3	0/0	1/0	½	1/3	140	11
		5	3	29	0/3	0/0	0/2	0/0	0/1	140	6
		6	3	39	0/2	0/1	0/0	0/1	1/0	140	5
		7	3	23	4/0	0/1	0/2	1/0	2/2	140	12
		8	3	33	0/0	1/1	0/0	½	0/0	140	5
3	Sewing zipper	9	1	26	3/2	½	0/1	0/0	0/2	140	11
		10	3	31	0/0	0/1	1/0	0/0	0/1	425	3
4	Sewing loops and labels	11	1	22	2/0	0/2	1/1	1/0	0/0	425	7
		12	3	46	0/0	0/0	0/0	0/0	0/0	425	0
5	Sewing pocket	13	1	32	0/0	0/0	0/1	0/0	0/0	425	1
		14	3	42	0/1	0/0	0/0	0/1	1/0	285	3
		15	2	34	1/1	0/0	0/1	0/0	1/1	285	5
	Sewing leather accessories on front middle side	16	1	27	2/0	0/1	0/0	0/0	0/1	285	4
		17	1/2	27	3/1	0/0	0/0	0/1	0/0	425	5
6	Sewing side (leg) seams with chain stitch	18	1/2	27	2/2	0/1	0/0	0/0	1/0	425	6
		19	2	31	0/0	0/0	1/0	0/0	0/0	425	1
	Making basil	20	1	28	0/2	0/1	0/0	0/0	0/1	425	4
7	Interphase ironing of side seams	21	3	40	0/0	0/1	3/0	0/0	0/1	750	5
8	Interphase ironing of flap and pocket	22	14	34	0/0	0/0	0/0	0/0	0/1	750	1
	Interphase ironing of belt	23	2	21	2/0	0/2	0/1	1/1	0/0	750	7
9	Sewing bar-tack	24	1	48	0/1	0/2	1/1	0/0	0/1	750	6
10	Sewing button	25	3	32	0/0	0/1	1/0	2/0	0/0	750	4
11	Sewing button hole	26	7	38	½	0/0	0/1	0/0	0/2	750	6
	Total number of defects	27	7	34	0/0	0/0	0/1	0/0	0/0	750	1
					43	25	27	20	28		151
					2210	2210	2210	2210	2210	11010	
	Percentage of defects (%)				1,94	1,13	1,22	0,94	1,27		1,37

Table 3: Number of defects in inter-phase control in the third week

Number of operation	Type of operation	Number of operators	Working experience (years)	Age (years)	III (third) week, quality check in production line I twice per day first check/second check					Total number of pieces	Total number of defects
					Monday	Tuesday	Wednesday	Thursday	Friday		
1	Overlock of pocket and sides	1	14	36	1/0	0/0	0/0	0/0	0/0	285	1
		2	14	35	0/1	0/1	0/0	0/0	0/0	285	2
		3	5	42	0/0	0/0	0/0	0/1	0/1	285	2
2	Sewing and closing the belt	4	14	42	0/0	0/0	0/0	0/0	0/0	170	0
		5	14	34	0/0	0/1	0/0	0/0	0/0	170	1
		6	14	37	0/0	0/0	0/0	0/0	0/0	170	0
		7	5	31	0/1	0/0	0/0	0/0	0/1	170	2
		8	3	32	0/1	0/0	0/0	0/0	0/0	170	1
3	Sewing zipper	9	10	31	0/0	0/0	0/0	0/0	0/0	425	0
		10	5	22	0/0	0/0	0/0	0/0	0/0	425	0
4	Sewing loops and labels	11	14	46	0/0	0/0	0/0	0/0	0/0	425	0
		12	5	52	0/0	0/0	0/1	0/0	0/0	425	1
5	Sewing pocket	13	14	34	3/1	0/0	0/0	1/1	1/1	285	8
		14	14	34	½	0/1	1/1	0/0	½	285	9
		15	14	41	0/0	0/1	0/0	0/0	0/0	285	1
	Sewing leather accessories on front middle side	16	8	27	5/0	1/0	1/1	½	0/0	425	11
		17	5	27	3/1	0/1	0/0	0/1	0/0	425	6
6	Sewing side (leg) seams with chain stitch	18	7	31	0/0	0/0	0/1	0/0	0/1	285	2
		19	4	21	0/0	0/0	0/0	0/0	0/0	285	0
	Making basil	20	3	28	2/1	1/1	3/1	0/1	1/1	285	12
7	Interphase ironing of side seams	21	8	29	1/0	1/1	0/0	0/0	1/1	850	5
8	Interphase ironing of flap and pocket	22	3	22	½	1/1	0/0	0/1	0/1	850	7
	Interphase ironing of belt	23	2	24	0/0	0/0	0/0	0/0	0/0	850	0
9	Sewing bar-tack	24	3	44	1/0	1/0	0/0	0/2	0/0	850	4
10	Sewing button	25	2	26	1/0	0/0	0/0	0/0	0/1	850	2
11	Sewing button hole	26	14	35	0/0	0/0	0/0	0/0	0/0	850	0
	Total number of defects				29	13	10	11	14		77
	Total number of pieces				2210	2210	2210	2210	2210	11050	
	Percentage of defects (%)				1,31	0,59	0,45	0,50	0,63		0,70

Table 4: Number of defects in inter-phase control in the fourth week

Number of operation	Type of operation	Number of operators	Working experience (years)	Age (years)	IV (fourth) week, quality check in production line I twice per day first check/second check					Total number of pieces	Total number of defects
					Monday	Tuesday	Wednesday	Thursday	Friday		
1	Overlock of pocket and sides	1	14	36	2/2	0/0	1/1	0/1	1/1	285	7
		2	14	35	0/0	0/0	0/1	0/0	1/0	285	2
		3	5	42	1/0	1/0	0/0	0/0	0/0	285	2
2	Sewing and closing the belt	4	14	42	0/2	0/0	1/0	0/0	0/1	170	4
		5	14	34	2/1	0/0	0/1	1/1	0/0	170	6
		6	14	37	0/0	0/0	0/0	0/0	1/0	170	1
		7	5	31	1/0	0/1	0/0	0/0	2/0	170	4
		8	3	32	2/1	0/0	0/1	0/0	0/1	172	5
3	Sewing zipper	9	10	31	1/0	0/0	1/0	0/1	0/0	425	3
		10	5	22	0/0	0/0	2/0	0/0	1/0	425	3
4	Sewing loops and labels	11	14	46	0/1	1/0	0/0	1/1	1/0	425	5
		12	5	52	0/2	2/0	0/0	1/0	0/0	425	5
5	Sewing pocket	13	14	34	1/0	0/1	0/0	0/0	0/1	285	3
		14	14	34	0/0	0/0	0/0	1/0	0/0	285	1
		15	14	41	1/0	1/1	0/0	1/0	0/0	285	4
	Sewing leather accessories on front middle side	16	8	27	2/2	0/0	0/1	2/0	0/1	425	8
		17	5	27	0/0	0/0	2/1	0/1	1/0	425	5
6	Sewing side (leg) seams with chain stitch	18	7	31	0/0	0/1	0/0	0/0	0/0	285	1
		19	4	21	0/0	0/0	1/0	0/0	0/0	285	1
	Making basil	20	3	28	0/0	0/0	0/0	2/0	0/0	285	2
7	Interphase ironing of side seams	21	8	29	0/0	0/1	0/0	0/0	0/1	850	2
8	Interphase ironing of flap and pocket	22	3	22	0/0	0/0	0/0	0/1	1/1	850	3
	Interphase ironing of belt	23	2	24	0/1	0/0	0/0	0/0	0/0	850	1
9	Sewing bar-tack	24	3	44	1/0	0/0	0/0	0/0	0/0	850	1
10	Sewing button	25	2	26	1/1	0/0	0/0	0/0	0/0	850	2
11	Sewing button hole	26	14	35	0/0	0/0	0/0	0/0	0/0	850	0
	Total number of defects				26	10	13	15	17		81
	Total number of pieces				2210	2210	2210	2210	2210	11050	
	Percentage of defects (%)				1,18	0,45	0,59	0,68	0,77		0,73




Figure 2: Total number of defects for all four weeks

3. CONCLUSION

From the obtained results can be concluded that the inter-phase control had a big and positive influence on the percentage of defects of the new model. This control enabled the timely detection of the defects, and therefore timely correction and prevention of the appearance of new ones. As a result of this control, the number of defects began to decline in the second week, and it has been drastically reduced in the third and fourth week.

The inter phase control detected that the highest number of defects occurred in Monday (in second, third and fourth week), because operators need time to adapt to the work after the weekend. The number of defects was higher in the first week (the model was new, and the operation plan was unfamiliar for the operators), and the number of defects decrease in the next three weeks.

Operators working experience was proven to be very important, especially in complicated operations, where a higher level of operator skills was needed to perform the required operation. According to the age of operators inter-phase control didn't detect significant results.

According to the operations plan for sewing the model the obtained results had also shown the operations that are hard for perform. The reasons for their occurrence and the possible ways for their prevention where also discussed, and a practical solution was offered. With timely prevention of defects inter-phase control had shown great impact, which led to obtain product with high quality and lower number of defects.

REFERENCES

- [1] Ќортошева, С. (2002). *Анализа на трудот во конфекциско претпријатие*, Технолошко-металуршки факултет, Скопје, Македонија.
- [2] Krishna, B. Misra. (2008). *Quality Engineering and Management* (Handbook of Performability Engineering. Springer Verlag, London. 157-170.
- [3] Juran, JM., Gryna Jr. FM. (1980). *Quality planning and analysis*. 2nd edition, McGraw-Hill, New York.
- [4] Knowles, G. (2011). *Quality Management*. Graeme Knowles & bookbon.com. 9-30.
- [5] Чепујноски, Ѓ. Чепујноска, В. (1993). *Управување со квалитетот во практиката*. Скопје.
- [6] Deming, WE. (1982). *Quality, productivity and competitive position*. Cambridge, Mass.: Center for Advanced Engineering Study. MIT.
- [7] Mangovska B., Jordanov I., Demboski G. (2012). Uticaj mokre dorade na pojave i broj grešaka, kao i strukturne, mehaničke i higijenske karakteristike džins proizvoda, *Tekstilna industrija*, 2012, 60(2), 11-21.
- [8] Hakes, C. (1991). *Total quality management: A key to business improvement*. Chapman & Hall, London.
- [9] Sorak, S., Urošević S., Sorak, M. (2017). Uticaj ponašanja rukovodilaca - menadžera na uspešnost poslovanja preduzeća tekstilne industrije u Banjoj Luci. *Tekstilna industrija*, 65(2), 40-47.
- [10] Cottman Ronald, J. (1993). *Total engineering quality management*. Marcel Dekker. New York.
- [11] Wood, M. (2002). *Understanding, Managing and implementing Quality*. Routledge, London. 103-119.
- [12] Paunović, M., Radovanović, Lj., Đalić, N., Borić Sl. (2018). Benčmarking kao deo strategije kvaliteta održavanja pri razvoju modnog proizvoda. *Tekstilna industrija*, 66 (3), 39-46.
- [13] Azdejković, J., Paunović, D. (2013). Pokazatelji i kontrola kvaliteta pri razvoju proizvoda na primeru UGG Brenda. *Tekstilna industrija*, 61 (4), 34-42.

Rad primljen: 17.12.2018.

Rad prihvaćen: 19.2.2019.



CT&ITI 2019

UNION OF ENGINEERS AND TEXTILE TECHNICIANS OF SERBIA

and

**UNION OF ENGINEERS AND TECHNICIANS OF SERBIA
FACULTY OF TECHNOLOGY AND METALLURGY IN BELGRADE
FACULTY OF TECHNOLOGY IN LESKOVAC
FACULTY OF TECHNOLOGY, SHTIP, NORT OF MACEDONIA
SOCIETY FOR ROBOTICS OF BOSNIA I HERZEGOVINA**

**II INTERNATIONAL SCIENTIFIC CONFERENCE
CONTEMPORARY TRENDS AND INNOVATIONS IN THE TEXTILE INDUSTRY**

**II MEĐUNARODNA NAUČNA KONFERENCIJA
SAVREMENI TRENDOVI I INOVACIJE U TEKSTILNOJ INDUSTRIJI**

**Belgrade, 16-17 th May, 2019
Union of Engineering and Technicians of Serbia
Dom inženjera „Nikola Tesla“**



Conference is financially supported by The Ministry of Education, Science and Technological Development of the Republic of Serbia