

Tekstilna industrija



1868 - 2019

SAVEZ INŽENJERA I TEHNIČARA TEKSTILACA SRBIJE
UNION OF TEXTILE ENGINEERS AND TECHNICIANS
OF SERBIA

Naučni i stručni časopis tekstilne i odevne industrije

Scientific and professional journal of the Union of textile engineers and technicians of Serbia

KNITTING

BOWKNOT

CLOTHING

MEASURING TAPE

DRESS SHIRT

SAFETY PIN

KNITTING

BOWKNOT



IRON



BLOUSE



BOBBIN CASE



CLOTH



SEWING MACHINE



SPOOL



IRON



BLOUSE



PUNCH



TAILOR'S RULER



CHALK



NEEDLE



THIMBLE



SEWING MACHINE



PUNCH



TAILOR'S RULER



BUTTONS



SEWING PATTERN



SEWING NEEDLES



SKELN OF YARN



ZIPPER



FABRIC ROLL



BUTTONS



SEWING PATTERN



CROCHET



LEATHER



JACKET



TAILOR'S DUMMY



BOBBIN



TAILOR'S SHEARS



KNITWEAR



BUTTONS



SEWING PATTERN



CROSS STITCH



BOBBIN

Najbolja publikacija za 2018. godinu



**УНИВЕРЗИТЕТ У БЕОГРАДУ
ТЕХНИЧКИ ФАКУЛТЕТ У БОРУ**
www.tfbor.bg.ac.rs



АКРЕДИТОВАНИ СТУДИЈСКИ ПРОГРАМИ НА ТРИ НИВОА АКАДМЕСКИХ СТУДИЈА

ОСНОВНЕ

**Рударско
инжењерство**

**Металуршко
инжењерство**

**Технолошко
инжењерство**

**Инжењерски
менаџмент**

Експлоатација лежишта минералних сировина (ЕЛМС)

Припрема минералних сировина (ПМС)

Рециклажне технологије и одрживи развој (РТОР)

Екстрактивна металургија

Прерађивачка металургија

Неорганска хемијска технологија

Инжењерство заштите животне средине

Пословни менаџмент

Информационе технологије

МАСТЕР

Рударско инжењерство (ЕЛМС, ПМС, РТОР)

Металуршко инжењерство

Технолошко инжењерство

Инжењерски менаџмент

ДОКТОРСКЕ

Рударско инжењерство

Металуршко инжењерство

Технолошко инжењерство

Инжењерски менаџмент



Војске Југославије 12 , 192 10 Бор
тел./факс (0 30) 42 4 555 / 42 1 0 78
office@tfbor.bg.ac.rs



1868 - 2019

tekstilna industrija

Naučni i stručni časopis tekstilne industrije UDK 677+687 ISSN 0040-2389
Scientific and professional journal of the Union of textile engineers and technicians of Serbia

Godina LXVII • Broj 1 • Beograd 2019 • Strana 1-80 • Tiraž 100

Izdavač: SAVEZ INŽENJERA I TEHNIČARA TEKSTILACA SRBIJE

11000 Beograd, Kneza Miloša 7a/II, tel: 064 15 03 053

e-mail: casopistekstilnaindustrija@gmail.com

Tekući račun: 295-1201292-77 Srpska banka

Štampa: M studio, Stara Pazova

Za izdavača: Prof. dr Snežana Urošević

Predsednik Izdavačkog saveta: Stanko Kiš, dipl. ing.

Redakcioni savet: Prof. dr Snežana Urošević, dr Ana Jelić-Aksentijević, dr Danijela Paunović, dr Gordana Čolović

Glavni i odgovorni urednik: Prof. dr Snežana Urošević

Lektor: Bojana Pejčić, M.Sc.

Tehnički urednik: ing. Aleksandar Sokolović

Dizajn korica: ing. Aleksandar Sokolović

REDAKcioni ODBOR:

Dr Ana Jelić-Aksentijević	DTM, Beograd
Dr Biljana M. Pejić	DTM, Beograd
Dr Biljana Popović	DTM, Beograd
Dr Branislava Lazić	DTM, Beograd
Dr Božidar Stavrić	Tehnološko-metalurški fakultet, Beograd
Dr Danijela Paunović	DTM, Beograd
Dr Dragan Đorđević	Tehnološki fakultet, Leskovac
Dr Dušan Trajković	Tehnološki fakultet, Leskovac
Dr Gordana Čolović	DTM, Beograd
Dr Gordana Kokeza	Tehnološko-metalurški fakultet, Beograd
Dr Ineta Nemeša	Tehnički fakultet „Mihajlo Pupin“ Zrenjanin
Dr Jovan Stepanović	Tehnološki fakultet, Leskovac
Dr Koviljka Asanović	Tehnološko-metalurški fakultet, Beograd
Dr Nada Štrbac	Tehnički fakultetu u Boru, Bor
Dr Nemanja Kašiković	Fakultet tehničkih nauka, Novi Sad
Dr Mirjana Kostić	Tehnološko-metalurški fakultet, Beograd
Dr Snežana Urošević	Tehnički fakultet u Boru, Bor
Dr Tatjana Šarac	Tehnološki fakultet, Leskovac
Herbert Kranjc	Pančevo
Mr Katarina Nikolić	DTM, Beograd
Mr Marina Kocareva	
Ranisavljev	DTM, Beograd
Dr Mira Reljić	Institut CIS Srbije, Beograd
Dr Nenad Ćirković	Tehnološki fakultet, Leskovac

INTERNACIONALNI REDAKcioni ODBOR:

Dr Bruno Završnik	Ekonomsko poslovna fakulteta, Maribor
Dr Goran Demboski	Tehnološko-metalurški. fakultet, Skopje
Dr Isak Karabegović	Tehnički fakultet, Bihać
Dr Svetlana Janjić	Tehnološki fakultet u Banjoj Luci, Bosna i Hercegovina
Dr Simona Jevšnik	Tehnološki fakultetu u Banjoj Luci
Dr Miloš Sorak	Tehnološki fakultet, Banja Luka
Mr Almina Duraković	Fakultet za dizajn, Trzin, Slovenija
Dr Damjana Celcar	Fakultet za dizajn, Trzin, Slovenija
Dr Zoran Stjepanović	Fakulteta za strojništvo, Maribor
Dr Liliana Indrie	Faculty of Energy Engineering and Industrial Management, University of Oradea, Romania
Dr Zlatina Kazlacheva	Faculty of Technics and Technologies, Trakia University, Bulgaria
Dr Sanja Risteski	Tehnološko-tehnički fakultet, Štip, Makedonija
Dr Elsayed Elnashar	Faculty of Specific Education, Kafrelsheikh University, Egypt
Dr Lubos Hes	Faculty of Textiles, Technical University of Liberec, Czech Republic
Dr Nuno Belino	University of Beira Interior, Faculty of Engineering, Covilhã, Portugal
Dr Boris Mahltig	Hochschule Niederrhein, Faculty of Textile and Clothing Technology Monchengladbach, Germany
Dr Victoria Vlasenko	Kyiv National University of Technologies and Design, Kyiv, Ukraine
Dr Emilia Visileanu	Nacional Research and Development Insitute for Textiles and leather, Bucharest, Romania
Dr Vineta Srebrenkoska	Tehnološko-tehnički fakultet, Štip, Makedonija

SADRŽAJ

Reč urednika	3
Sanja Risteski, Sonja Kortoseva, Vineta Srebrenkoska INTER-PHASE CONTROL OF DEFECTS AND REASONS FOR THEIR OCCURRENCE IN THE PROCESS OF SEWING WOMEN'S TROUSERS	4
Koviljka A. Asanović, Mirjana M. Kostić, Tatjana V. Mihailović KVALITET SUNDERAŠTIH KRPA OCENJEN NA OSNOVU PREKIDNIH SVOJSTAVA	12
Kiro Mojsov, Aco Janevski, Darko Andronikov, Sonja Jordeva, Marija Kertakova, Saska Golomeova, Stevan Gaber, Ivan Ignjatov BEHAVIOUR OF BIOPOLISHING ON DYEABILITY AND CERTAIN PROPERTIES OF COTTON FABRICS	20
Nebojša Ristić, Ivanka Ristić, Dragana Marković Nikolić, Aleksandra Mičić, Aleksandar Zdravković UKLANJANJE HIDROLIZOVANE REAKTIVNE BOJE SA PAMUČNE TKANINE NAKON BOJENJA	25
Ineta Nemeša, Volkan Kaplan ZAVRŠNA OBRADA TEKSTILA LASEROM	33
Dragan Dimitrijević, Živoslav Adamović, Snežana Urošević, Bratislav Prokopović PROCES GENERISANJA MODELA MSP-PARTICIPACIJA I BENEFITI KOMPJUTERSKOG MODELOVANJA (2. DEO).....	39
Zoran Ilić POTENCIJALI RAZVOJA INDUSTRIJSKOG TURIZMA U LESKOVCU GRADU TEKSTILA - „SRPSKOM MANČESTERU“	51
Vesti i informacije	58
Tržište tekstila	71
Uputstvo autorima	77

U FINANSIRANJU ČASOPISA UČESTVOVALO
MINISTARSTVO PROSVETE, NAUKE I
TEHNOLOŠKOG RAZVOJA REPUBLIKE SRBIJE



1868 - 2019

tekstilna industrija

Naučni i stručni časopis tekstilne industrije UDK 677+687 ISSN 0040-2389
Scientific and professional journal of the Union of textile engineers and technicians of Serbia

Volume LXVII • Number 1 • Beograd 2019 • Page 1-80 • Printing 100
Publisher: Textile Engineers and Technicians Union of the Republic Serbia
Editorial offices: Serbia, 11000 Beograd, Kneza Miloša 7a/II, tel: 064 15 03 053
e-mail: casopistekstilnaindustrija@gmail.com

For publisher: Snežana Urošević, Ph.D.

President of the Publishing Council: Stanko Kiš, dip.ing.

Editorial Council: Snežana Urošević, Ph.D., Ana Jelić-Aksentijević, Ph.D., Danijela Paunović, Gordana Čolović, Ph.D.

Editor in Chief: Snežana Urošević, Ph.D.

Translation: Bojana Pejčić M.Sc.

Technical Editor: Aleksandar Sokolović, ing.

Cover design: Aleksandar Sokolović, ing.

EDITORIAL BOARD:

Ana Jelić-Aksentijević Ph.D.	DTM, Belgrade
Biljana Pejić Ph.D.	DTM, Belgrade
Biljana Popović, Ph.D.	DTM, Belgrade
Branislava Lazić, Ph.D.	DTM, Belgrade
Božidar Stavić Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Danijela Paunović Ph.D.	DTM, Belgrade
Dragan Đorđević Ph.D.	Faculty of Technology, Leskovac
Dušan Trajković Ph.D.	Faculty of Technology, Leskovac
Gordana Čolović Ph.D.	DTM, Belgrade
Gordana Kokeza Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Ineta Nemeša Ph.D.	Technical Faculty „Mihajlo Pupin“ Zrenjanin
Jovan Stepanović Ph.D.	Faculty of Technology, Leskovac
Koviljka Asanović Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Nada Štrbac Ph.D.	Technical Faculty, Bor
Nemanja Kašiković Ph.D.	Faculty of Technical Sciences, Novi Sad
Mirjana Kostić Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Snežana Urošević Ph.D.	Technical Faculty, Bor
Tatjana Šarac, Ph.D.	Faculty of Technology, Leskovac
Herbert Kranjc	Pančevo
Katarina Nikolić Mr	DTM, Belgrade
Marina Kocareva	
Ranisavljev Mr	DTM, Belgrade
Mirjana Reljić Ph.D.	Institut CIS Srbije, Belgrade
Nenad Ćirković Ph.D.	Faculty of Technology, Leskovac
Bruno Završnik Ph.D.	Faculty of Economics and Business, Maribor
Goran Demboski Ph.D.	Faculty of Technology and Metallurgy, Skopje
Isak Karabegović Ph.D.	Faculty of Technology, Banja Luka
Svetlana Janjić Ph.D.	Faculty of Technology, Banja Luka
Simona Jevšnik Ph.D.	Faculty of Technology, Banja Luka
Miloš Sorak, Ph.D.	Faculty of Technology, Banja Luka
Sanja Risteski, Ph.D.	University „Goce Delchev“, Faculty of technology, Shtip, Macedonia
Almina Duraković, Mr	Faculty of Design, Trzin, Slovenia
Damjana Celcar Ph.D.	Faculty of Design, Trzin, Slovenia
Zoran Stjepanović Ph.D.	Faculty of Mechanical Engineering, Maribor
Liliana Indrie Ph.D.	Faculty of Energy Engineering and Industrial Management, University of Oradea, Romania
Zlatina Kazlacheva Ph.D.	Faculty of Technics and Technologies, Trakia University, Bulgaria
Elsayed Elnashar Ph.D.	Faculty of Specific Education, Kafrelsheikh University, Egypt
Lubos Hes Ph.D.	Faculty of Textiles, Technical University of Liberec, Czech Republic
Nuno Belino Ph.D.	University of Beira Interior, Faculty of Engineering, Covilhã, Portugal
Boris Mahltig Ph.D.	Hochschule Niederrhein, Faculty of Textile and Clothing Technology Monchengladbach, Germany
Victoria Vlasenko Ph.D.	Kyiv National University of Technologies and Design, Kyiv, Ukraine
Emilia Visileanu Ph.D.	National Research and Development Institute for Textiles and leather, Bucharest, Romania
Vineta Srebrenkoska	University „Goce Delchev“, Faculty of technology, Shtip, Macedonia

CONTENT

Editorial Council	3
Sanja Risteski, Sonja Kortoseva, Vineta Srebrenkoska INTER-PHASE CONTROL OF DEFECTS AND REASONS FOR THEIR OCCURRENCE IN THE PROCESS OF SEWING WOMEN'S TROUSERS	4
Koviljka A. Asanović, Mirjana M. Kostić, Tatjana V. Mihailović QUALITY OF SPONGE CLOTHS EVALUATED ON THE BASIS OF THEIR STRENGTH PROPERTIES	12
Kiro Mojsov, Aco Janevski, Darko Andronikov, Sonja Jordeva, Marija Kertakova, Saska Golomeova, Stevan Gaber, Ivan Ignjatov BEHAVIOUR OF BIOPOLISHING ON DYEABILITY AND CERTAIN PROPERTIES OF COTTON FABRICS	20
Nebojša Ristić, Ivanka Ristić, Dragana Marković Nikolić, Aleksandra Mičić, Aleksandar Zdravković REMOVAL OF HYDROLIZED REACTIVE DYES FROM COTTON FABRIC AFTER DYEING	25
Ineta Nemeša, Volkan Kaplan TEXTILE FINISHING BY LASER	33
Dragan Dimitrijević, Živoslav Adamović, Snežana Urošević, Bratislav Prokopović THE PROCESS OF CREATING OF THE MODEL OF SME - PARTICIPATION AND BENEFITS OF COMPUTING MODELING (Part 2)	39
Zoran Ilić POTENTIALS OF DEVELOPMENT OF INDUSTRIAL TOURISM IN LESKOVAC CITY OF TEXTILE - "SERBIAN MANCHESTER"	51
New and information	58
Tekstile market	71
Instructuin for Autors	77

THE MINISTRY OF EDUCATION, SCIENCE AND TECHNOLOGICAL DEVELOPMENT PARTICIPATED IN FINANCING OF THE JOURNAL

REČ UREDNIKA

Kao potvrda za dugogodišnji uspešan rad i neprekidno publikovanje časopisa „Tekstilna industrija“ dodeljeno nam je priznanje „Najbolja IT publikacija“ u Srbiji za 2018. godinu. Povelja je svečano uručena 8. februara 2019. godine na Svečanoj sednici Skupštine Saveza inženjera i tehničara Srbije. Posebno se radujemo da je priznanje dodeljeno u godini Jubileja, proslave 150 godina postojanja Saveza inženjera i tehničara Srbije.

Časopis „Tekstilna industrija“ ima dugu istoriju i tradiciju. Kao glasilo Saveza inženjera i tehničara tekstilaca Srbije izlazi već punih 66 godina. Prvi broj je objavljen davne 1953. godine i bio je usmeren na praćenje savremenih kretanja u tekstilnoj industriji, a kasnije i u odevnoj industriji i procesima koji ih prate kroz dizajn i menadžment.

Publikovanje časopisa se tokom ovih dugih godina susretalo i sa mnogim problemima, ali je „Tekstilna industrija“ opstajala i opstaje više od pola veka. Glavni problem sa kojim se susreće je finansiranje časopisa, te glavni i odgovorni urednik, članovi redakcije i rukovodstvo Saveza inženjera i tehničara tekstilaca Srbije pokušavaju da povećaju broj pretplatnika i time omoguće potrebna sredstva za štampanje časopisa.

U 2018. godinu, izašla su četiri broja časopisa „Tekstilna industrija“ u predviđenim terminima, sa novim korigovanim dizajnom korica i tiražom od 100 komada. Time je ispunjen plan o redovnosti izlazenja časopisa. Redakcioni odbor sa glavnim i odgovornim urednikom se potrudio da poboljša kvalitet časopisa te je publikovano ukupno 35 radova, a od toga je 17 radova iz inostranstva i ukupno 18 radova na engleskom jeziku. U protekloj godini svoje radove su objavljivali autori iz Indije, Ukrajine, Turske, Makedonije, Bosne i Hercegovine i Srbije. Treba napomenuti da je časopis „Tekstilna industrija“ u 2018. godini podržan od Ministarstva prosvete, nauke i tehnološkog razvoja Republike Srbije.

Takođe, ulažu se naponi od strane Uređivačkog odbora da se poveća prepoznatljivost časopisa. Takođe, čine se svi naponi da se dobije bolja kategorizacija časopisa pri Ministarstvu prosvete, nauke i tehnološkog razvoja Republike Srbije za oblast Materijali i hemijske tehnologije.

Dobijeno priznanje „Najbolja IT publikacija“ doprineće nastavku uspešnog publikovanja časopisa „Tekstilna industrija“, a uredništvo i glavni i odgovorni urednik biće motivisani za bolji i kvalitetniji rad, trudeći se da opravdaju dato poverenje.

Glavni i odgovorni urednik
Prof. dr Snežana Urošević

BEHAVIOUR OF BIOPOLISHING ON DYEABILITY AND CERTAIN PROPERTIES OF COTTON FABRICS

Kiro Mojsov^{1*}, Aco Janevski¹, Darko Andronikov¹, Sonja Jordeva¹,
Marija Kertakova¹, Saska Golomeova¹, Stevan Gaber², Ivan Ignjatov²

¹ University "Goce Delchev", Faculty of Technology, Shtip, Macedonia

² University "Goce Delchev", Faculty of Economics, Shtip, Macedonia

* e-mail: kiro.mojsov@ugd.edu.mk

Review paper

UDC: 677.21.027.615.1

DOI: 10.5937/tekstind1901020M

Abstract: *Conventional chemical processes are generally severe and fibre damage may occur. Enzymes are characterized by their ability to operate under mild conditions and as a result processes can be carried out without further damaging the fibers. Enzymes are also readily biodegradable and therefore potentially harmless and environmentally friendly. Biopolishing enzymes used in biopolishing, offers a number of benefits such as improvement in pill resistance, superior colour brightness, softness and cooler feel. Biopolishing treatment, given to the cotton fabrics using cellulases, often influences dyeability and certain physical properties of the fabrics after treatments. This work represents a review of behavior of cellulase treatment on dyeability and various properties of cotton fabrics.*

Keywords: biopolishing, cotton fabrics, cellulase, eco-friendly characteristics.

PONAŠANJE BIOPOLIRANJA NA OBOJENOST I ODREĐENA SVOJSTVA PAMUČNIH TKANINA

Apstrakt: *Konvencionalni hemijski procesi su generalno ozbiljni i mogu da oštete vlakana. Enzimi se odlikuju svojom sposobnošću da rade pod blagim uslovima i kao rezultat toga, procesi se mogu odvijati bez daljeg oštećenja vlakana. Enzimi su takođe lako biorazgradivi i stoga potencijalno bezopasni i ekološki prihvatljivi. Biopolirani enzimi koji se koriste u biopoliranju, nude brojne pogodnosti kao što su poboljšanje otpornosti na piling, superiorna osvetljenost boje, mekoća i hladniji osećaj. Tretman biopoliranjem, koji se daje pamučnim tkaninama od celulaze, često utiče na obojenost i određene fizičke osobine tkanina nakon tretmana. Ovaj rad predstavlja pregled ponašanja celulaznog tretmana na obojenost i različita svojstva pamučnih tkanina.*

Ključne riječi: biopoliranje, pamučne tkanine, celulaze, ekološke karakteristike.

1. INTRODUCTION

Biotechnology is defined as application of biological organisms, systems and processes to manufacturing and processing industries. This is reflected in ability of enzymes to recognize other biological systems and to catalyse a vast range of specific chemical reactions under moderate and much more economic conditions [1]. Recent advances in biofinishing of cellulosic fabrics have led to multiple improvements of surface properties. The main objective of biofinishing

is to upgrade the fabric by removing the protruding fibers. The conventional methods are temporary, potentially toxic, and fibers return to the surface after a few washings and form fuzz. The fuzz on the surface of the fabrics constitutes the major reason for customer dissatisfaction. However, by using enzymes in the finishing process, the protruding fibers can be permanently removed from the fabric thus eliminating the fuzz. The enzyme treatment not only keeps the fabric looking new after repeated washings, but enhances

feel, color, softness and drapeability which translates into a higher quality textile or apparel product [2, 3].

Enzymes are biological catalysts. A catalyst is any substance which makes a chemical reaction go faster, without itself being changed. All enzymes are made of protein and because they are sensitive to heat, pH and heavy metal ions.

Hydrolytic treatment of cellulosic fabrics and garments with cellulases has become a common treatment step in textile processing [4]. Cellulase preparations consist of several different cellulolytic enzymes which act synergistically in hydrolysing cellulose to glucose.

Cotton fabric has several impurities such as fats and waxes, pectinous substances, proteinous matter, ash etc. In order to remove these impurities, scouring of cotton fabric is normally carried out with strong alkali at high temperature and for longer duration. Although, this treatment gives very good results, one of the problems is high loss in weight of cellulosic material. On the other hand, bleaching removes any unwanted colour from the fibres. In the enzymatic treatment, producers of textile enzymes recommend dosages of approximately 0.05 to 6% of cellulase preparation on garment weight [5].

Biopolishing is an important finishing treatment carried out on cellulosic fabrics using acid cellulases to achieve improvement in gloss, luminosity of colours and resistance to pilling, cooler feel and clear surface [6].

Biopolishing of cotton fabrics carried out, either before or after the dyeing process, has an influential role on dyeability of the fabrics. Bulky dye molecules used in cotton fabrics react only in the accessible regions of fibres, which are, also major parts of the substrates for enzyme hydrolysis during biopolishing. Extent of cellulase attack on dyed fabrics depends on molecular size of dyes and aggregation of dye molecules, besides the process conditions [7].

Cellulase pretreatment enhances penetration of alkali during scouring and increases the alkaline degradation of seed fragments in the subsequent process [8]. Presence of various components in the total cellulases plays a dominating role in altering surface morphology of the fibres [9].

Cellulases are inducible enzymes synthesized by a large diversity of microorganisms including both fungi and bacteria during their growth on cellulosic materials. These microorganisms can be aerobic, anaerobic, mesophilic or thermophilic. Among them, the genera of *Clostridium*, *Cellulomonas*, *Thermomonospora*, *Trichoderma*, and *Aspergillus* are the most extensively studied cellulase producer [10].

2. COTTON FIBRE AND HIS STRUCTURE

Cotton, the seed hair of plants of the genus *Gossypium*, is the purest form of cellulose readily available in nature. It has many desirable fibre properties making it an important fibre for textile applications. Cotton is the most important of the raw materials for the textile industry. The cotton fibre is a single biological cell with a multilayer structure. The layers in the cell structure are, from the outside of the fiber to the inside, cuticle, primary wall, secondary wall, and lumen. These layers are different structurally and chemically [11].

The primary and secondary walls have different degrees of crystallinity, as well as different molecular chain orientations. The cuticle, composed of wax, proteins, and pectins, is 2.5% of the fiber weight and is amorphous. The primary wall is 2.5% of the fiber weight, has a crystallinity index of 30%, and is composed of cellulose. The secondary wall is 91.5% of the fiber weight, has a crystallinity index of 70%, and is composed of cellulose. The lumen is composed of protoplasmic residues [12].

Cotton cellulose consists of crystalline fibrils varying in complexity and length and connected by less organized amorphous regions with an average ratio of about two-thirds crystalline and one-third non-crystalline material, depending on the method of determination [13]. The chemical composition of cellulose is simple, consisting of anhydroglucose units joined by β -1,4-glucosidic bonds to form linear polymeric chains.

3. CELLULOSE AND CELLULASES

Cellulose is considered as one of the most important sources of carbon on this planet. Agriculture wastes contain a high proportion of cellulosic matter which is easily decomposed by a combination of physical, chemical and biological processes. The major components of these are cellulose and hemicellulose (75-80%) while lignin constitutes only 14%. These wastes have been insufficiently disposed leading to environmental pollution. Recycling of agricultural residue can be achieved naturally and artificially by microorganisms. Aerobic organisms such as fungi, bacteria, and some anaerobic organisms have been shown to be able to degrade some constituents of these residues.

Cellulases are hydrolytic enzymes that catalyse the breakdown of cellulose to smaller oligosaccharides and finally glucose. Cellulases are enzymes which hydrolyze the β -1,4- glycosidic linkage of cellulose

and synthesized by microorganisms during their growth on cellulosic materials [14].

The commercially available cellulases are a mixture of enzymes: endogluconases, exogluconases and cellobiases. The application of cellulases in textile processing started in the late 1980s with denim finishing. Currently, in addition to biostoning, cellulases are also used to process cotton and other cellulose-based fibres. Cellulases are usually classified by the pH range in which they are more effective and, accordingly, acid cellulase, neutral cellulase and alkaline cellulase. Cellulases are inducible enzymes which are synthesized by microorganisms during their growth on cellulosic materials.

Cellulases were introduced in textile and laundry only a decade ago, they have now become the third largest group of enzymes used in these applications. Microbial cellulases find applications in textile industries as biostoning of jeans, biopolishing of textile fibers, improved fabrics quality, improved absorbance property of fibers, softening of garments, improved stability of cellulosic fabrics, removal of excess dye from fabrics etc. [1, 15]. Bio-stoning and biopolishing are the best-known current textile applications of cellulases. Denim stonewash enzymes or denim enzymatic treatments has replaced traditionally used pumice stones since it is more environmentally friendly and reduces overall damage to the denim while still producing the “stone washed” which is still very popular today. The advantages in the replacement of pumice stones by a cellulose-based treatment include less damage of fibers, increased productivity of the machines, and less work-intensive and environment benign [19].

In *Table 1* are given the applications of cellulases in the textile industry.

4. BIOPOLISING AND DYEABILITY

Biopolishing (de-pilling enzymes) is a biological process in which the cellulose acts on the surface of the fabric. The enzyme molecule is more than a thousand times larger than a water molecule and is therefore too large to penetrate the interior of a cotton fiber.

The objective of the process is elimination of micro fibrils of cotton through the action of cellulase enzyme. The acidic cellulases, when used in biopolishing, offers a number of benefits such as improve softness and water absorbance property of fibres, strongly reduce the tendency for pill formation, and provide a cleaner surface structure with less fuzz [20].

In the case of fabrics dyed with direct dyes, the efficiency of biopolishing is highly influenced by size, substantivity, molecular weight and concentration of dyes in the fabrics [21]. Fabrics dyed with reactive dyes of different reactive groups exhibit surface roughness after processing with crude cellulases, purified EG and CBH, due to poor biopolishing effects compared to the undyed fabrics [21, 22]. Presence of vat dyes does not influence the weight loss during cellulase treatment in many cases [7, 23]. In denim washing, acid cellulases are used in stonewashing, stoneless washing processes to impart various effects to the fabrics in terms of contrast, shade and smoothness [24].

5. PROPERTIES OF BIOPOLISHED COTTON FABRICS

Presence of various components in the total cellulases plays a dominating role in altering surface morphology of the fibres [9]. Adsorption of cellulases

Table 1: Cellulases in textile industry

Enzyme	Function	Application	Reference
Cellulase, preferably neutral and endoglucanase rich	Removal of excess dye from denim fabrics; soften the cotton fabrics without damaging the fibre	Bio-stoning of denim fabrics; production of high quality and environmentally friendly washing powders	Galante et al., 1998 [16]; Godfrey, 1996 [17]
Cellulase, preferably acid and endoglucanase rich	Removal of excess microfibrils from the surface of cotton and non-denim fabrics	Bio-polishing of cotton and non-denim fabrics	Galante et al., 1998 [16]; Godfrey, 1996 [17]; Kumar et al., 1994 [18]
Cellulase, preferably endoglucanase rich	Restoration of softness and colour brightness of cotton fabrics	Production of high quality fabrics	Galante et al., 1998 [16]; Godfrey, 1996 [17]; Kumar et al., 1994 [18]

on the surface of substrates takes place immediately after the introduction and remains even after washing [25]. Cellulase treatments remove the corrugated spiral structures, causing erosion and longitudinal fissures [27].

Water absorbency and water retention properties of fabrics are modified after biopolishing [27]. Cellulase treated fabrics show higher energy dissipation under wet condition. Wettability of the fabrics after biopolishing improves by 35–85% depending upon construction of the fabrics [28]. Enzyme treatment of cotton fabrics increases transverse swelling of fibres by 14%. Water retention capacity of cotton fabrics increases by 24–28%, due to splitting of microfibrils [29].

Changes in the degree of polymerization, degree of crystallinity and weight loss of fabrics significantly influence tensile properties in terms of tensile elongation, tensile and compressive resilience, shear rigidity, hysteresis and surface friction [30]. Strength of dyed fabrics appears to be better (less strength loss) than that of fabrics treated with enzymes and then dyed, though the differences are not significant [31].

A linear relationship exists between depilling and weight losses for total cellulase and endo-rich cellulase [28]. Slow kinetics of enzymatic degradation of crystalline cotton celluloses allows handle of the fabrics to be improved without excessively damaging the fabrics [32]. Harshness produced by the alkaline mercerization can be counteracted by cellulase treatment, while soft handle of liquid ammonia treated samples can further be enhanced by the cellulase treatment. Cellulase treatment lowers the tensile and compressional energy, which essentially means improved handle [32].

6. CONCLUSIONS

The progress in biotechnology of cellulases and related enzymes is truly remarkable and attracting worldwide attention. New enzymes with high specific activity, increased reaction speed, and tolerance to more extreme temperatures and pH could result in development of continuous processes. The textile industry can greatly benefit from the expanded use of these enzymes as non-toxic, environmentally friendly compounds. Textile processing industry is characterized by high consumption of energy and resources and time consuming processes.

Biopolishing of cotton fabrics offers unmatched results that can otherwise be achieved using chemical finishes. Effective enzyme treatment, which depended on fiber content and treatment level, resulted in progressive weight loss. Biopolishing employs ba-

sically the same cellulose action to remove fine surface fuzz and fibrils from cotton and viscose fabrics. The polishing action thus achieved helps to eliminate pilling and provides better print definition, colour brightness, surface texture, drapeability, and softness without any loss of absorbency.

REFERENCES

- [1] Mojsov, K. (2014). Biopolishing enzymes and their applications in textiles: A review. *Tekstilna industrija*, 61 (2), 20-24.
- [2] Hemmpel, W. H. (1991). The Surface Modification of Woven and Knitted Cellulosic Fibre Fabrics by Enzymatic Degradation. *International Textile Bulletin Dyeing /Printing/ Finishing*, 37(3), 5-14.
- [3] Mojsov, K., Janevski, A., Andronikov, D., Gaber, S. (2017). Determination of weight loss of cotton fabrics in enzymatic treatment. *Tekstilna industrija*, 64 (1), 44-48.
- [4] Gübitz, G. M., Cavaco-Paulo, A. (2001). Biotechnology in the textile industry-perspectives for the new millennium. *Journal of Biotechnology*, 89(2-3), 89-90.
- [5] Heikinheimo, L. (2002). *Trichoderma reesei cellulases in processing of cotton*. VTT publications, Finland, 28-29.
- [6] Manikam, M.M., Prasad, G.J. (2004). *Colourage*, 52(10), 41-47.
- [7] Gusakov, A. V., Sinitsyn, A. P., Berlin, A. G., Markov, A. V. (2007). Surface hydrophobic amino acid residues in cellulase molecules as a structural factor responsible for their high denim washing performance. *Enzyme and Microbial Technology*, 27, 664-671.
- [8] Li, S., Jin, D. J. (2003). *Use of enzymes in dyeing and finishing*. Textile Asia, 34, 52-55.
- [9] Obturk, H. B., Bechtold, T. (2008). Splitting tendency of cellulosic fibres - part III tendency of viscose and modal fibres. *Cellulose*, 15, 101-109.
- [10] Sun, Y., and Cheng, J. (2002). Hydrolysis of lignocellulosic materials for ethanol production: a review, *Bioresource Technology*, 83(1), 1-11.
- [11] Boylston, E. K., Hebert Usda, J. J. (1995). The Primary Wall of Cotton Fibers. *Textile Research Journal*, 65 (7), 429-431.
- [12] Li, Y., Hardin, I.R., Enzymatic Scouring of Cotton: Effects on Structure and Properties. *Textile Chem-*

- ist and Colorist & American Dyestuff Reporter*, 29 (8), 71-76 (1997).
- [13] Morton, W., Hearle, J. (1997). *Natural-cellulose fibres. In Physical Properties of Textile Fibers*. The Textile Institute, Manchester, 38-41.
- [14] Nallankilli, G. (1992). Enzymes in Textile wet processing, *Textile Industry and Trade Journal*, 30(1), 51-55.
- [15] Xia, L., Cen, P. (1999). Cellulase production by solid state fermentation on lignocellulosic waste from the xylose industry, *Process Biochem*, 34, 909-912.
- [16] Galante, Y.M., De Conti, A., Monteverdi, R. (1998). Application of *Trichoderma* enzymes in textile industry, in *Trichoderma & Gliocladium-Enzymes, Biological Control and Commercial Applications*, vol.2, edited by Harman, G.F. & Kubicek, C.P., (Taylor & Francis, London), 311-326.
- [17] Godfrey, T., Textiles. In: Godfrey, T., West, S. (1996) editors. *Industrial enzymology*, 2nd ed. London: Macmillan Press, 360-371.
- [18] Kumar, A., Lepola, M., Purtell, C. (1994). Enzyme finishing of man-made cellulosic fabrics. *Textile Chem Colourist*, 26, 25-28.
- [19] Bhat, M.K. (2000). *Cellulases and related enzymes in biotechnology*, *Biotechnol Adv*, 18, 355-383.
- [20] Sreenath, H. K., Shah, A. B., Yang, V. W., Gharia, M. M., Jeffries, T. W. (1996). Enzymatic polishing of jute/cotton blended fabrics, *Journal of Fermentation and Bioengineering*, 81(1), 18-20.
- [21] Prabhu, H. G., Arputharaj, A. (2003). Studies on cellulase treatment on cotton. *Colourage*, 50, 31-34.
- [22] Yamade, M., Amano, Y., Horikawa, E., Nozaki, K., Kanda, T. (2005). Mode of action of cellulase on dyed cotton with a reactive dye. *Bioscience Biotechnology and Biochemistry*, 69(1), 45-50.
- [23] Arja, M. O., Londerborough, J., Joutsjoki, V., Rajia, L., Jari, V., (2004). Three cellulases from *Melanocarpus albomyces* for textile treatment at neutral pH. *Enzyme and Microbial Technology*, 34, 332-341.
- [24] Schmitt, B., Prasad, A. K. (1998). Update of indigo denim washing. *Colourage* (10), 20-24.
- [25] Azevedo, H., Bishop, D., Paulo, A. C. (2002). Possibilities for recycling cellulases after use in cotton processing. *Applied Biochemistry and Biotechnology*, 101, 61-75.
- [26] Traore, M. K., Diller, G. B. (1999). Influence of wetting agent and agitation on enzymatic hydrolysis of cotton. *Textile Chemist and Colorists & American Dyestuff Reporter*, 1(4), 21-56.
- [27] Cuissinat, C., Navard, P. (2008). Swelling and dissolution of cellulose – part III plant fibres in aqueous system. *Cellulose*, 15, 67-74.
- [28] Raje, C. R., Gurjar, M., Kawlekar, S. R. (2001). Finishing of cotton fabrics with cellulase enzymes. *Indian Textile Journal*, 112, 37-41.
- [29] Radhakrishnaiah, P., Meng, X., Huang, G., Diller, G. B., Walsh, W. K. (1999) Mechanical agitation of cotton fabrics during enzyme treatment and its effect on tactile properties. *Textile Research Journal*, 69, 708-713.
- [30] Hebeish, A., Ibrahim, N. A. (2007). The impact of frontier sciences on textile industry. *Colourage*, 54, 41-55.
- [31] Blanchard, E. J., Graves, E. E., Batiste, S. L. (2000). Enzymatic hydrolysis of modified cotton. *Textile Chemists and Colorists & American Dyestuff Reporter*, 32, 37-41.
- [32] Gulrajani, M. L., Dayal, A., Chakraborty, M. (1998). Kawabata evaluation of enzyme treated cotton knitted fabrics. *Indian Journal of Fibre and Textile Research*, 23, 160-164.

Rad primljen: 17.11.2018.

Rad prihvaćen: 11.01.2019.



Tehnološkog fakulteta u Leskovcu

Akreditovani studijski programi na tri nivoa akademskih studija:

◆ **Osnovne akademske studije**
Studijski programi:

**Prehrambena tehnologija
i biotehnologija**

Prehrambena tehnologija
Biotehnologija

**Tekstilna
tehnologija**

Tekstilno inženjerstvo
Industrijski dizajn tekstilnih proizvoda

**Hemijske
tehnologije**

Farmaceutsko-kozmetičko inženjerstvo
Organska hemijska tehnologija
i polimerno inženjerstvo
Ekološko inženjerstvo

◆ **Master akademske studije**
Studijski programi:

**Prehrambena tehnologija i biotehnologija, Tekstilna tehnologija,
Hemijske tehnologije i Upravljanje materijalnim i energetske tokovima.**

◆ **Doktorske akademske**
Studijski program: **Tehnološko inženjerstvo.**

◆ Tehnološki fakultet u Leskovcu akreditovan je kao državni fakultet u oblasti
tehničko-tehnoloških nauka - materijali i hemijske tehnologije.



Faculty of Technology, Leskovac
October, 18-19, 2019.

Novel Technologies and Economic Development - with international participation
Symposium
years of the Faculty of Technology Leskovac



CT&ITI 2019

UNION OF ENGINEERS AND TEXTILE TECHNICIANS OF SERBIA

and

UNION OF ENGINEERS AND TECHNICIANS OF SERBIA
FACULTY OF TECHNOLOGY AND METALLURGY IN BELGRADE
FACULTY OF TECHNOLOGY IN LESKOVAC
FACULTY OF TECHNOLOGY, SHTIP, NORT OF MACEDONIA
SOCIETY FOR ROBOTICS OF BOSNIA I HERZEGOVINA

II INTERNATIONAL SCIENTIFIC CONFERENCE
CONTEMPORARY TRENDS AND INNOVATIONS IN THE TEXTILE INDUSTRY

II MEĐUNARODNA NAUČNA KONFERENCIJA
SAVREMENI TRENDovi I INOVACIJE U TEKSTILNOJ INDUSTRIJI

Belgrade, 16-17 th May, 2019
Union of Engineering and Technicians of Serbia
Dom inženjera „Nikola Tesla“



Conference is financially supported by The Ministry of Education, Science and
Technological Development of the Republic of Serbia