JPMNT

Journal of Process Management – New Technologies INTERNATIONAL

ISSN: 2334-7449 (Online) ISSN: 2334-735X (Print)



Volume 7 Issue 3 July 2019.

www.japmnt.com



JOURNAL OF PROCESS MANAGEMENT – NEW TECHNOLOGIES

INTERNATIONAL

The magazine is regularly monitored in the Repository of the National Library of Serbia, <u>Bibliometric</u> Report and the Serbian Citation Index.



JPMNT from 01.01.2016. year apply online system of electronic editing ASEESTANT, developed by the Centre for Evaluation in Education and Science (CEES)



Journal from 2016. is located in ASEESTANT system for the allocation of DOI (Digital Object Identifier) numbers. Global Service Crossref maintains a DOI numbers, metadata and links to the full texts.





Since 22. March 2017, JPMNT is available in the Directory of Open Access Journals (DOAJ). DOAJ is an online directory that indexes and provides access to quality open access, peer-reviewed journals.



Editorial implements a service-iThenticate - CrossCheck, in order to verify the originality of submitted papers and prevent plagiarism and duplicate publication.



Publication Type: Academic Journal

Subjects: Sciences

The contents of the journal will be designed by segments of thematic issues, namely:

- The science of hypotheses or evidence of application - Innovation and Development - Resources - Production - Services - Finance - Communications - Exchange - Legal regulations - Society - Education - Sport and Culture

IMPRESUM

JOURNAL OF PROCES MANAGEMENT – NEW TECHNOLOGIES, INTERNATIONAL

First edition, 2013.

Editor:

Prof. Predrag Trajković PhD

Publisher:

Mapro Predrag Trajković KD, Vranje

Technical editors:
PhD Lazar Stošić
MSc Ana Kostić Stošić

Lector:

Maja Mihajlović

Ana Stanković

Frequency: 4/year

Peer Reviewed: Yes

Year of first publication: 2013.





JOURNAL OF PROCESS MANAGEMENT – NEW TECHNOLOGIES

INTERNATIONAL

A Limited partnership MAPRO from Vranje, Serbia, publishes JOURNAL OF PROCESS MANAGEMENT - NEW TECHNOLOGIES INTERNATIONAL and offers membership and cooperation for writing scientific papers that, after the test on plagiarism, review and proofreading published under instruction that is attached.

Partnership was established in 1990. as a marketing project aimed at public opinion polls and market trends in the area of southern Serbia. Cooperation with young people especially students and young entrepreneurs in the pioneer period, the appearance of entrepreneurship in our country, for the introduction and development of marketing management, and application of new knowledge in economic practice and the creation of conditions for sustainable development, environmental awareness and health education. Statistical monitoring trends and developments investments and measure the effects of changes investment. Special whether additional review is to discover and use new resources in an optimal manner with the use of new technologies.

The aim of publishing this magazine is to engage researchers and scientists, from all parts of the world, to his knowledge, both theoretical as well as practical in writing concentrated more on one site in the form of publications, which will contribute to their greater recognition and the development of economy and society. Management process of new technology permeates all aspects of social life which is a huge area of coverage through this magazine.

Sincerely, Prof. PhD Predrag Trajković

Komanditno društvo MAPRO iz Vranja izdaje časopis MENADŽMENT PROCES – NOVE TEHNOLOGIJE INTERNACIONALNI pa Vam nudi saradnju za članstvo i pisanje naučnih i stručnih radova koje, posle testa na plagijarizam, recenzije i lekture objavljuje shodno uputstvu koje je u prilogu.

Društvo je osnovano 1990.godine kao marketing projekt sa ciljem istraživanja javnog mnjenja i tržišnih kretanja na prostoru Južne Srbije. Saradnja sa mladim osobama posebno studentima i mladim privrednicima u pionirskom periodu pojave preduzetništva kod nas, za upoznavanje i razvoj marketing menadžmenta, kao i primene novih saznanja u privrednoj praksi te stvaranje uslova za održivi razvoj, podizanje ekološke i zdravstvene kulture. Statistička praćenja tendencije kretanja ulaganja i merenje promene efekata te opravdanost dodatnih ulaganja. Poseban osvrt je na otkrivanje i korisćenje novih resursa na optimalan način uz primenu novih tehnologija.

Cilj izdavanja ovog časopisa je animiranje istraživača i naučnih radnika, sa svih prostora sveta, da svoja saznanja, kako teoretska, tako i praktična u pisanoj formi koncentrišu na jednom mestu u vidu publikacije, što će doprineti njihovoj većoj afirmaciji i razvoju privrede i društva. Menadžment proces novih tehnologija prožima sve pore društvenog života što čini ogroman prostor obuhvatnosti rada kroz ovaj časopis.

S poštovanjem, Prof. dr Predrag Trajković

Address of the editorial Board: Filipa Filipovica 28, 17501 Vranje, Serbia

Phone/Fax: +381 17 413 586, +381 17 432 278

Web: www.japmnt.com

E-mail: jpmntjournal@gmail.com ijpmnt@gmail.com

EDITORIAL BOARD

Editor PhD Predrag Trajković, Business school "Trajkovic", Vranje, Serbia Deputy editor PhD Svetlana Trajković, Collage of applied professional studies, Vranje, Serbia

Deputy editor PhD Andon Kostadinović, Faculty of Law, Security and Management "Constantine the Great" in Nis, Vice Rector of the University "Union Nikola Tesla" in Belgrade, Serbia.

Editorial Advisory Board

<u>Academician Full Professor DR. SCI. Angel Džambazovski,</u> Institute of Applied Kinesiology - intensive rehabilitation physiotherapy and chiropractic, street. "Pirin" 38, Macedonia

<u>Academic Professor Radenko S. Krulj PhD</u>, Serbian Royal Academy of scientists and artists, Council of academics, Serbia

<u>PhD Alla Belousova</u>, Chair of Psychology of Education, Faculty of Pedagogy and Practical Psychology, Southern Federal University, Russian Federation

<u>PhD Andon Majhošev</u>, Faculty of Law at the University of "Goce Delchev"-Stip, Macedonia

<u>PhD Dana Mesner Andolšek,</u> University of Ljubljana, Faculty of Social Sciences, Kardeljeva pl. 5, SI-1000 Ljubljana, Slovenia

<u>PhD Dejan Tubić</u>, College for Management in Tourism and Informatics in Virovitica, Croatia

<u>PhD Ekaterina Dimitrova Kyuskieva-Arabska,</u> University of agribusiness and rural development – Plovdiv, Faculty of economics and management, Plovdiv, Bulgaria <u>PhD Robert Dimitrovski,</u> MIT - University, Dean of the Faculty of Management, Skopje,

PhD Gabriela Paula Petruta, University of Pitesti, Arges County, Romania

PhD Hemanta K. Baruah, Vice-Chancellor, Bodoland University, India

<u>PhD Henrietta Nagy</u>, Szent István University, Faculty of Economics and Social Sciences, Hungary

<u>PhD József Káposzta,</u> Szent István University, Faculty of Economics and Social Sciences, Hungary

<u>PhD Jurka Lepičnik Vodopivec</u>, Faculty of Education of the University of Primorska and of the University of Maribor, Slovenia

PhD Ljubiša Stojmirović, High business School, Belgrade, Serbia

<u>PhD Mladen Ivić,</u> PIM University of Banja Luka, Republic of Srpska, Bosnia and Herzegovina

<u>PhD Nada Živanović</u>, Faculty of Business and Industrial Management, University "Union - Nikola Tesla", Belgrade, Serbia

PhD Natasha Georgieva Hadji Krsteski, University "MIT", Faculty of Security, Skopje

Macedonia

<u>PhD Nikola Vojvodić,</u> PIM University of Banja Luka, Republic of Srpska, Bosnia and Herzegovina

<u>PhD Oksana Baruskova</u>, Chair of Psychology of Education, Faculty of Pedagogy and Practical Psychology, Southern Federal University, Russian Federation

PhD Ranjan Upadhyaya, Professor & Director, UBS- Mumbai- India

PhD T. C. Manjunath, Ph.D. (IIT Bombay), FIETE, MIEEE Principal, HKBK College of Engg., 22 / 1, Nagawara, Arabic College Post, B'lore-45, Karnataka, India

<u>PhD Veljko Vuković,</u> PIM University of Banja Luka, Republic of Srpska, Bosnia and Herzegovina

PhD Vladimir Matić, Vocational school Vukovar, Croatia

PhD Zoran Božič, University of Nova Gorica, Faculty of Humanities, Slovenia

Secretary <u>Snežana Manasijević Milkić, Masters of Laws</u>, The company for consulting and engineering Mapro, Vranje, Serbia

Technical editor PhD Lazar Stošić, College of professional studies educators, Aleksinac, Serbia

Technical editor deputy Ana Kostić Stošić, MSc, The company for consulting and engineering Mapro, Vranje, Serbia

Lector Maja Mihajlović M.A. in English Language and Literature, High business school, Vranje, Serbia

Lector Ana Stanković M.A. in English Language and Literature, Business school "Trajkovic" Vranje, Serbia

REVIEWER BOARD MEMBERS

<u>PhD Agnes Csiszarik-Kocsir</u>, Obuda University, Keleti Faculty of Business and Management, Hungary

PhD Aleksander Janeš, University of Primorska, Faculty of Management, Slovenia

<u>PhD Aleksandra Gruevska-Drakulevski,</u> University of "Ss. Cyril and Methodius", Law Faculty "Iustinianus Primus", Skopje, Macedonia

<u>PhD Aneta Barakoska,</u> University "Ss. Cyril and Methodius", Faculty of Philosophy, Skopje, Macedonia

PhD Anica Milošević, College of applied technical sciences, Nis, Serbia

<u>PhD Anita Prelas Kovačević,</u> College for Management in Tourism and Informatics in Virovitica, Croatia

<u>PhD Biljana Petrevska,</u> "Goce Delcev" University – Stip, Faculty of Tourism and Business Logistics, Stip, Macedonia

PhD Boško Vojnović, Higher School of Agriculture in Šabac, Serbia

PhD Csaba Szűcs, Faculty of Marketing and Hospitality at the Gyöngyös Campus of

Eszterházy Károly University, Hungary

PhD Dejan Tubić, College for Management in Tourism and Informatics in Virovitica, Croatia

<u>PhD Dejan Vitanski</u>, University "St. Kliment Ohridski" - Bitola, Faculty of Law - Kicevo, Macedonia

PhD Dervis Kirikkaleli, Business Faculty at the Girne American University, North Cyprus

<u>PhD Dragi Rashkovski</u>, University "Ss. Cyril and Methodius", Law Faculty "Iustinianus Primus", Skopje, Macedonia

<u>PhD Dušan Jarić</u>, University "Union - Nikola Tesla", Faculty of Business and Industrial Management, Belgrade, Serbia

<u>PhD Edit Székely</u>, Budapest University of Technology and Economics (BME), Faculty of Chemical Technology and Bioechnology, Department of Chemical and Environmental Process Engineering (KKFT), Budapest, Hungary

<u>PhD Ekaterina Dimitrova Kyuskieva-Arabska,</u> University of agribusiness and rural development – Plovdiv, Faculty of economics and management, Plovdiv, Bulgaria

<u>PhD Elena Ignovska</u>, University "Ss.Cyril and Methodius", Faculty of Law, Skopje, Macedonia

PhD Emanuel Soare, Vice Rector at University of Pitesti, Arges County, Romania

<u>PhD Erzika Antić</u>, University of Travnik, Pharmacy and medical faculties, Travnik, Bosnia and Herzegovina

PhD Gordana Bogdanović, College of Applied Professional Studies, Vranje, Serbia

<u>PhD Henrietta Nagy</u>, Szent István University, Faculty of Economics and Social Sciences, Hungary

<u>PhD József Káposzta,</u> Szent István University, Faculty of Economics and Social Sciences, Hungary

<u>PhD Javad Khamisabadi</u>, Faculty of Management, Islamic Azad university, Tehran, Iran <u>PhD Jugoslav Aničić</u>, University Union - Nikola Tesla, Faculty of entrepreneurial business, Belgrade, Serbia

PhD Jelena Maksimović, Faculty of Philosophy, University of Niš, Serbia

PhD Ka Lok Man, Xi'an Jiaotong-Liverpool University (XJTLU), China

PhD Katarina Stojanović, IUNP, Novi Pazar, Serbia

PhD Ljiljana Stošić Mihajlović, College of applied professional studies, Vranje, Serbia

PhD Vitus Lam, The University of Hong Kong

<u>PhD Margarita Matlievska,</u> Faculty of Economics, "Goce Delcev" University – Stip, Macedonia

PhD Maja Matric, OŠ Cerklje ob Krki Elementary School as the principal, Slovenia

PhD Megi Rožič, University of Nova Gorica, Faculty of Humanities, Slovenia

<u>PhD Mitricka Stardelova</u>, Faculty of Physical Education, University St. Cyril and Methodius, Skopje, Macedonia

<u>PhD Miroslav Milutinovi</u>ć, University "Union Nikola Tesla", Faculty of Law, security and management "Konstantin Veliki" Nis, Serbia

<u>PhD Miroslav Pavlović</u>, The Union University, Faculty of Property Management, Belgrade, Serbia

PhD Mirche Kokalevski, MIT University, Faculty of Architecture, Skopje, Macedonia

<u>PhD Nataša Simić</u>, University of Union Nikola Tesla, Faculty of entrepreneurial business and management of real estate, Belgrade, Serbia

<u>PhD Nikola Petrović</u>, High medical college of professional studies"Milutin Milankovic", Belgrade, Serbia

<u>PhD Petar Namichev</u>, University of Goce Delcev, Faculty of Natural & Technical Sciences, Stip, Macedonia

<u>PhD Predrag Raosavljević,</u> PIM University of Banja Luka, Republic of Srpska, Bosnia and Herzegovina

<u>PhD Radmila Ćurčić</u>, University Union-Nikola Tesla, Faculty of business and industrijal management, Belgrade, Serbia

<u>PhD Radovan Ilić,</u> University "Singidunum", Faculty of Physical Education and Sports Management, Belgrade, Serbia

<u>PhD Rayna Zaharieva</u>, Sofia University "St. Kliment Ohridski", Department for information and teacher's qualification, Bulgaria

<u>PhD Svetlana Veljanovska</u> University "St. Kliment Ohridski" - Bitola, Faculty of Law - Kicevo, Macedonia

<u>PhD Svetlana Vukotić</u>, University Union - Nikola Tesla, Faculty of entrepreneurial business and management of real estate, Belgrade, Serbia

PhD Srdjan Radulović, University of Prishtina, Faculty of Law, Serbia

PhD Straško Stojanovski, University Goce Delchev, Faculty of law, Stip, Macedonia

PhD Tatijana Ashtalkoska Baloska, FON University, Faculty of Law, Skopje, Macedonia

<u>PhD Tatjana Dimoska, University</u> "St. Kliment Ohridski" - Bitola, Faculty of Tourism and Hospitality - Ohrid, Macedonia

<u>PhD Vera Naumovska</u>, State university "Cyril & Methodius", Fakulty of Economics, Skopje, Macedonia

<u>PhD Vesna Petrović</u>, University of Union Nikola Tesla, Faculty of entrepreneurial business and management of real estate, Belgrade, Serbia

PhD Vojo Belovski, Faculty of Law in the University "Goce Delcev" in Stip, Macedonia

<u>PhD Zoran Lovrekovi</u>ć, Higher education technical school of professional studies, Novi Sad, Serbia

PhD Zorica Siljanovska, FON University, Faculty of Law, Skopje, Macedonia

PAGE 72 - 80

<u>Paper 9:</u> KNOWLEDGE MANAGEMENT AS THE FOUNDATION OF BUSINESS PROCESS MANAGEMENT – AN OVERVIEW OF THE RELEVANT LITERATURE

Authors: Marijana Petrović, Danica Rajin, Aleksandra Stojiljković, Republic of Serbia

PAGE 81-87

<u>Paper 10:</u> DEVELOPMENT OF THE INSTITUTIONAL FRAMEWORK OF PUBLIC-PRIVATE PARTNERSHIP IN THE REPUBLIC OF SERBIA

Authors: Goran Amović, Bosnia and Herzegovina

PAGE 88

• INSTRUCTIONS TO AUTHORS

THE IMPACT OF THE APPLICATION OF WOOD ON THE TECHNOLOGICAL PREPARATION FOR FURNITURE MANUFACTURING

Petar Namichev¹, Mihail Petrovski²

^{1,2}University Goce Delcev Shtip, Republic of North Macedonia petar.namicev@ugd.edu.mk, petrovski.04@gmail.com

Original Scientific Paper doi:10.5937/jouproman7-21995

Abstract: This paper analyzes the influence of the application of wood on the technological preparation of furniture production. When it comes to furniture production the wood as a choice of material is the most used material today as it was in the past. It describes the physical and chemical properties of the wood, its technology for making furniture, as well as the influence of the choice of the type of wood on production. application of furniture the From the conducted research in furniture manufacturing companies it can be concluded that at the moment the most common wood for furniture production in North Macedonia is the beech, the second is the oak, and the third is the walnut. The technologies used to process these types of wood are up to date with world-class technology, and when economies are required, sometimes chipboard and mediapan are also used. The best type of wood for making furniture is the oak, but from the research it can be concluded that besides being less available from the beech, it is also more difficult for processing and requires different machining.

Key words: furniture, technology, wood, machines

INTRODUCTION

The best-quality furniture today is usually made of wood. The very wood with its natural properties, the aesthetic appearance and the quality it possesses is imposed as a necessary need in every home.

Historically, the wood has been widely used throughout the centuries and various movements and social orders. At the beginning furniture made of wood represented the splendor of the rich bourgeoisie.

In the further development of furniture, the wood became more accessible, raising to a contemporary form where wood furniture is the standard of modern living. In the future, traditional wood in its natural form will become more respected and more valuable than ever. The crafting of fine furniture and instruments, and the creation of carvings and sculpture will be elevated just that much higher on the scale of cultural respect. (R. Bruce Hoadley, 2000: 256)

The essence of how wood influences the technological preparation of furniture production lies in the analysis of the wood and all its properties, from physical, chemical and mechanical to ergonomic, wear, surface coatings, etc. Each wood has its own unique properties and defects, and having this in mind we can influence the technological preparation in order to increase productivity and reduce costs, which means that for a shorter period of time more work will be done.

The following criteria for completing suites are most frequently adopted: type of material, wood species, type of surface finish, place of use of the furniture, and the historical period in which the furniture was made or what period it refers to stylistically. (J. Smardzewski, 2015: 47)

Criteria	Manufacturers	Consumers
	(n=22) (%)	(n=125) (%)
Cost (Price)	9.09	10
Attractive Grain Pattern	4.55	10
Availability	9.09	0
Customers Demand	31.82	0
Durability	40.9	0
Ease of Use	4.55	0
Density	0	60
Colour	0	20
Health Benefit/Hazard	0	0
Total	100	100

Table 1. Criteria for the right selection of wood for furniture production

1. PHYSICAL AND CHEMICAL PROPERITES OF WOOD

The most characteristic physical properties of wood are: porosity, humidity, thermal and sound conductivity, etc.

The percentage of porosity in a wood can reach up to 75%. It affects the weight of the wood, the absorption of water and luster, and so on. By reducing the porosity the mechanical characteristics increase. (Josifovska, Stefanovska, 2013: 63)

Wood moisture depends on the weight of the wood itself, while the wood contains 50% of water that loses after cutting. Semi wood contains 30% moisture, dry wood up to 20% and drying about 17% moisture. Therefore, in order to reduce the moisture content of the wood, we need to fill the pores with varnishes, tar oils, linseed oil and oil paint that prevent the absorption of moisture. (Josifovska, Stefanovska, 2013: 63)

The humidity of the wood that is recommended in the exploitation of structures is the humidity that will reduce the dimensional changes to a minimum. The demand for moisture in the wood depends on the exploitation conditions and the external or internal climate. In the table below, you can see which percentage of the humidity of the wood is recommended according to the conditions.

Conditions	Percentage of humidity
In a direct contact with water	18-20%
For outdoor use	13-16%
For partially protected items	12-15%
For indoor use	8-12%
For lamellar wood with indoor use	5-7%

Table 2. Recommended percentage of humidity according to the conditions, external and internal

The thermal conductivity of the wood depends on the humidity, the volume mass and the direction of the wood fiber, and thanks to the porous structure of the wood that makes it a poor heat conductor, wood is used for the production of furniture, floors, etc.

Sound conduction is more common in coniferous species of trees, while deciduous trees have weaker sound properties.

The electrical conductivity of the wood depends on the moisture content of the wood. For example, dry wood is a bad conductor of electricity and therefore serves as an insulator. (Josifovska, Stefanovska, Spasovska, 2013: 139)

When analyzing the wood, the chemical properties are studied to give an insight into the influence of their composition on the characteristics of the material, as well as the application of the material in a particular environment and under certain conditions.

The chemical structure of the wood varies from species to kind, but is approximately 50% carbon, 42% oxygen, 6% hydrogen, 1% nitrogen and 1% other elements (calcium, sodium, magnesium, potassium, iron, manganese) by weight. The wood also contains sulfur, chlorine, silicon, phosphorus and other elements in small quantities.

Parameter	Weigh loss
Density	- 0.18 **
Moisture content	0.22
Cellulose	0.49 *
Lignin	- 0.58 **
Total phenol content	- 0.92 **

Table 3. Correlation matrix for the degradation rates with the physical and chemical properties of the wood

* = Significant on p = 0.05

**

= Significant on p = 0.001

Aside from water, wood has three main components. Cellulose, a crystalline polymer derived from glucose, constitutes Next about 41–43%. in abundance is hemicellulose, which is around 20% in deciduous trees but near 30% in conifers. It is mainly five-carbon sugars that are linked in an irregular manner, in contrast to the cellulose. Lignin is the third component at around 27% in coniferous wood vs. 23% in deciduous trees. (Boerjan, Ralph, Baucher, 2003: 519-549.)

The wood needs protection against atmospheric influences, moisture, high temperatures and pests in order to prevent the degradation of wood. Protecting the wood from moisture is done by applying lacquer paints and applying louvres whose function is to protect the wood from cracking and allow it to breathe.

During the exploitation, the wooden construction is exposed to a change in humidity then impregnation of the wood has to be carried out. Impregnation is performed before or after gluing the boards, and depending on whether the impregnation is performed before or after gluing, the choice of the type of adhesive is different.

2. FURNITURE TECHNOLOGY

The furniture manufacturing industry has been revolutionized over the past several decades. Today, most commercial and production furniture is created by large machinery, much of it automated and controlled by computer. The prevalence of high-tech machinery increases the accuracy and speed of manufacture, but also removes much of the craftsmanship involved. When used well, and with high-quality materials, machinescan make solid and attractive furniture. (Jagg Xaxx, Technology Used in Manufacturing Furniture, attached 27th of April, 2019 on www.ehow.com)



Figure 1. Operations that cover the process of producing wood furniture

The procurement and reception of the wooden beams includes several operations before proceeding in the next process for obtaining the finished product: unloading the wooden beams, determining their quality, sorting, air (natural drying) on the beams, then drying the beams in a dryer, and finally storage in separate warehouses before the process of machining and inventory management.

The raw wood is dried by natural way or forced through a plant in special dryers. Classical (conventional) dryers, condensation and combined (represent variants of classical dryers) are the most widespread, but vacuum, microwave ovens, dryers that function on the principle of impulse extraction, etc. are also used.

Next step is primary processing which is an operation where the defects of the dried beams are removed, whereupon they are cut into prismatic shapes or veneers. This group of operations also includes longitudinal extension of the beams, resulting in long boards or slats, which also reduces the amount of generated waste and ensures better utilization of the material.

During the operation main (machining) processing, pre-processed prismatic wooden elements that are in the operation of primary processing are shaped according to the necessary dimensions for the parts of the furniture. Depending on the shape and function of the production elements of the furniture, they can cover the following machining operations: cutting, rendering, grinding and drilling. Depending on the size of the production plant and the volume of furniture production, various machines and tools are used from manual to combined, numerically controlled or carpentry machines.

After the machining and grinding finishes, the various processed and shaped pieces of furniture are merged and assembled into a finished product. The assembly usually involves the use of adhesives (natural and synthetic) combination with other methods of binding (staple, screws, etc.). In the upholstered furniture industry, solvent adhesives are used, and in the non-upholstered furniture industry, most commonly used adhesives are (thermoplastic) or polyvinyl acetate.In most cases, the assembly operation also includes adjustment and inspection operations.

Surface finishing is the most complex and critical process for the production of one final product. The function of this procedure is that wood, as a natural material - biopolymer to protect against the harmful influence of the environment, as well as give it a certain appearance, which will make the human living space pleasant for living. Depending on the wood material, the purpose of the furniture, the technology and the method of production, there are different types of substrates and materials for surface treatment and ways of applying them.

In general, the procedure for finishing the furniture involves the application of a protective material (layer), its drying and grinding, and these processes are repeated until the desired final appearance of the product is obtained. For the surface treatment of wood, most commonly used are liquid varnishes, in which the liquid component is composed of organic solvents or water. (Olgica M., Elena A., 2015: 84)

After the finished production process, finished furniture is packed in order to protect against unplanned damage and breakage, which can occur during transport.

3. WOOD AT DIFFERENT TYPES OF FURNITURE

According to the research conducted through the furniture companies, a survey was conducted with experts in the field of wood industry. An interviewing technique was used, and during the research, a free-interview protocol was used as an instrument for data collection.

Through the realized research the following conclusions were made:

- The design influences the right selection of wood because the choice of wood is in a direct relation with the design itself, i.e the design dictates the choice of wood because certain types of wood that do not have very good elastic properties and if the design of the piece of furniture contains curved shapes, then that woodwill obviously be a bad choice for that design. This claim was agreed by all six respondents.
- The function and form are in a covalent relationship according to one of the interlocutors, while the other five interviewees agree that always follows the form function, because when you plan to make a new piece of furniture, first thing you do is decide its function, is it going to be a piece of furniture that is used for sitting, lying, sleeping or working on? Later when it is decided what its function is going to be you move on to shaping piece of furniture, confirming that the form always follows the function.
- The following table (No. 4) shows
 which type of wood is
 recommended for the use of

different type of piece of furniture. For the chair is recommended beech and oak, for table is recommended beech, oak and walnut, for a closet - classic wood on the visible surfaces and plywood onthe concealed parts, for sofa is recommended beech and oak for the construction and plywood for the other parts and for kitchen elements are recommended oak or plywood.

TYPE OF FURNITUR	RE RECOMMENDED WOOD
Chair	Beech, oak
Table	Beech, oak, walnut
Closet	Wood or plywood
Couch	Beech, oak - construction
Kitchen elements	Oak or plywood

Table 4. Summarized answers to the question for which product what type of wood is recommended to be used

- One of the interviewers who has years of experience and expertise in the use of the wood advised that the most beautiful and most visible parts of a piece of furniture should always be made of the best quality wood, while the invisible parts or those who will be covering the wall side should be made of plywood or other inferior wood.
- According to the analysis from the 6 conversations I had with people that work in the wood industry the following table (No.5), we can see how much wood is used for certain parts of different pieces of furniture:

TYPE OF FURNITURE	AMOUNT OF WOOD
Chair, std.dimensions	0,010м3
Table - 2,5cm thickness and 180cm height with 70cm width and legs 7,5cm height with 10x10cm width and length	0,15м3
Couch	5см3
Closet - 200 x 80cm	1м3


Table 5. How much wood is used for different types of furniture

 When it comes to making a chair, the best choice of wood is oak, maple and mahogany (imported).
 The highest quality table is made of pine, fir and poplar. The best quality couch is made of oak, walnut and teak wood and the best quality kitchen elements are made of oak, maple and cherry.

TYPE OF FURNITUR	THE BEST QUALITY WOOD
Chair	1.Oak
	2.Mahogany
	3.Maple
Table	1. Pine
	2.Fir
	3.Poplar
Couch	1. Oak
	2.Walnut
	3.Teak wood
Kitchen elements	1.Oak
	2.Maple
	3.Cherry

Table 6. The best quality wood for different kind of furniture

• Beech is the most common wood in the Republic of North Macedonia with representation of 41%, followed by oak near 16% and boron with 15% representation. 11% is the representation of the cherry and the fir is present with 9% walnut is in the last place with 5.2% representation. One of the respondents in the manufacture of furniture uses imported new types of wood from Amazon, Africa and China that are not available in our country.



Табела 7. Most common wood in North Macedonia according to the 6 respondents

- The machines are compatible when changing the type of wood and most often the change is made for economical reasons and to increasing productivity.
- The change in the type of wood is done either due to economical reasons or when changing the mechanization, certain types of wood are more difficult to process and therefore the change in the type of wood to increase productivity is imminent.

N.	Measured/calculated parametars	Drilling operation with a CNC machine	Drilling operation with a traditional machine	Differences (%)
1	Operation time for one product per minute	4.54	23.20	-411
2	Number of required operations, assists	1	2	-100
3	Labor cost per hour in Euros	4.85	4	+17.5
4	Cost of labor, hour operation in Euros	0.37	1.55	-319

Table 8 Difference in parameters between the CNC and the traditional machine

- According to the respondents, the quality remains standard throughout the years, as no change has taken place, and until it is done, it depends on the type of wood. If the wood is inexpensive it is understood that the quality will be weaker compared to other types of wood.
- There were also table tests of the percentage of representation of component materials in different types of furniture and they are shown in the table below (n.9)

Type of			ſ	nter	/iewe	ed		
furniture	Material	1	2	3	4	5	6	Average
	Wooden	75	75	5	60	75	90	72
Dining	Metal	15	20	15	10	8	5	12
furniture (%)	Plastic	5	5	5	25	3	5	10
	Other	5	0	75	5	14	0	6
	Wooden	30	30	5	40	30	=	47
Reclining furniture	Metal	40	30	25	25	30	*	23
(%)	Plastic	20	40	10	30	30	*	27
	Other	10	0	60	5	10	:=:	4
	Wooden	35	68	30	45	45	85	53
Corpus Furniture	Metal	30	30	40	25	40	10	28
(%)	Plastic	25	2	15	25	5	5	11
	Other	10	0	15	5	19	0	7
	Wooden	35	12	25	35	40	3	44
Upholstered	Metal	30	3	55	45	50	ā	37
Furniture (%)	Plastic	25		15	15	5	17.	11
	Other	10	i i	5	5	5	-	4

Table 9.Percentage of material representation in different types of furniture

• The proportion of wood in one chair is 69%, while the remaining 31% are plastic, polyurethane, fabric, etc. In one table the share of wood is 70%, kitchen elements are also 70%, while with upholstered furniture it is 27%. The lowest share of wood is in corpus furniture with only 5%.

AVERAGE COMPOSITION arithmetic of 3 products	N OF CHAIRS
Material	Percentage
wood	69%
plastic	10%
polyurethane	9%
fabric	3%
packaging	9%
other	1%
AVERAGE COMPOSITION	N OF TABLES
arithmetic of 3 products	
Material	Percentage
wood	70%
metal	15%
plastic	1%
packaging	9%
other	5%
AVERAGE COMPOSITION	OF KITCHEN ELEMENTS
arithmetic of 3 products	
Material	Percentage
wood	70%
metal	20%
plastic	2%
packaging	8%
other	5%

Table 10.Percentage of representation of various materials in an average composition of furniture

Material	Percentage
wood	27%
metal	31%
plastic	17%
fabric	15%
packaging	9%
other	1%
otiloi	1 70
0.000.000.000.00	I OF CORPUS FURNITURI
AVERAGE COMPOSITION	11.000
AVERAGE COMPOSITION arithmetic of 3 products Material	I OF CORPUS FURNITURI
AVERAGE COMPOSITION arithmetic of 3 products Material wood	OF CORPUS FURNITURI
AVERAGE COMPOSITION arithmetic of 3 products Material wood metal	Percentage
AVERAGE COMPOSITION arithmetic of 3 products	Percentage 5% 15%
AVERAGE COMPOSITION arithmetic of 3 products Material wood metal plastic	Percentage 5% 15% 1%

Table 11. Percentage of representation of various materials in an average composition of furniture

4. CONCLUSION

The wood with its aesthetics, excellent physical and chemical properties and the enticing appearance has always been the number one in the selection of material for furniture production. The tree itself carries its own beauty, except that with a natural character it brings freshness into a home whether it will be through the use of the floor, walls, ceiling or furniture production. Technological preparation is one of the stages that are implemented in the production of furniture, while others are prepared for raw materials, their drying, refinement, design concept, assembly, etc.If the tree has strong physical properties it means that it is hard to work with, which means it needs special technological preparation and compatible machines that can process it. From this we conclude that the influence of the application of wood on the technological preparation in furniture production is big. For the simple reason that every type of wood carries with it some specific properties that need to be processed in detail through analysis and data processing until the machine processing, assembly, packaging, etc.

In fact, the technological preparation is done so that the wood receives the best treatment with the smallest waste and the most efficient use of the quality part of the wood in order to obtain a quality final product.

Today, many employers who are engaged in the production of wood furniture are concerned with the supply of wood, as in North Macedonia as well as in the world too. This means that in the future it is imperative to improve the management of forests.

In the past, the price of the tree could not bear the cost of intensive forest management, but today with the value of the plywood and the mediapan, we have a complete change of the image. As the environment, forests and environmental impacts need to meet our needs in the future, so must technology itself too. The goal of each technologist should be to improve the products to meet all human needs, through a competitive price and a change in the resources of the wood.

Wood has a future at all levels of use. For our forests will give us not only a backbone resource for large-scale commodities but also the semiprecious jewels for our wood-crafting endeavors. Historians tell us we have passed through the stone and bronze and iron ages. We now hear mention of space age. But it may well be that yet ahead is a new age of wood... for those who understand it. (R. Bruce Hoadley, 2000: 256).

5. REFERENCES

- Andonova, E., Andonovski, T(2013): Finalna obrabotka na drvoto - Skopje: Ministerstvo za obrazovanie i nauka na R.S. Makedonija
- Nojfert E. (1981): Arhitektonsko projektovanje, Gradjevinska knjiga, Beograd
- Teischinger, Barbu, Dunky, Harper, Jungmeier, Militz, Musso, Petutschnigg, Pizzi, Wieland, Young (2010) "Processing Technologies for the Forest and Biobased Products Industries" – Salzburg University of Applied Sciences, Kuchl/Austria, 2010
- JosifovskaR., StefanovskaS., SpasovskaV. (2013), GRADEZNI MATERIJALI:Gradeznogeodetskastruka; arhitektonski tehnicar; Skopje, Ministerstvo za obrazovanie I nauka na R. S. Makedonija
- Manevska, Simonovska, Mitrikeska (2012), MASINI I ALATI ZA MEBEL I ENTERIER: Sumarsko – drvoprerabotuvacka struka; tehnicar za mebel I enterier; Skopje, Ministerstvo za obrazovanie I nauka na R.S. Makedonija
- R. Bruce Hoadley (2000), UNDERSTANDING WOOD – a craftman's guide to wood technology

- Joseph Aronson (2000), The Encyclopedia of Furniture third edition completely revisited
- Theodore Wegner, Kenneth E. Skog, Peter J. Ince, and Charles J. Michler (2010), Uses and Desirable Properties of Wood in the 21st Century
- Slavid, R. (2012) Out of the woods the creation of 12 hardwood chairs– Washington: UBM Client Solutionsfor The American HardwoodExport Council
- Smardzewski, J. (2015) Furniture Design Spinger International Publishing Switzerland.
- Josifovska R., StefanovskaS., SpasovskaV.
 "GRADEZNI MATERIJALI I
 KONSTRUKCII", Gradezno-geodetska struka;
 gradezen tehnicar –Skopje 2013, Ministerstvo
 za obrazovanie i nauka na R.S. Makedonija
- W. Boerjan; J. Ralph; M. Baucher (June 2003).
 "Lignin biosynthesis". Annu. Rev. Plant Biol. 54 (1): 519–549. doi:10.1146/annurev.arplant.54.031902.134938