

MESMAP – 2013
SCIENTIFIC ORAL PROGRAM

17 APRIL 2013, WEDNESDAY	
10.00 – 11.00	Opening Ceremony
11.00 – 11.20	COFFEE BREAK
11.20 – 12.00	Keynote Speaker: Vincenzo DE FEO (Italy) V. De Feo, Laura De Martino, Emilia Mancini Medicinal plants and the development of new drugs
12.30 – 14.00	LUNCH
SESSION – I	
CHAIRPERSONS: Emine BAYRAM & Milen GEORGIEV	
14.00 – 14.30	Invited Lecture: Bilge ŞENER (Turkey) B. Sener, İ. Erdoğan Orhan Innovative utilization of bioresources for novel drug candidates
14.30 – 15.30	ORAL PRESENTATIONS
OP-1	Z. Dajić Stevanović, M. Stanković, M. Petrović Survey of plants of saline habitats as a source of biologically active compounds
OP-2	E. Sofic Accidental fatal ingestion of colchicine containing leaves from autumn crocus, <i>Colchicum autumnale</i> L. (Liliaceae): Three cases report from Bosnia and Herzegovina
OP-3	N. A. Saliba The American University of Beirut-Nature Conservation Center: A successful diversified and decentralized approach towards nature conservation
OP-4	M. Arslan, İ. Üremis, A. Tinmaz, F. Uysal, M. Tutar, N. Çınar Interspecific hybridization of five economically important Oregano species
15.30 – 16.00	COFFEE BREAK
SESSION - II	
CHAIRPERSONS: Ivan SALAMON & Saliha KIRICI	
16.00 – 16.30	Invited Lecture: Asaad KHALID (Sudan) Discovery of drugs from medicinal plants – The road to El Dorado
16.30 – 17.30	ORAL PRESENTATIONS
OP-5	R. Belhattab, A. Harrar Evaluation of antioxidant and antimicrobial activities from <i>Rhamnus alaternus</i> L.
OP-6	Ö. Özden, T. Emirzade Critically Endangered <i>Salvia</i> Species In Cyprus
OP-7	Y. Yalçın Mendi, Y. Aka Kaçar, T. İzgü, Ö. Şimşek, P. Çürük, F. Aslan, M. Boncuk Morphological and molecular characterization and <i>in vitro</i> preservation of <i>Cyclamen</i> species grown naturally in Turkey
OP-8	S. A. Sargin, E. Akçiçek An ethnobotanical study on plants used by the local people of Alaşehir (Manisa) in Turkey
17.30 – 18.30	POSTER SESSION - I
19.00 – 21.00	WELCOME COCTAIL (KAYA ARTEMIS HOTEL)

18 APRIL 2013, THURSDAY

SESSION – III

CHAIRPERSONS: Bilge ŞENER & Zora DAJIC-STEVANOVIC

09.00 – 09.30	Invited Lecture: Raman DANG (India) Stevia plant uptake and determination of heavy metals in acid soil condition from cultivated zone of south India
09.30 – 10.30	ORAL PRESENTATIONS
OP-9	E. Moré, R. Melero, A. M. Barata, V. Lopes, F. Rocha, J. Radusiene, H. Cetinkaya, N. Sekeroglu Considerations on the state of the art and training of medicinal and aromatic plants sustainable wild harvesting
OP-10	N. Nuaimi, N. Y. Yassen, O. Fakhri Sa'eed Antimutagenic effect of green and black tea extracts on different tumor cell lines <i>in vitro</i>
OP-11	E. A. Abu-Basha, A. M. Soliman, W.H. Hsu Evaluation of antidiabetic activity of some Jordanian medicinal herbs
OP-12	D. Arslan, E. Bayram Effect of different sowing dates and row spacings on yield and quality characteristics of chamomile (<i>Matricaria recutita</i> L.) cultivars at Yalova ecological conditions
10.30 – 11.00	COFFEE BREAK

SESSION – IV

CHAIRPERSONS: Monica HANCIANU & Bilal GÜRBÜZ

11.00 – 11.30	Invited Lecture: Kazimierz GLOWNIAK (Poland) Application of counter-current chromatography for the isolation of coumarins from Polish medicinal plants from the Apiaceae family
11.30 – 12.30	ORAL PRESENTATIONS
OP-13	A. Chbani, H. Mawlawi, L. Zaouk Brown seaweed; <i>Padina pavonica</i> as biostimulant of plant growth and development in horticultural biodegradable support
OP-14	G. Cetinkaya Is marketing of medicinal and aromatic plants fair? Lessons from Köprülü Kanyon National Park, Turkey
OP-15	A. A. M. Siribel, S. A. Mekki Effect of chicken manure, soil type and salinity on growth and yield of spearmint (<i>Mentha spicata</i> L.) grown in Sudan
OP-16	M. Zafar, M. Ahmad, M. A. Khan, S. Sultana Medicinal plant biodiversity in salt range region of Punjab, Pakistan
12.30 – 14.00	LUNCH

SESSION – V

CHAIRPERSONS: Raman DANG & Biljana BAUER

14.00 – 14.30	Invited Lecture: İhsan ÇALIŞ (The Northern Cyprus) Caffeic acid derivatives: Phenylpropanoid, phenylethanoid glycosides
14.30 – 15.45	ORAL PRESENTATIONS
OP-17	M. Sari, N. Hendel, A. Boudjelal, D. Sarri Contribution to the knowledge of the folk uses of medicinal plants in Hodna region (M'sila, Algeria)
OP-18	F. Ayanoğlu, D. A. Kaya, A. Mert, E. Köse

	Determination of quality aspects and selection of native grown laurel (<i>Laurus nobilis</i> L.) in Hatay province of Turkey
OP-19	J. Rmili, B. Satrani, M. Ghanmi, A. Chaouch Recovery and characterization of chemical and oil essential microbioogique <i>Origanum elangatum</i> and <i>O. compactum</i> of Morocco
OP-20	B. Coşge Şenkal, A. İpek, B. Gürbüz, A. Türker, Ü. Bingöl, A. Yıldırım, K. A. Pour Rezaeieh, E. K. Arabbaghi The chemical compositions of essential oil and antibacterial activities of <i>Salvia tomentosa</i> L. grown in Turkey
OP-21	A. M. Daneshian, A. R. Khanizadeh, M. Alipour Comparison of essential oil ratio in some cultivated medicinal plants with wild species
15.45 – 16.00	COFFEE BREAK
SESSION – VI	
CHAIRPERSONS: Mohammad HMAMUCHI & Saadet TUGRUL AY	
16.00 – 16.30	Invited Lecture: Çimen KARASU (Turkey) Cellular redox regulation by olive and pomegranate extracts accompany to cardioprotection and neuroprotection
16.30 – 17.45	ORAL PRESENTATIONS
OP-22	I. Salamon, D. Grulova Lyophilisation process as a modern technique for isolation natural substances
OP-23	H. El Monfalouti, C. Denhez, B. Kartah, H. Harhar, S. Gharby, P. Clivio, Z. Charrouf, D. Guillaume Preventive <i>in vitro</i> study of DNA photodamage by argan oil
OP-24	F. S. Senol, T. Günbatan, N. Öztürk, İ. Gürbüz, İ. Orhan <i>In vitro</i> estimation of neurobiological effects of <i>Phlomis grandiflora</i> H.S. Thompson (Lamiaceae) and HPLC characterization of its main extracts
OP-25	C. Rahmoune, A. Benabdallah Essential oils of <i>Mentha pulegium</i> and <i>Mentha rotundifolia</i> from the humid area of Algerian Northern East
OP-26	A. M. Alnour, O. El Shiek, M. E. A. Omer, A. Z. Almagboul, O. E. Elamin <i>In vitro</i> antimicrobial activity of fruits crude extracts of <i>Anogeissus leiocarpus</i> (DC.) GILL. and PERR.
17.45 – 18.30	POSTER SESSION - II
17.30 – 18.30	BUSINESS SESSION
17.30 – 18.30	MAPs ORGANISATIONS SESSION

19 APRIL 2013, FRIDAY

SESSION – VII

CHAIRPERSONS: Noureddine DJEBLI & Muhsin KONUK

09.00 – 09.30	Invited Lecture: Erdal BEDİR (Turkey) Secondary metabolites from Turkish <i>Astragalus</i> species and their bioactivities
09.30 – 10.30	ORAL PRESENTATIONS
OP-27	E. Diraz, Ş. Karaman, A. İlçim, L. Tutar Melatonin contents of two wild <i>Tanacetum</i> species from Kahramanmaraş, Turkey
OP-28	C. Selles, N. Djabou, M. A. Dib, O. Benali, B. Tabti, A. Muselli, J. Costa, B. Hammouti Essential oils from the aerial parts of <i>Anacyclus pyrethrum</i> L., species growing in the Northern West of Algeria
OP-29	E. Ari, A. Topuz, Z. Suludere A new potential nutraceutical plant for Turkey: <i>Vaccaria hispanica</i> (Mill.) Rauschert
OP-30	N. Darwiche, A. Ghantous, M. Saikali, R. Tohme, N. El-Najjar, M. El-Sabbani, S. Talhouk, N. Saliba, H. Gali-Muhtasib Plants from the Eastern Mediterranean with potent anticancer properties
10.30 – 11.00	COFFEE BREAK

SESSION – VII

CHAIRPERSONS: Vincenzo DE FEO & Bektaş TEPE

11.00 – 11.30	Invited Lecture: Milen GEORGIEV (Bulgaria) Treasure from garden: Metabolomics, Pharmacognosy and biotechnology of <i>Verbascum</i> spp.
11.30 – 12.30	ORAL PRESENTATIONS
OP-31	H. İ. Yıldırım, M. Kargioğlu, M. Konuk The ethnobotanical features of some natural plants used by the people in Alanya and Gazipaşa (Antalya)
OP-32	M. Sheidai, Z. Noormohammadi Biodiversity of wild olive in Iran: genetic, cytogenetic and morphological diversity
OP-33	I. Süntar, E. Küpeli Akkol, T. Mert Gönenç, T. Fafal Erdoğan, H. Keleş, B. Kivçak Anti-inflammatory and wound healing activities of <i>Campanula lyrata</i> Lam. subsp. <i>lyrata</i>
OP-34	N. Mansouri, B. Satrani, M. Ghanmi, L. El Ghadraoui Chemical composition and antimicrobial activity of essential oils of species of Moroccan juniper
12.30 – 14.00	LUNCH

SESSION – VIII

CHAIRPERSONS: Mehmet ÖZASLAN & Turhan BAYKAL

14.00 – 14.30	Invited Lecture: Mohammad HMAMOUCHI (Morocco) From plants in the Arab and Africa to medicines in the north: Bioprospecting, research / development, benefit sharing, conservation, and legislation
14.30 – 15.30	ORAL PRESENTATIONS
OP-35	M. Ansari, F. Shariffifar New formulation techniques of old herbal medicines
OP-36	S. Özcan, C. Karaoglu, D. Gürlek, D. Doğan-Kalyoncu, İ. Parmaksız, S. F. Özcan, A. İpek, S. Mirici, S. Çöçü, E.O. Saruhan, A. Gümüşşü, S. Onarıci, C. Sancak, S. Uranbey, B. Gürbüz, N. Arslan

	Use of immature embryos for in vitro micropropagation of endangered geophytes
OP-37	B. Kartah, H. El Monfaloutia, H. Harhar, S. Gharby, Z. Charrouf, D. Guillaume, G. Zeppa Volatile compound formation during argan kernel roasting
15.30 – 16.00	COFFEE BREAK
SESSION – IX	
CHAIRPERSONS: Jutta Ludwig MÜLLER & Asaad KHALID	
16.00 – 16.30	Invited Lecture: Mohammed KAMIL (UAE) Quality control & standardization of herbal medicinal plants & products; from field to firm
16.30 – 17.15	ORAL PRESENTATIONS
OP-38	F.N. Mudau Effect of dry methods on chemical compositions of bush tea
OP-39	F. Farahvas , M. Farzanian, B. Mirshekari Evaluation of yield and essence in <i>Echinacea purpurea</i> to application of zinc sulphate under drought stress
OP-40	B. Mirshekari, S. B. Kouchebagh, F. Farahvash, H. K. Arbat, F. R. Khoei Seed germination and yield of tomato (<i>Lycopersicum esculentum</i> Mill.) as affected by biophysical priming techniques
17.15 – 17.30	CLOSING CEREMONY
19.00 – 20.00	TOUR TO EASTERN MEDITERRANEAN UNIVERSITY (EMU)
20.00 – 23.00	GALA DINNER AT EMU BEACH CLUB

MESMAP – 2013, POSTER PROGRAM

17-18-19 APRIL 2013	
TOPIC – I: Agriculture & Botany	
PP-1	<u>A. R. Munteanu</u> Assessing the potential of medicinal and aromatic plant cultivation as a rural development strategy in Romania
PP-2	<u>A. A. Al-Watban, A. R. Doiagay, U. Ikram</u> Floral epidermal characters of three species of genus <i>Salvia</i> growing naturally in the Kingdom of Saudi Arabia
PP-3	<u>A. Çınar</u> Protection and cultivation of medicinal and aromatic plants in West Mediterranean Region in Turkey
PP-4	<u>A. İbraliu, N. Kadiasi, F. Elezi</u> Assessment of morphological variation in <i>Hypericum perforatum</i> L. of Albania
PP-5	<u>G. Sarıkamış, E. A. Kaynaroğlu</u> Effect of salinity stress on the glucosinolate content of broccoli sprouts (<i>Brassica oleracea</i> var. <i>italica</i>)
PP-6	<u>A. Karasakal, G. Şeren, Y. Kalebaşı</u> Gfaas determination of ultratrace quantities of Se in environmental samples by using Mg/Pd modifier
PP-7	<u>A. Karasakal, G. Şeren, Y. Kalebaşı</u> Investigation of selenium in sunflower samples by graphite furnace atomic absorption spectrometry
PP-8	<u>A. Kaya, K. Benkli, T. Koparal</u> Morpho-anatomical, palynological and seed surface properties of <i>Astragalus microcephalus</i>
PP-9	<u>A. Kaya, F. Satılı, M. Aslan</u> Seed morphology of <i>Hyoscyamus</i> in Turkey and its systematic significance
PP-10	<u>A. Rafati, A. Razban Hagigi, Y. Imani, A. Talebpoor</u> Study of essential oil quantitative variation in <i>Nepeta crassifolia</i> in nature and cultivated condition in four areas of Arasbaran forests
PP-11	<u>B. (Saglam) Karabuk, K. Kevseroglu</u> The effects of nitrogen fertilization and sowing methods on agricultural and quality of poppy (<i>Papaver somniferum</i> L.) varieties
PP-12	<u>D. Hashemabadi, M. R. Shafiei, M. N. Khatibi, B. Kaviani, M. Zarchini</u> Effect of eryngo extract and 8-hydroxyquinoline sulphate on the vase life of cut <i>Chrysanthemum morifolium</i> L.
PP-13	<u>D. Pavlova, I. Karadjova</u> Toxic elements profiles in selected medicinal plants growing on serpentines in Bulgaria
PP-14	<u>E. Tulukcu</u> The effects of varying nitrogen doses on yield and some yield components of black cumin (<i>Nigella sativa</i> L.)
PP-15	<u>E. Dadaoğlu, F. Dadaoğlu, A. Varmazyari, R. Kotan, R. Çakmakçı</u> Effect of vermicompost, solid and liquid organic fertilizer and biological fertilizer applications on the growth and chlorophyll contents of mountain tea (<i>Sideritis montana</i> L.)
PP-16	<u>M. Ç. Bulut, C. Yüksel, A. Ergül, F. Ayanoğlu</u> Molecular characterization of laurel (<i>Laurus nobilis</i> L.) populations using simple sequence repeat (SSRS)
PP-17	<u>G. Özer, H. Bayraktar, E. Oksal</u> Genetic diversity of <i>Fusarium oxysporum</i> isolates associated with <i>Cuminum cyminum</i> in

	Turkey
PP-18	G. Özer, H. Bayraktar, E. Oksal Preliminary studies on determination of fungal pathogens affecting cumin production of Turkey
PP-19	G. Yaldız Total soluble solid, saccharose, fructose and glucose contents of <i>Physalis peruviana</i> L. grown in different fertilizer application
PP-20	G. Yaldız, G. Demirkol, A. Soltanbeigi A research of antimicrobial effects of <i>Oenothera biennis</i> L. grown in different fertilizer application
PP-21	R. Toker, M. Gölükciü, H. Tokgöz The effects of distillation time on essential oil composition of <i>Origanum minutiflorum</i> O. Schwarz et P.H. Davis
PP-22	H. Amiri The effect of different treatments on seeds dormancy and germination of <i>Satureja khuzistanica</i> JAMZAD
PP-23	H. Bayraktar, G. Özer, E. Oksal Phylogenetic analysis of <i>Alternaria</i> spp. and related fungi associated with cumin blight based upon analysis of nuclear its and Alt A 1 Gene sequences
PP-24	H. Maral, H. Taghikhani, A. Kaya, S. Kirıcı The effect of different levels of altitudes on composition and content of essential oils of <i>Ziziphora clinopodioides</i> in Southern of Turkey
PP-25	Z. Eroglu, H. Kavuncuoglu, H. Yalcin, E. Tulukcu The effect of harvesting time on lavender aromatic compounds
PP-26	H. Taghi Khani, S. Horuz, S. Kirici, Y. Aysan, N. E. Kafkas Changing of the essential oil composition in basil (<i>Ocimum basilicum</i> L.) by applying different bacterial isolates
PP-27	N. Şekeroğlu, H. G. Gözüaçık, E. Urlu, M. Kulak Mineral content change of <i>Coriandrum sativum</i> L. grown under water deficit conditions
PP-28	İ. Kosar, İ. Alsan, A. Özel, M. Saraçoğlu, A. Coşkun, Ü. Atay Determination of yield and some agronomic characters on variety and populations of cumin (<i>Cuminum cyminum</i> L.) in Harran plain under dry conditions
PP-29	İ. Kosar, M. Saraçoğlu, A. Özel, İ. Alsan, A. Coşkun, Ü. Atay Determination of yield and some agronomic characters on populations of black cumin (<i>Nigella sativa</i> L.) in Harran plain under dry conditions
PP-30	J. Sandor, I. Salamon The pesticide residue determination of lemon balm (<i>Melissa officinalis</i> L.)
PP-31	M. Boussaid Genetic diversity and essential oil variation in Tunisian medicinal and aromatic plants
PP-32	M. A. Osman, F. A. Husein, A. A. Abdalla Performance of selected medicinal plants grown at two levels of soil salinitys
PP-33	M. Amirinejad, G. A. Akbari, A. Baghizadeh, I. Allahdadi, M. Shahbazi Effects of Zn and Fe foliar application on yield, yield component and some physiological traits of cumin (<i>Cuminum cyminum</i> L.) under water stress
PP-34	M. Saberi, A. Sarpeleh, H. Askary Soil-borne disease management by wood vinegar as organic production
PP-35	M. Arslan, F. Ayanoğlu, İ. Üremis, D. A. Kaya Cultivation possibility of <i>Salvia tomentosa</i> and <i>Salvia aramiensis</i> in the Eastern Mediterranean region
PP-36	M. Basbag, O. Toncer, S. Basbag Effects of different temperatures and duration on germination of caper (<i>Capparis ovata</i>) seeds

PP-37	M. M. Ertuş, C. O. Sabancı, S. Şensoy The determination of molecular diversity among some lucerne (<i>Medicago sativa</i> L.) cultivars use RAPD
PP-38	M. S. Odabas, E. Ergun, G. Kayhan, O. Caliskan, C. Çırak, A. O. Sarı, T. Markovic, N. Senyer, T. M. Büyükkakkaslar Artificial neural network approach to prediction of the <i>Origanum</i> leaf area
PP-39	E. Aydin, K. Kevseroglu, M. S. Odabas Determination of yield, yield components and quality criteria in safflower (<i>Carthamus tinctorius</i> L.) cultivars under the Samsun ecological conditions
PP-40	M. Yarnia, M. Soltani Effects of salicylic acid on some morphological and physiological traits of sweet <i>basil</i> (<i>Ocimum basilicum</i> L.) in different irrigation levels
PP-41	M. Ozguven, A. Soltanbeigi, S. Yaln, T. Caliskan, P. Eroglu, G. Yaldiz, N. Sekeroglu The study of the various rosemary varieties volatile oil amounts and antioxidant activities in different harvests on fertile and marginal lands
PP-42	M. Acimović, S. Oljača, Z. Dajić, M. Oljača, J. Vučković Effect of biofertilizers, organic manure and chemical NPK fertilizer on the growth and yield parameters of dill (<i>Anethum graveolens</i> L.)
PP-43	M. B. Khorshidi Benam, K. Joodi, A. A. GhaziJahani, M. Yarnia Effect of water deficiency and nitrogen application on <i>Withania somnifera</i> L. extracts and root yield in Tabriz region
PP-44	A. Özkan, M. Kulak, F. Karahan Agricultural and chemical properties of sesame cultivars (<i>Sesamum indicum</i> L.) under drought conditions
PP-45	H. Çetinkaya, S. Demir, M. Kulak, H. G. Gözüaçık An assessment of tolerance to salinity of some olive cultivars based on phenolic contents, protein and chlorophyll contents
PP-46	R. El-Oqlah, H. Z. Ghosheh, M. A. Turk Effect of the amino acids phenylalanine, ornithine and tryptophan on growth and chemical constituents of rosemary
PP-47	N. Ben Fadhel Najeh, A. Sanaa, M. Boussaid Variation of essential oils in Tunisian <i>Pancratium maritimum</i> L.
PP-48	N. Hosseini Investigation of input energy efficiency in medicinal plant of jujube tree (<i>Zizyphus jujuba</i> Mill.) farming in South Khorasan region
PP-49	M. Kulak, M. A. Çelik, N. Sekeroğlu, A. Özkan, H. Çetinkaya Geographical information system (GIS)-based evaluation of geographical factor effects on fatty acid composition and oil yield of <i>Olea europaea</i> L.
PP-50	N. Nikolov, D. Pavlova Phenological observations on <i>Ex-situ</i> collection of serpentine plants on the territory of the Botanical Garden, Bulgarian Academy of Sciences
PP-51	R. Nnzeru, P. Tshikhudo, K. Ntushelo, N. M. Fhatuwani Bacterial species isolated from six species of medicinal plants collected from South Africa
PP-52	O. Arabacı, T. Esetlili, İ. İ. Özcan, H. Eşbah Tunçay The yield and quality characteristics of some thyme (<i>Thymbra spicata</i> L.) populations
PP-53	P. Hamidi, S. Torabi, A. Maroufi The importance medicinal and food in <i>Amaranthus retroflexus</i>
PP-54	R. Çakmakçı, Y. Ertürk, A. Varmazyari, M. Kutlu, A. Haznedar, R. Sekban Effect of biological fertilizer applications on the growth and macro- and micro-nutrient concentrations of tea (<i>Camellia sinensis</i> L.)
PP-55	R. Çakmakçı, Ü. Erdoğan, Y. Erdoğan, E. Mete

	Variation of essential oil yield and composition of <i>Satureja spicigera</i> (C. Koch) Boiss. aerial parts during different stages of plant growth
PP-56	R. R. Akçalı Giachino, A. B. Avcı Genetic diversity of Turkish accessions of <i>Vitex agnus-castus</i> based on RAPD markers
PP-57	R. Bahtiyarca Bağdat, M. Kürkçüoğlu, N. Çinkaya, N. Arslan, K.H.C. Başer The essential oil components of <i>Cyclotrichium origanifolium</i> (Labill.) Manden. et Scheng. (Lamiaceae) cultivated under Ankara ecological conditions
PP-58	S. Tuğrul Ay, K. Turgut Determining of agronomic and quality characteristics of sage (<i>Salvia</i> spp.) species in the flora of Antalya
PP-59	S. Hazrati, Z. Tahmasebi Sarvestani Effect of nitrogen and benzyl adenine on physical and chemical characteristics of <i>Aloe barbadensis</i>
PP-60	S. Shaheen Taxonomic and pharmacological evaluation of some herbal drugs of Punjab, Pakistan
PP-61	S. Huseinovic, A. Copra-Janicijevic, D. Vidic, E. Sofic, K. Kalcher Effect of drying and raw materials size of <i>Mentha piperitae</i> and <i>Mentha arvensis</i> herbs on yield of essential oil
PP-62	S. Öztürk, Ö. Ergen Akçin, Y. Akçin The morphological and anatomical properties of phytoestrogen plant <i>Trifolium pratense</i> L. (Fabaceae)
PP-63	S. Öztürk, Ö. Ergen Akçin, Y. Akçin The micromorphological properties of phytoestrogen plant <i>Trifolium pratense</i> L. (Fabaceae)
PP-64	T. Anjum, N. Akhtar Use of plant essential oil to control blue mold decay in citrus
PP-65	T. Karadeniz, M. Erdem Determination of genotypes wind prickly pear (<i>Opuntia ficus-indica</i>) grown in Mersin
PP-66	Z. Noormohammadi, M. Sheidai Biodiversity in Iranian pomegranate: Cytological and molecular analyses

TOPIC – II: Phytochemistry & Bioactivity

PP-67	A. A. Al-Askar <i>In vitro</i> antifungal activity of three Saudi plant extracts against some phytopathogenic fungi
PP-68	A. Benhouda, M. Yahia, D. Benhouda, N. Bousnane, A. Ghachem, S. Benbia, N. Hannachi <i>In vitro</i> antimicrobial and antioxidant potential of various extracts of <i>Hyoscyamus albus</i> L. (Solanaceae) and <i>Umbilicus rupestris</i> L. (Crassulaceae) leaves
PP-69	A. Makhloufi, I. Boucha, R. Moussi, R. Bellali, L. Benlarbi, L. Mebarki, M. M. Akermi Phytochemical screening and antimicrobial activities of essential oil and crude extracts from <i>Artemisia herba-alba</i> Asso growing wild in Bechar, South West of Algeria
PP-70	A. Nouasri, D. Dahmane, T. Dob, S. Krimate, H. Metidji, A. Ksouri, M. Toumi, C. Chelghoum, F. Racheme, L. Akaache Chemical composition, antimicrobial and antioxidant activities of the essential oil of <i>Santolina chamaecyparissus</i> L. from Algeria
PP-71	A. Cinar Essential oil yield and composition of <i>Stevia rebaudiana</i> Bertoni
PP-72	A. Hamdi, M. Yousfi, A. Djerdan Phenolic compounds, antioxidant activity and <i>in vitro</i> inhibitory potential against α -glucosidase of <i>Salsola baryosma</i> extracts
PP-73	A. Slimani, A. Moussaoui Detection of aflatoxins and ochratoxin a in coffee beans (green and roasted) traded in the town of Bechar-Algeria

PP-74	A. Boulanouar, A. Makhloifi, L. Benlarbi, L.Mebarki Biological control against the white scale of palm date and the variability of the biocidal effect of some extracts of Colocynth
PP-75	A. Özkan, M. Kulak, M. Çankaya, M. Tak Changes in fatty acid composition and antioxidant activities of <i>Olea europaea</i> L. under different ecological and topographical conditions in Southern parts of Turkey
PP-76	A. M. M. Abdrabo, I. E.Aradaib Antiviral activity of <i>Acacia nilotica</i> (L.) <i>delile</i> subsp. <i>tomentosa</i> (Benth.) <i>brenan</i> extracts against newcastle disease virus vaccine
PP-77	A. E. Badami Phytochemical investigation of main components from <i>Pimpinella deverroides</i> (Boiss.) Boiss.
PP-78	A. E. Badami Phytochemical investigation of main components from <i>Geum heterocarpum</i> Bboiss.
PP-79	A. Amrouche, H. Benmehdi, H. Dalile, F.Z. Benyacoub, H. Rahli, I. Zaaboub, D. C. Sari Phytochemical study and assessemnt of antifungal and antioxidant activities of Algerian <i>Convolvulus arvensis</i> L. leaves
PP-80	A. Cherbal, S. Amira, M. Kebieche, K. Madani Inhibitory effect of methanolic extract of <i>Pistacia lentiscus</i> L. against porcine pancreatic amylase and rat intestinal sucrase
PP-81	A. Meddour, M.Yahia, S. Benbia, M. Abdeddaim <i>In vitro</i> antioxidant and antibacterial activities of the extracts of buds, flowers and immature fruits of <i>Capparis spinosa</i> L.
PP-82	A. Meziti, H. Bouriche, H. Meziti, M. T. Cristani, A. Saija, A. Senator Antioxidant and antiinflammatory effect of <i>Robus frutucosis</i> leaves
PP-83	A. Tamert, A. Latreche Histology and quantification of some polyphenols of two species: <i>Phlomis crinita</i> Cav. and <i>Salvia officinalis</i> L.
PP-84	S. Tomic, E. Sofic, A. Ajanovic, I. Tahirovic Changes in various hematological parameters on account of tobacco usage
PP-85	N. Smaka, E. Sofic, A. Ajanovic, I. Tahirovic Changes of serum glucose, cholesterol, and triglycerides on account of tobacco usage
PP-86	A. B. Avcı, R. R. Akçalı Giachino Essential oil content of <i>Vitex agnus-castus</i> (Chaste tree) from Turkey
PP-87	A. B. Avcı, B. Muca, N. Bilir, H. Özçelik Essential oil composition of some medicinal and aromatic plants from Turkey
PP-88	B. Barhouchi, S. Aouadi Extraction, analysis and antibacterial activity of the essential oil and secondary metabolites from <i>Globularia alypum</i>
PP-89	B. Boubakeur, A. Meddah, H.Khadem, Y. Bellik, S. Ahcen An <i>in vitro</i> investigation of antimicrobial and prebiotic effect of methanolic extract of <i>Thymus fontanesii</i>
PP-90	B. Boubakeur, A. Meddah, B. Meddah, H. Khadem Effect of methanolic extract of <i>Anacyclus valentines</i> on growth and aggregation of probiotic and pathogenic bacteria
PP-91	B. Novak, C. Kalteis, M. Doerfelmayer, K. Teichmann, G. Schatzmayr Antioxidant capacity of selected plant extracts using the Orac assay
PP-92	B. Simitcioglu, I. D. Karagoz, N. Erdogan, C. Uyar, I. H. Kilic, M. Ozaslan Determination of active phytochemical components of <i>Pistacia vera</i> methanol and hexane extracts
PP-93	B. Bensabia, O. Bensebia, D. Barth Supercritical carbon dioxide extraction of sage (<i>Salvia officinalis</i>) oleoresin: curve modeling

	and extract composition
PP-94	B. D.Yağan An investigation on antioxidant activity of methanol extract of three <i>Hypericum</i> L. taxa flowers naturally distributed on Ida (Çanakkale-Turkey) Mountain
PP-95	B. D. Yağan An investigation on antioksidant activitiy and cytotoxic effect of different aerial parts of St. John's wort (<i>Hypericum perforatum</i> L.) naturally distributed on Ida (Çanakkale-Turkey) Mountain
PP-96	B. Cosge Senkal, A. İpek, B. Gürbüz, A. Turker, U. Bingol, A. Yıldırım, K. A. Pour Rezaeieh, E. K. Arabbaghi The chemical compositions of essential oil and antibacterial activities of <i>Salvia tomentosa</i> L. grown in Turkey
PP-97	B. Bauer, V. Kostic, B. Manevska, Z. Kavrakovksi, M. Karadelev Accumulation of toxicological important components in mushrooms from Macedonia
PP-98	B. Bauer, V. Kostic, B. Manevska, Z. Kavrakovksi Quantitative assesment of toxic trace elements in local brands of tea in Macedonia
PP-99	B. Karkati, S. Akkal, D. Franca Comparative analysis of volatile components from <i>Scorzonera undulata</i> ssp. <i>deliciosa</i> (Guss.) species growing in Mediterranean
PP-100	C. Selles, H. Medjdoub, M. A. Dib, O. Benali, S. Merghache, M. Zerriouh, B. Tabti Can the aqueous root extract of <i>Anacyclus pyrethrum</i> L. be used as an anti-diabetic agent?
PP-101	D. Bouamra, S. Ghettasa, I. Talhi, A. Bouchebour, C. A. Baki, H. Bourriche, S. Dahamna, S. Krache, D. Harzallah Effects of <i>Cotula cinerea</i> Del. methanolic extract on acute inflammation
PP-102	D. Todorov, M. Dimitrova, K. Shishkova, Z. Yordanova, V. Kapchina-Toteva, S. Shishkov Antiherpes activities of <i>in vitro</i> and <i>in vivo</i> extracts derived from <i>Lamium album</i> L.
PP-103	D. Deliorman Orhan, F. S. Şenol, S. Hoşbaş, İ. Erdoğan Orhan Investigation of cholinesterase and tyrosinase inhibitory and antioxidant activities of <i>Viscum album</i> L. samples collected from different host plants
PP-104	D. Ayari, D. M. Réda, B. Houria Evaluation of the anti-hyperglycemic effect of <i>Opuntia ficus indica</i> used as antidiabetics
PP-105	E. Tanrıverdi, H. Yıldız, E. Gündoğdu, M. M. Özcan Functional properties of blueberry leaves
PP-106	E. Miser-Salihoglu, T. Günbatan, İ. Gürbüz, S. Yardım-Akaydın, G. Akaydın Evaluation of antioxidant activity of four plants used as folk medicine in Düzce (Turkey)
PP-107	E. A. Erdoğan, A. Everest Mutagenicity evalution of infusion of <i>Stachys rupestris</i> endemic plant
PP-108	I. Brakmic, E. Sofic, I. Tahirovic, P. Riederer Spectrophotometric determination of malondialdehyde in pharmaceutical oils
PP-109	N. Şekeroğlu, E. Urlu, M. Kulak, H. G. Gözüaçık Total phenolic content and DPPH-free radical scavenging activity of <i>Hypericum capitatum</i> var. <i>Capitatum</i>
PP-110	E. Goci, L. Malaj Development and <i>in vitro</i> evaluation of hydroxyethylcellulose capsaicin gel
PP-111	E. Sangiovanni, C.Brunelli, E. Colombo, G. Rossoni, U. Vrhovsek, M. Gasperotti, F. Mattivi, E. Bosisio, M. Dell'Agli Antinflammatory and antioxidant activities of ellagitannins from blackberry and raspberry fruits
PP-112	E. Sangiovanni, C. Di Lorenzo, E. Colombo, F. Uberti, P. Restani, E. Bosisio, M. Dell'Agli

	Correlation between catechin content and NF-κB inhibition by green and black tea infusions
PP-113	E. Haloci, S. Manfredini, S. Bertuani, R. Shkreli, E. Goci, V. Toska Encapsulation of <i>Satureja montana</i> essential oil in β-cyclodextrine
PP-114	E. Küpeli Akkol, T. Mert Gönenç, İ. Süntar, T. Fafal Erdoğan, B. Kılçak Preclinical researches on <i>Anthemis wiedemanniana</i> Fisch.& Mey. and its fatty acid composition
PP-115	F. Bekka, F. Djoudi, A. A. Touati Antibacterial activity of <i>Artemisia herba alba</i> Asso essential oil against methicillin-resistant <i>Staphylococcus aureus</i>
PP-116	F. Benia, M. Khaznadar, M. Kaabèche The therapeutic role of Argan oil and its use in Algeria
PP-117	F. Fernane, R. Meddour, Y. Messara Antimicrobial and antifungal activity of <i>Thymus numidicus</i> essential oil from Algeria
PP-118	F. Killi Chemical properties and medicinal importance of safflower (<i>Carthamus tinctorius</i> L.) flowers
PP-119	F. Killi, T. Vladimirovna Maksimova An evaluation on antimicrobial potential of <i>Stevia rebaudiana</i> (Bertoni) leaf extract
PP-120	F. A. Mohammed Ali, A. H. Fahal, M. A. Mesaik, K. E. Ibrahim Immunomodulation properties of <i>Prosopis chilensis</i> extracts in correlation to their antifungal activity
PP-121	N. Küçükboyacı, F. Ayaz, N. Adıgüzel, B. Bani, A. C. Gören Fatty acid patterns of some Apiaceae seed oils from Turkey
PP-122	I. Orhan, F. Tosun, A. R. Gulpinar, M. Kartal, A. Duran, F. Mihoglugil, D. Akalgan Cholinesterase inhibitory and antioxidant activity of various <i>Tanacetum</i> taxa and their parthenolide contents
PP-123	F. Zouzou, A. Seddk-Ameur, B. Legseir Biological and chemical evaluations of <i>Pistacia atlantica</i>
PP-124	F. Laincer, R. Laribi, A. Tamendjari Olive oils from Algeria: Phenolic compounds composition and antioxidant activity
PP-125	H. Boussoussa, M. Yousfi, A. Djéridane, C. Hamia Antioxidant and antimicrobial activities of flowers phenolic extracts from Algerian <i>Rhamnus adpressum</i>
PP-126	H. Khadem, A. Tir Touil Meddah, B. Boubakeur Evaluation of polyphenols effect on exopolysachharides production by <i>S. thermophilus</i> and <i>L. bulgaricus</i>
PP-127	H. Lounis, N. Debbache, K. Belhamel Preventive and curative effect of <i>Salvia officinalis</i> extract against high-fructose diet-induced for hypertriglyceridemia and hyperuricemia in mice
PP-128	H. Avci, S. Özoglu, B. Usca, T. Gün, A. Balci Determination of aflatoxine contentin commonly consumed spices and nuts
PP-129	H. Kadi, N. Nahalbouderba, S. Moghtet, H. A. Lazouni Evaluation of antifungal activity of metabolites extracts from <i>Punica granatum</i> peels on fungal strains producing mycotoxins
PP-130	H. El Monfalouti, B. Kartah, H. Harhar, S. Gharby, S. Belsivo, D. Guillaume, Z. Charrouf, G. Zeppa Analysis of phenolic compounds from Argan fruit and evaluation of their antioxidant capacity
PP-131	H. Boutennoune, L. Boussouf, K. Madani, M. Kebiech Polyphenols content and <i>in vitro</i> antioxidant activity of methanolic extract of <i>Malva sylvestris</i>
PP-132	H. Yalcin, H. Kavuncuoglu, O. Sagdic

	Aromatic compounds of grape (<i>Vitis vinifera</i>) seeds
PP-133	<u>H. A. Almahi, M. A. Ali, A. A. Ali</u> Extraction of carotenoids as natural dyes from the <i>Daucus carota</i> Linn. (Carrot) using ultrasound in Kingdom of Saudi Arabia
PP-134	<u>H. Taghi Khani, S. Kirıcı</u> Essential oil content and composition of endemic <i>Origanum micranthum</i> Vogel collected from Eastern Mediterranean of Turkey
PP-135	<u>H. E. Tokul, S. Eken, F. Kahraman</u> Sweet herb: <i>Stevia rebaudiana</i> L.
PP-136	<u>H. Mawlawi, K. Naja, N. Sari, A. Chbani</u> Antioxidant activity of four seaweeds from Lebanese Mediterranean Coast
PP-137	<u>H. Meziti, H. Bouriche, A. Meziti, A. Senator, M. T. Cristani, A. Saija</u> Antioxidant and antiinflammatory effect of <i>Quercus robur</i> root bark
PP-138	<u>H. Y. El Zorba, M. Atef, A.B. El Gendy, A. Hehal</u> Evaluation of toxicological, hepatoprotective & antidiabetic effects of <i>Cleome droserifolia</i> herb used in folk medicine
PP-139	<u>H. Abdallah, H. El Bitar</u> Valorisation of a medicinal plant of Lebanon, <i>Capparis spinosa</i>
PP-140	<u>M. Idriss, H. El Bitar</u> Phytochemical and biological properties of a medicinal plant of Lebanon, <i>Alcea setosa</i>
PP-141	<u>H. El Banna, M. Soliman</u> Hepatoprotective effects of <i>Thymus</i> and <i>Salvia</i> essential oils on paracetamol-induced toxicity in rats
PP-142	<u>I. Lung, M. Stan, M. L. Soran</u> Extraction and determination of essential oils from Celery using modern techniques
PP-143	<u>I. Eröz-Poyraz, N. Öztürk, G. Akalın-Çiftçi</u> Phenolic contents, <i>in vitro</i> antioxidant and cytotoxic activities of <i>Salvia aethiopis</i> L. (Lamiaceae)
PP-144	<u>I. Abdelhamid El-Haci, F. Atik Bekkara, W. Mazari, M. Gherib, D. Chabane-Sari, M. A. Didi, S. Zoubiri</u> Antioxidant and antiradical activity of some organic extracts of the endemic medicinal plant <i>Anabasis arctioides</i> Coss. & Moq. from Algerian Sahara: Valorisation of local medicinal plant
PP-145	<u>I. Süntar, I. I. Tatlı, E. Küpeli Akkol, Ç. Kahraman, Z. Akdemir</u> <i>Verbascum latisepalum</i> Hub.-Mor.: Investigating its possible anti-inflammatory and antinociceptive potential
PP-146	<u>I. Tahirovic, M. Kozljak, S. Huseinovic, S. Muradic, E. Sofic</u> The content of phenolics and antioxidant capacity in infusion of various teas
PP-147	<u>N. Efendic, I. Tahirovic, E. Sofic, P. Riederer</u> Spectrophotometric determination of malondialdehyde as a marker of edible solid fats
PP-148	<u>J. Toromanovic, S. Selman, A. Topcagic, L. Klepo, I. Tahirovic, E. Sofic</u> The content of total phenolics and total flavonoids in native leaf extracts of houseleek, <i>Sempervivum tectorum</i> L., (Crassulaceae)
PP-149	<u>M. Svranka, E. Sofic, I. Tahirovic, J. Toromanovic, P. Riederer</u> Spectrophotometric determination of malondialdehyde as a marker rancidity of oil
PP-150	<u>K. Konanç, E. Öztürk</u> Herbal extracts' effects on the intestinal microflora of poultry
PP-151	<u>K. Konanç, E. Öztürk</u> Medicinal and aromatic plants in animal nutrition
PP-152	<u>K. Aiboud, L. Kebbab, A. Kellouche</u> Insecticidal activity of three essential oils on the cowpea weevil <i>Callosobrochus maculatus</i>

	(F) (Coleoptera: Bruchidae)
PP-153	K. Ayouni, M. Berboucha, K. H. Kyong, Y. H. Choi, D. Atmani, R. Verpoorte NMR study of anti-enzymatic and free radical scavenging activity of <i>Fraxinus angustifolia</i> and <i>Pistacia lentiscus</i> crude extracts
PP-154	K. Saidani, N. Touati, F. Bedjou, F. Benabdesselam-Maiza Antibacterial activity of four species of Algerian algae
PP-155	M. Kozyra, A. Biernasiuk, M. Chowaniec, K. Głowniak, A. Malm Analysis of compounds isolated from flowers of <i>Cirsium canum</i> (L.) All. and antimicrobial activity
PP-156	K. Hajdarevic, I. Tahirovic, A. Copra-Janicijevic, E. Sofic Quantification of α -tocopherol in various oils using high pressure liquid chromatography with electrochemical detection
PP-157	K. Benyahia, M. Drissi, F. Bouabdeli The traditional use of Saharian plant (<i>Haloxylon</i>) by Algerian population and their antibacterial affect against the strains responsible for urinary tract infection
PP-158	K. Fidan, B. Candar, M. Pekmez, Ö. Çakır Cytotoxic effects of <i>Physalis peruviana</i> ethanol extracts on HELA cells
PP-159	I. Khacheba, A. Djeridane, M. Yousfi Evaluation of alpha-amylase inhibition of phenolic extracts from various Algerian medicinal plants
PP-160	I. Khacheba, A. Djeridane, M. Yousfi The inhibitory effect of some Algerian plants phenolics extracts on the alpha-glucosidase and alpha-amylase activities and their antioxidant activity
PP-161	K. Zerrouki, N. Djebli <i>Pepper nigrum</i> as a fixator of curcumin in a biologic medium, administrated against aluminium neurotoxicity and alzheimer's disease
PP-162	K. Chabane, H. Benhassaini, S. Benhamiche Evaluation of the composition of anti-nutritional factorsin the fruits of <i>Ceratonia siliqua</i> L.
PP-163	K. Hammadi, I. Bouderbala The antimicrobial activity <i>Lawsonia inermis</i> (Henna) of against skin microbes
PP-164	K. Skalicka-Woźniak, J. Łuszczki, K. Głowniak Purification of umbelliferone by counter current chromatography and its antiepileptic activity
PP-165	K. Skalicka-Woźniak, J. Łuszczki, K. Głowniak Anticonvulsant effects of xanthotoxin isolated by counter-current chromatography in the maximal electroshock-induced seizures
PP-166	L. Mebarki, M. H. Kaid The antifungal effect of some <i>Anvillea radiata</i> metabolites
PP-167	L. Mebarki, M. H. Kaid, M. M. Akermi, L. Benlarbi, A. Makhloufi Phytochemical screening and antibacterial activity of <i>Cotula cinerea</i>
PP-168	L. Efe Medicinal uses of Jerusalem artichoke (<i>Helianthus tuberosos</i> L.)
PP-169	L. Benlarbi, M. M. Akermi, A. Moussaoui, A. Makhloufi, L. Mebarki, H. Dalil, A. Khaldi Antimicrobial effect of leaves extracts of <i>Maerua crassifolia</i> (Atila) of South-Western Algeria
PP-170	L. Ghellai, H. Hassaine Evaluation of the efficacy of essential oils of three aromatic plants in combination with povidone-iodine against biofilm of <i>Staphylococcus aureus</i>
PP-171	A. Khadir, M. Bendahou, L. Ghellai, F. Benbelaid, J.M. Rolain, A. Muselli, J. Costa

	Efficacy of the essential oil of <i>Origanum glandulosum</i> Desf. against skin infections with panton-valentine leukocidin-producing <i>Staphylococcus aureus</i> strains in mice
PP-172	<u>M. Benguechoua, S. Nia, K. Benarous, I. Khacheba, M. Yousfi</u> Extraction and quantification of phenolic compounds and evaluation of their antioxidant activity
PP-173	<u>M. Rizk, I. Borai, M. El-Sherbini, A. Matloub, M. Ezz, H. Farouk, G. Fouad</u> Hypolipidemic effect of sulphated polysaccharides from the green <i>Alga ulva</i>
PP-174	<u>M. Abbas, L. Halli, S. Taberkokt, S. Boubeker, N. Makaoui, M. Alaimia, A. Bedad, A. Boudendouna</u> Phytochemical analysis and evaluation of healing activity of an Algerian plant <i>Delosperma cooperi</i> extract and microencapsulated
PP-175	<u>M. Stan, I. Lung, M. L. Soran</u> Determination of essential oils from <i>Anethum graveolens</i> L. by thin layer chromatography
PP-176	<u>M. L. Soran, M. Stan, I. Lung</u> Determination of essential oils from three Romanian aromatic herbs using thin layer chromatography
PP-177	<u>M. Ansari, F. Sharififar, M. Torabian</u> Formulation and physicochemical study of analgesic and anti-inflammatory topical gel of nanoparticles containing methanolic extract of <i>Trigonella foenum-graecum</i> L. seeds
PP-178	<u>M. Akin, S. P. Eydurhan</u> Phytochemical composition and health benefits of black currant (<i>Ribes nigrum</i> L.)
PP-179	<u>S. P. Eydurhan, M. Akin</u> Plant and phytochemical characteristics of bilberry (<i>Vaccinium myrtillus</i> L.)
PP-180	<u>M. Berboucha, K. Ayouni, Y. H. Choi, H. K. Kim, R. Verpoorte, D. Atmani</u> Diuretic activity and oral acute toxicity of ethanolic leaf extracts of <i>Fraxinus angustifolia</i> and <i>Pistacia lentiscus</i>
PP-181	<u>M. Öztürk, D. Arslan</u> Foreign trade of medicinal and aromatic plants in Turkey
PP-182	<u>M. Benahmed, I. Selatnia, S. Akkal, H. Laouer</u> Steel corrosion inhibition by <i>Bupleurum lancifolium</i> (Apiaceae) extract in acid solution
PP-183	<u>M. Salihovic, S. Ibragic, I. Tahirovic, J. Toromanovic, H. Dzudzevic-Cancar, E. Sofic</u> Determination of gallic acid, chlorogenic acid, caffeic acid, rutin and rosmarinic acid in sage herb by high performance liquid chromatography with electrochemical detection
PP-184	<u>M. Salihovic, S. Ibragic, I. Tahirovic, J. Toromanovic, H. Dzudzevic-Cancar, E. Sofic</u> Determination of rutin in <i>Allium sativum</i> L., <i>Allium cepa</i> L. and <i>Allium ursinum</i> L. by high performance liquid chromatography with electrochemical detection
PP-185	<u>M. Hatipi Ibrahim, V. Papajani, S. Ćavar, R. Koliqi</u> Essential oil constituents of <i>Origanum vulgare</i> L. from Kosovo Mountains
PP-186	<u>M. Hatipi Ibrahim, V. Papajani, S. Ćavar, V. Matevski, A. Shala</u> Characterization of the essential oil of <i>Thymus tosevii</i> Vel. from Kosovo
PP-187	<u>M. Harir, M. Bellahcene, Z. Fortas</u> Antifungal activity of <i>Actinomycetes</i> against <i>Verticillium dahliae</i> Kleb; causing olive wilt of olive trees (<i>Olea europaea</i> L.)
PP-188	<u>R. Habibipoor, M. Rajabi, S. Vesaghati Ezatpoor, S. Vesaghati Ezatpoor, M. Pirmohammadian</u> Antimicrobial effect of the extracts of <i>Allium sativum</i> and <i>Lavandula officinalis</i> on <i>Bacillus cereus</i> and <i>Pseudomonas aeruginosa</i> in vitro
PP-189	<u>O. Cioanca, V. Gradinariu, L. Hritcu, E. Gille, C. Mircea, M. Hancianu</u> The chemical profile and biological activity of three basil species cultivated in Romania
PP-190	<u>M. M. Akermi, A. Moussaoui, L. Benlarbi, A. Makhloifi, A. Khaldi, L. Mebarki, H.</u>

	Dalil Antimicrobial effect of essential oil of <i>Anethum graveolens</i> L. of South-Western Algeria
PP-191	M. Yahia, A. Mahboubi, S. Benbia, N. Benkiki, A. Ayachi Evaluation of antimicrobial and antioxidant activities of terpene and alkaloid extracts of <i>Euphorbia granulata</i> leaves
PP-192	M. A. M. Shushni, S. S. Embeas A study of the phytochemical properties and the synergistic effect of <i>Mesembryanthemum crystallinum</i> Linn. on some human pathogenic bacteria
PP-193	M. Gölükçü, R. Toker, F. Ayas, N. Çınar Some physical and chemical properties of bitter melon (<i>Momordica charantia</i> L.) seed and fatty acid composition of the seed oil
PP-194	H. N. Almughrabi, S. A. Almehdi, M. R. Haman Adverse effects of henna coloring additives on female experimental mice
PP-195	B. Yıldırım, M. Tunçtürk, K. Ekici, T. Eryiğit, R. Tunçtürk, F. Özgökçe Antibacterial activity and chemical constitutions of <i>Tymbra spicata</i> L.
PP-196	B. Yıldırım, M. Tunçtürk, T. Eryiğit, N. Okut, K. Ekici, F. Özgökçe Antibacterial activity of essential oil of wild horse mint (<i>Mentha longifolia</i> L.) collected from Eastern Anatolia
PP-197	M. A. Tijjani, F. I. Abdurahman, G.U. Sadig Phytochemical, anticonvulsants and anti-inflammatory evaluation of the ethyl acetate extract portion of stem bark of <i>Vitex doniana</i> sweet Verbenaceae
PP-198	N. Benhamada, A. Kribache, O. Benhamada, H. Rechreche Antioxidant activity of <i>Petasites fragrans</i> roots methanolic extract
PP-199	N. Bouredja, Z. Mehdadi, M. Bouredja Extraction and valuation of the hemicelluloses of the cell wall of <i>Retama monosperma</i> (L.) Boiss in the pharmaceutical domain
PP-200	N. Debbache-Benaida, D. Atmani, N. Chaher, K. Ayouni, M. Rahmani, H. Boudaoud, S. Sebaihi, N. Cheraft, D. Atmani Chemical analysis and pharmacological activities of <i>Populus nigra</i> flower buds extracts as sources of propolis
PP-201	N. Zouaghi, C. Bellal, C. Cavaleiro, B. Nadjem, M. Yousfi Chemical composition and antimicrobial activity of volatile compounds from leaves and stems of <i>Inula viscosa</i>
PP-202	N. Guendouze, D. Chikh, N. Messaoudi, K. Madani, M. Chibane, C. Stévigny, P. Duez Comparative study of phenolic composition and antioxidant activity of <i>Arbutus unedo</i> flowers and roots extracts
PP-203	N. Cheraft, S. Remila, K. Moulaoui, M. Berboucha, K. Ayouni, N. Chaher, N. Saidene, D. Atmani, D. Atmani Thin layer chromatography (TLC) study of anti-•NO and anti-ABTS•+ activities of <i>Pistacia lentiscus</i> leaves and seed extracts
PP-204	S. B. Akgünlü, N. Sekeroğlu, U. Koca Çalışkan, B. Özçelik, M. Kulak Mineral content and microbiological analysis of some wild edible vegetables consumed in Kilis and Gaziantep provinces
PP-205	N. Öztürk, İ. Eröz-Poyraz, G. Akalın-Çiftçi, M. Tunçel Phenolic contents and some bioactive properties of extracts obtained from <i>Salvia ceratophylla</i> L. (Lamiaceae)
PP-206	N. N. Bouderba, H. Kadi, S. Moghtet, B. Meddah, A. Moussaoui Phytochemicals and antifungal screening of <i>Datura stramonium</i> of Algeria
PP-207	N. Djebli Contribution to phytotherapy by <i>Sideritis brevibracteata</i> on aluminum neurotoxicity, interaction Alzheimer's disease experimental study in mice
PP-208	N. Küçükboyacı, A. Doğru Koca, M. Akgöç Böcekçi, Ş. Yıldırımlı, A. C. Gören

	Gamma-linolenic acid in some Boraginales seeds from Turkey
PP-209	<u>O. Cinar, K. Demiray, F. Ayas</u> Analyses of essential oil components of <i>Teucrium chamaedrys</i> , <i>Achillea wilhelmsii</i> C. Koch and <i>Ballota nigra</i> using GC-MS
PP-210	<u>M. Gölükçü, O. Cinar, H. Tokgöz, R. Toker</u> Fatty acid and essential oil composition of <i>Vitex agnus-castus</i> berry
PP-211	<u>O. Bensabia, B. Bensebia, K. Allia, D. Barth</u> Phenolic content of different extracts from rosemary (<i>Rosmarinus officinalis</i>)leaves
PP-212	<u>O. Ouldali, A. Aoues, B. Meddah, O. Kharoubi</u> The ameliorative effect of carrot pectinon lead acetate induced renal and hepatic toxicity in rats: Biochemical and histopathological study
PP-213	<u>P. L. Falé, F. N. Frazão, M. L. M. Serralheiro</u> Activities of “Carqueja” infusions in the gastrointestinal tract: Facilitating the digestion and decreasing cholesterol absorption
PP-214	<u>R. Belhattab, M. Boudjouref</u> Phenolic contents and antioxidant activities of <i>Artemisia campestris</i> L. extracts
PP-215	<u>R. Belguendouz, H. Khelifa</u> Valuation of the therapeutic effect of flavonoid compounds of <i>Citrus clementina</i> Hort. leaves of the region of Blida (Algeria)
PP-216	<u>Ö. Tatar, A. B. Avcı, R. R. Akçalı Giachino</u> Antioxidant activity and flavonoid content of vitex (<i>Vitex agnus-castus</i>) collected from flora of Turkey
PP-217	<u>R. Shkreli, E. Haloci</u> Assessment of sustainability of Hederacoside C by HPTLC-Scanner method in several alcoholic extracts from <i>Hedera helix</i> plant leaves collected in Albania
PP-218	<u>R. Darmanin-Ellul, E. Attard, A. Fenech, A. Buhagiar, R. Ellul-Micallef</u> Determination of the phytochemical and antioxidant properties of selected Maltese medicinal plants
PP-219	<u>R. Merabet</u> Protective effects of anthocyanin and taurine against microcystin-induced liver, pancreas and testis injuries in balb/c mice
PP-220	<u>S. Alhaji Saganuwan</u> Some specific phytochemicals with potentials of becoming novel drugs
PP-221	<u>S. Alhaji Saganuwan</u> Colours are indicators of medicinal values of plants
PP-222	<u>S. Ibragic, M. Salihovic, I. Tahirovic, J. Toromanovic, H. Dzudzevic-Cancar, E. Sofic</u> Quantification of some phenolic acids in the leaves of <i>Melissa officinalis</i> L. from Turkey and Bosnia
PP-223	<u>S. Ibragic, M. Salihovic, I. Tahirovic, J. Toromanovic, H. Dzudzevic-Cancar, E. Sofic</u> Determination of arbutine in the leaves of <i>Arctostaphylos uva-ursi</i> (L.) Spreng. by high performance liquid chromatography with electrochemical detection
PP-224	<u>S. Muradic, O. Mahmutovic, E. Sofic, S. Huseinovic, K. Kalcher</u> The importance of analysis of total sulfur content in garlic, <i>Allium sativum</i> L., (Alliaceae) by high performance ion chromatography (HPLC)
PP-225	<u>N. Hero, E. Sofic, I. Tahirovic, S. Muradic, S. Huseinovic, P. Riederer</u> Spectrophotometric determination of malondialdehyde in pharmaceutical fats
PP-226	<u>S. Edrah, E. Osela, A. Kumar</u> Peliminary phytochemical and antibacterial studies of <i>Convolvulus arvensis</i> and <i>Thymus capitatus</i> plants extracts
PP-227	<u>S. Boucheffa, A. Tamendjari</u> Extra virgin olive oil components, oxidative stability and antioxidant activity from wild olives grown in Bejaia

PP-228	S. Benhamiche, K. Chabane, H. Benhassaini Evaluation of the composition of anti-nutritional substances in the fruits of <i>Gleditsia triacanthos</i> L.
PP-229	S. Nia, M. Ayadi, M. Benguechoua, K. Benarous, I. Khacheba, M. Yousfi Extraction and quantification of phenolic compounds and evaluation of their antioxidant activities
PP-230	O. Toncer, S. Basbag, S. Karaman, E. Diraz, M. Basbag Chemical composition of the essential oils of some <i>Achillea</i> species growing wild in Turkey
PP-231	R. Arhab, S. Amokrane, R. Abla, M. Aggoun, H. Zitouni Effect Of <i>Camellia sinensis</i> and <i>Trigonella foenum-graecum</i> saponins on <i>in vitro</i> rumen fermentation of vetch-Oat hay
PP-232	S. Amokrane, R. Arhab, H. Zitouni, B. Djabri Effect of rutin on <i>in vitro</i> ruminale microbiota activity in sheep rumen liquor
PP-233	N. Dadgar, S. Ebrahim Alavi, A. Akbarzadeh Delivery of artemisinin to breast cancer using liposome as drug carrier
PP-234	S. Rouhani, S. Azizi, E. Hosseini Essential oil composition and the <i>in vitro</i> antioxidative properties of <i>Melissa officinalis</i> L. from Iran
PP-235	F.S. Şenol, E. Ari, S. Aslan Erdem, I. Orhan <i>In vitro</i> evaluation of neurobiological properties and HPLC characterization of <i>Ricotia carnosula</i> , <i>Conringia grandiflora</i> , and <i>Vaccaria hispanica</i>
PP-236	S. Moghtet, H. Kadi, N. Nahal Bouderba, A. Kerim, A. Moussaoui Evaluation antifungal and antimycotoxicogenical effect of <i>Capparis spinosa</i>
PP-237	S. Çakmakçı, B. Çetin, Y. Çakır An <i>in vitro</i> investigation of antimicrobial activity of black cumin (<i>Nigella sativa</i> L.) essential oil
PP-238	H. Bousselsela, A. Benhouda, S. Benbia, M. Yahia, A. Ghecham, N. Hannachi, D. Benhouda <i>In vitro</i> evaluation of antioxidant and antibacterial activities of extracts of <i>Hertia cheirifolia</i> 's leaves
PP-239	N. Haşimi, S. Kızıl, E. Kılınç, V. Tolan Essential oil components, microelements content and biological activity of <i>Lavandula angustifolia</i> Miller
PP-240	S. Kızıl, Ö. Tonçer Mineral contents and essential oil composition of lemon thyme (<i>Thymus citriodorus</i> L.) and lemon verbena (<i>Lippia citriodora</i> L.)
PP-241	O. Kaya, E. Çukurova, T. Şabudak Investigation of antihyperglycemic activity of <i>Solanum dulcamara</i> (Solanaceae)
PP-242	A. Afacan, T. Şabudak, E. Çukurova, T. Ortakoy, G. Kiyak Determination of antioxidant activity of <i>Solanum dulcamara</i> (Solanaceae) fruits
PP-243	T. Yalim, I. D. Karagoz, N. Erdogan, C. Uyar, I. H. Kilic, M. Ozaslan Determination of active phytochemical components of leaf and flower extracts from <i>Gentiana olivieri</i> G.
PP-244	M. Dimitrova, Z. Yordanova, S. Berkov, V. Kapchina-Toteva Secondary metabolites and essential oil composition in <i>in vivo</i> , <i>in vitro</i> and <i>ex vitro</i> cultivated plants of <i>Lamium album</i> L.
PP-245	L. Hristova, M. Dimitrova, J. Iordanova, V. Kapchina-Toteva Phenolic acids, flavonoids and quercetin glycosides of <i>in vivo</i> plants, <i>in vitro</i> and <i>ex vitro</i> cultures of <i>Artemisia chamaemelifolia</i> Vill.
PP-246	T. Marrufo, A. B. Agostinho, E. Mancini, L. De Martino, V. De Feo Chemical composition and biological activities of the essential oil from leaves of <i>Moringa</i>

	<i>oleifera</i> Lam. cultivated in Mozambique
PP-247	<u>W. Bensania, M. Yousfi, A. Djeridane</u> Antioxidant potential and alpha-amylase inhibitory effect of phenolic extracts of <i>Agatophora alopecuroides</i>
PP-248	<u>W. Hamzi, K. Bentayeb, N. Tchouar</u> Extraction, characterization, antimicrobial and pharmacological (sedative and diuretic) studies of the essential oils of <i>Rosmarinus officinalis</i>
PP-249	<u>Y. Moulay, Z. Ghiaba, M. Saidi, M. Boukouada, M. I. Ben Sliman, M. T. Bourass</u> Phenolic content and antioxidant activity of extracts from <i>Acacia arabica</i> barks
PP-250	<u>Z. Kubilay, M. Çilkız, İ. H. Kılıç, M. Erdem, A. Çakmak, I. D. Karagöz, M. Özaslan</u> Phytochemical component, antibacterial and antioxidant activities of fermentation yields from fruit juice combined with <i>Citrullus vulgaris</i> and <i>Cucumis melo</i> by Kombucha fungus
PP-251	<u>A. Evangelatov, R. Skrobanska, L. Hristova, Z. Yordanova</u> <i>In vitro</i> anti-tumor activity of chloroform extract from <i>Artemisia chamaemelifolia</i> Vill. on hela cells
PP-252	<u>M. Dimitrova, Z. Yordanova, V. Kapchina-Toteva</u> DPPH radical scavenging activity and phenolic composition of different extracts of <i>Lamium album</i> L.
PP-253	<u>Z. Akkouche, K. Madani, L. Aissat</u> Study of interactions between extracts of <i>Eucalyptus globulus</i> and heated egg white proteins
PP-254	<u>Z. Akkouche, K. Madani, L. Aissat</u> Electrophoresis of heated egg white proteins
TOPIC – III: Ethnobotany & Biodiversity	
PP-255	<u>A. E. Koshak, A. A. Alfaleh, E. A. Abdel-Sattar, E. A. Koshak</u> Medicinal plants in the Holy Quran and their therapeutic benefits
PP-256	<u>M. O. Noussairi, A. C. Elalaoui</u> Mainstreaming biodiversity into value chains for medicinal and aromatic plants in Morocco
PP-257	<u>A. Yamani, M. Elachouri</u> Medicinal plants commonly used by moroccan society: remedies or toxicants?
PP-258	<u>A. Abrahamyan, A. Barsevskis</u> Potential distribution of wild <i>Melissa officinalis</i> L. (Lamiaceae) in Armenia for conservation practices
PP-259	<u>A. Cicek, O. Koyuncu, Ö. K. Yaylaci</u> Vascular plant diversity of Seyitgazi plain (Eskisehir-Turkey)-I
PP-260	<u>A. Benhamimed</u> Description and use of medicinal plants in Mostaganem region
PP-261	<u>E. Akaln, A. Tunç</u> Medicinal plants used for the treatment of gynaecological diseases in Turkey
PP-262	<u>G. İpek, E. Beyzi, B. Gürbüz, A. İpek, M. Uyanık, Y. Özgen</u> Current status of endemic species belonging to the family Iridaceae found in Kayseri
PP-263	<u>J. Fakchich, M. Elachouri</u> Medicinal plants used by moroccan people in the treatment of cardiovascular diseases
PP-264	<u>L. Aissat, Z. Akkouche, H. Bouyahmed, R. Moulaï</u> Fauna diversity of petit cavallo island (Jijel, Algeria)
PP-265	<u>M. Korkmaz, Z. Alpaslan, V. İlhan</u> Ethnobotanical properties of some geophyte plants from Ergan Mountain (Erzincan-Turkey)
PP-266	<u>N. Kaidi, S. Doumandji</u> Medicinal and aromatic plants of the Hoggar wealth to enhance

PP-267	Ö. Güner, S. Selvi, E. Akçicek, E. Sevindik Medicinal plants consumed as herbal tea and collected from herbal market in Balıkesir and its environment (Turkey)
PP-268	Ö. Güner, F. Satılı, E. Akçicek Ethnobotanical survey on medicinal plants in Ulus Mountain (Balıkesir, Turkey)
PP-269	R. Meddour, O. Meddour-Sahar, M. Ouyessad Ethnobotanical survey in the biosphere reserve of Djurdjura, Algeria: The case of medicinal and aromatic plants and their uses
PP-270	R. Amrouni, L. Abderahman, K. Walid Traditional medicine in Wilaya of Oran
PP-271	S. Bellekbir, M. El Achouri Ethnobotanical survey on medicinal plants used in oriental Morocco
PP-272	S. A. Sargin, S. Selvi An ethnomedicinal investigation on usage of henbane seeds (<i>Hyoscyamus niger</i> L.) by the local people of Alaşehir (Manisa) in Turkey
PP-273	R. Çakır, Y. B. Köse Traditional some medicinal plants used in Tarsus area (Mersin, Turkey)
TOPIC – IV: Plant Biotechnology & Biotransformation	
PP-274	A. Lippert, J. Ludwig-Müller Production of bioactive compounds in non-toxic hairy roots of comfrey (<i>Symphytum officinale</i>)
PP-275	F. Bondarian, S. Torabi, M. Omidi, M. Bahreini Study of tissue culture and callus induction in <i>Papaver bracteatum</i>
PP-276	G. İşcan, F. Demirci, M. Muslu, H. G. Duymuş, Y. Noma Microbial conversion of carvomenthone to carvomenthols
PP-277	L. Flor, T. Weber, J. Kalinowski, K. H. van Pee Analysis of the biosynthesis of astins from <i>Aster tataricus</i> and cyclochlorotine from <i>Penicillium islandicum</i>
PP-278	L. Jahn, J. Ludwig-Müller Multi enzyme systems involved in astin biosynthesis and their use in heterologous astin production
PP-279	M. Heidarpoor, M. Khosroshaheli, I. Majidi, R. A. Nezhad, F. Bondarian Direct shoot regeneration in date palm var. <i>pyarum</i>
PP-280	A. Koca, A. Çınar, M. Aasim, K. M. Khawar <i>In vitro</i> shoot regeneration from mature zygotic embryo of <i>Trachyspermum ammi</i>
PP-281	H. Ekmekci, A. Koca, A. Çınar, M. Aasim, K. M. Khawar <i>In vitro</i> shoot regeneration potential of different explants of sweet basil (<i>Ocimum basilicum</i> L.)
PP-282	N. Koca, Ş. Karaman Effect of methyl jasmonate on total phenolic content of sweet basil (<i>Ocimum basilicum</i> L. cv. <i>grand vert</i>)
PP-283	Y. Çimen, T. Sağır, G. İşcan, M. B. Mutlu Biotransformation of cedryl methyl ether by extremophile <i>Aspergillus</i> sp. isolated from Van Lake (Turkey)
PP-284	M. A. Zughdani Acute and subacute toxicity of methanol extract of rhizomes of <i>rhaponticum acaule</i>