

To cite this article: Petrevska, B. & Koceski S. (2012). Web-based Portal for Tourism Promotion of Macedonia, Conference Proceedings, International Conference “The Role of Media in Promotion of Product and Service”, Skopje, Macedonia, 744-755.

WEB-BASED PORTAL FOR TOURISM PROMOTION OF MACEDONIA

Biljana Petrevska

“Goce Delcev” University - Stip

Faculty of Tourism and Business Logistics - Gevgelija, Macedonia

Saso Koceski

“Goce Delcev” University - Stip

Faculty of Computer Science - Stip, Macedonia

Abstract: Everyone identifies tourism as a source for generating numerous positive impacts, mainly based on the quantity of tourists and travelers. Yet, attracting them in a bigger number is not a trouble-free process, particularly in times of ever-changing environment and travel preferences. The rapid development of Internet, has changed tourism consumer behavior dramatically specifically to the way how they search for information. The Web became the leading source of information mainly important in times of enlarged number of competitors in tourism market, thus detecting tourism promotion as a way-out. The paper argues the importance of creating personalized tourism recommender. Moreover, it attempts to justify the necessity of developing web-based portal in order to assist tourists in identification of their holiday. The case of Macedonia as an empirical evidence reports on practical experience gained from a successful implementation of recommendation system in tourism promotion purposes. Finally, the research outcomes alarm the relevant tourism-actors in the country, that the time has changed and that on-line experience has shifted from searching and consuming to creating, connecting and exchanging.

Key words: Tourism; Promotion; Recommendation system; Travel preferences; Macedonia.

1. INTRODUCTION

Tourism has emerged as one of the major industries in the world economy. So, each country insists in developing it and making a profit from its variety of impacts, generally by increasing the number of incoming visitors. In 2011, tourism contributed almost EUR 4.5 trillion to the world global economy, or 9% of global gross domestic product (GDP), 100 million direct jobs and EUR 500 billion investments in tourism (WTTC, 2011).

Macedonia identified tourism as a strategic priority for national economic development (Government of Macedonia, 2012). The up-to-date results are moderate (GDP - 1.7%), but encouraging when being compared to the average for Central and Eastern Europe (GDP - 1.6%). Yet, data regarding participation of tourism employees in the total workforce in Macedonia is more promising (3.1%), which is more than twice bigger than the average of the Central and Eastern Europe being 1.4% in 2009 (WTTC, 2009). Although the tourism inflows were the second biggest item in the frames of services in 2009, the net tourism inflows in Macedonia had an average of only 1% of GDP (Petrevska, 2010). Consequently, it indicates high potential to increase the tourism effects in economic activity in Macedonia.

In this respect, the forecasts regarding tourism development are very positive. In the line of international tourist arrivals, the upward trend is expected to continue in the next period (Petrevska, 2011a, 2011b, 2012). This optimistic view is supplemented additionally with the fact that the number of user ratings is permanently increasing by 15% monthly

growth rate. Supportive and not surprising is another fact noting an upward trend of web portal users which complements the positive general conclusion referring tourism income in Macedonia. The average tourism consumption of EUR 50 per day (WTTC, 2010) is anticipated to note an increase of one third of a euro, which may be misinterpreted as insignificant to national economy. However, on long-term horizon based on these projections the tourism contribution to the GDP may note an increase of more than 1%.

In addition, it is worth noticing that the travel and tourism economy in the country incorporates broad spectrum of tourism-oriented activities and results with multiplicative impacts. Hence, the tourism multiplier effects in Macedonia is calculated to 4, meaning that every euro generated as direct tourism income results in four euros of the global income including the direct and indirect income as well (WTTC, 2010).

Still, attracting bigger number of tourists is particularly hard in times of continuously changing environment and travel preferences. Despite the variety of options on tourist destination or attraction, tourists frequently are not capable to cope with such a huge volume of choice. Moreover, they need advice about where to go and what to see. In a tourism domain, recommendations may indicate cities to go to, places to visit, attractions to see, events to participate in, travel plans, road maps, options for hotels, air companies and so forth. So, solution is seen in personalization of the information delivery to each traveler, together with the travel history. Consequently, the Web became the leading source of information and promotion. This fact is predominantly important in times of enlarged figure of tourism market players. The way out is detected in application of recommenders as a promising way to differentiate a site from the competitors.

Generally, this research enriches the academic work in this scientific area in Macedonia. Moreover, the proposed national tourism recommender may become easily applicable as a sophisticated way for tourism promotion of Macedonia.

2. LITERATURE REVIEW ON TOURISM RECOMMENDERS

One may argue the inevitable relationship between tourism and information. Moreover, it is a widely-recognized fact that information and decision-making have become the foundation for the world economy (Wang, 2008). Consequently, recommenders have been applied successfully in tourism and, more specifically in tourism promotion purposes.

Numerous researchers made efforts in their introducing. In this respect the need for developing intelligent recommenders which can provide a list of items that fulfill as many requirements as possible is elaborated (Mirzadeh *et al.*, 2004; McSherry, 2005; Jannach, 2006). Also, a recommender dealing with a case-based reasoning is introduced in order to help the tourist in defining a travel plan (Ricci and Werthner, 2002; Wallace *et al.*, 2003). However, as the most promising recommender in the tourism domain are the knowledge-based and conversational approaches (Ricci *et al.*, 2002; Thompson *et al.*, 2004). Yet, some other variants of the content-based filtering and collaborative filtering are engaged for recommendation, like knowledge-filtering, constraint-based and casebased approaches (Kazienko and Kolodziejewski, 2006; Ricci and Missier, 2004; Zanker *et al.*, 2008). In the same line, the recommender based on a text mining techniques between a travel agent and a customer through a private Web chat may easily find an application (Loh *et al.*, 2004).

Additionally, one may refer to introducing personalized tourist information provider as a combination of an event-based system and a location-based service applied to a mobile environment (Hinze *et al.*, 2009); investigation on sources and formats of online travel reviews and recommendations as a third-party opinions in assisting travelers in their decision making during the trip planning (Zhang *et al.*, 2009); findings regarding development of a

web site in order to enable Internet users to locate their own preferred travel destinations according to their landscape preferences (Goossen *et al.*, 2009) and similar. Furthermore, the usage of the orienteering problem and its extensions to model the tourist trip planning problem was elaborated as efficient solution for number of practical planning problems (Vansteenwegen and Wouter, 2011). Daramola *et al.*, (2010) extended the research by improving the dependability of recommendations with certain semantic representation of social attributes of destinations. Moreover, most of the recommenders focus on selecting the destination from a few exceptions (Niaraki and Kim, 2009; Charou *et al.*, 2010).

3. EMPIRICAL FINDINGS

The paper argues the importance of creating personalized recommender for tourism promotion purposes. Moreover, it attempts to justify the necessity of designing web-based portal that will enhance tourism promotion of Macedonia. The main aim of the research is to develop national tourism web portal which will assist and support tourists and travelers visiting Macedonia by helping them to identify their ideal holiday within the country. More precisely, the paper's goal is to propose tourism portal which will facilitate users to define relevant tourist objects that match to their personal interests.

3.1. Methodology and data

The research methodology was prepared in terms of creation of efficient and accurate personalized recommender based on novel algorithms. Specifically, it applies one of the most prevailing and efficient techniques - collaborative filtering. This technique implements the idea for automating the process of "word-of-mouth" by which people recommend items to one another. It uses the known preferences of a group of users who have shown similar behavior in the past to make recommendations of the unknown preferences for other users.

The data was collected between October 2011 and January 2012, by the mixed research group composed of researchers from the faculties of Computer Science and Tourism at the "Goce Delcev" University from Macedonia. The data set was consisted of 9840 ratings from 265 users for 445 tourist objects. Additionally, each user rated at least 25 objects, and each object has been rated at least once.

To accomplish the main objective of the research, a several step methodology was developed. The first step foresees tourist and tourist objects profiling. The system uses tourist types (Gibson and Yiannakis, 2002) to model the tourist personal profile. The tourist profile indicates the degree to which tourists identify themselves with the given types. Typically, individual tourist cannot be characterized by only one of these archetypes but has unique combination of these personalities, although to varying degrees. Thus, tourist types model the tourists' generic interests in an abstract form. Vectors are suited to model such tourist profile, whereby each dimension corresponds to a certain tourist type while the value indicates how much the tourist identifies him- or herself with the corresponding type.

3.2. Analysis and Discussion

Tourist profiling is a two-step process which involves creating the profile and then reviewing the profile to make any necessary adjustments. The initial tourist profile for each system user is created by the user himself during the process of registration, by determining the degree of membership to each of the tourist types. Considering the fact that the human preferences change over time due to various factors, the tourists might change their behavior too. To

make the system capable to cope with these changes, the tourist profile was adjusted based on the ratings the tourist give for each tourism object that he visits after his journey.

Similarly, the profiles for attractions may be generated. Namely, in the same way as the tourist profile is represented in form of a vector, every tourism object is modeled through a vector as well. Thereby, this vector describes in a quantitative way how much the object is related to the given types. For example, the famous monastery Saint Panteleimon in the city of Ohrid known as a birthplace for Cyrillic alphabet and used by Saint Clement for teaching the Cyrillic alphabet, might be highly relevant for sightseeing tourists but not for such kind of tourists that would like to do some risky activities.

In the developed system a manual process to link the given tourist types to appropriate tourism objects is proposed. Therefore, for each of the tourism objects, the degree of relationship to each of the tourist types is specified by domain experts. In order to prevent information overload of the tourist and provide only relevant information, the system should recommend a subset of tourism objects according to the personal experiences individual tourist desire and those he/she prefer to avoid. This in turn might lead to an increase of the tourist's satisfaction of experiencing a relaxed sightseeing trip.

According to this, the next step of the methodology aims to match tourist profiles against the set of tourism objects on the basis of tourist types, thus producing a ranked list of objects for each given tourist and reducing the set of objects. If a tourist profile matches the characteristics of an object, this object should be recommended to the respective tourist. Therefore, the matchmaking algorithm has to examine whether they share similar structures. The more similarities they have in common, the more contributes the tourism object to the tourist's satisfaction and therefore should be ranked higher.

To estimate the similarity degree between tourist profiles and tourism objects, the system contains a special module based on a vector-based matchmaking function, whereby a given profile and each tourism object constitute vectors and are compared in a vector space model. A common method to obtain the similarity is to measure the cosine angle between two vectors. If the vector space is non-orthogonal, kernel based algorithms can be applied to measure the similarity in such a space. The dimensions of the vector space model correspond to tourists types (Gibson and Yiannakis, 2002), such that each distinct tourist type (e.g., adventure or cultural type) represents one dimension in that space. Furthermore, the tourism objects are ordered by the value of the matchmaking function for a given user, and only those objects that have positive value for this function will be considered for recommendation.

In addition, another very important fact is considered related to the tourists' behavior willing to plan a trip. In everyday life, while planning a vacation or trip, people also rely on recommendations from reference letters, news reports, general surveys, travel guides, and so forth. So, they desire personal advice from other people with similar preferences or people they trust. In fact, over 80% of travelers participating in a TripAdvisor.com survey agree that "reading other travelers' online reviews increases confidence in decisions, makes it easier to imagine what a place would be like, helps reduce risk/uncertainty, makes it easier to reach decisions, and helps with planning pleasure trips more efficiently" (Gretzel *et al.*, 2007). Experimental findings show that there exists a significant correlation between the trust expressed by the users and their similarity based on the recommendations they made in the system. The more similar two people are, the greater the trust between them (Ziegler and Golbeck, 2006). Different methodologies can be used to calculate the similarity between the users in the system.

As one of the most prevailing and efficient techniques to build recommender systems, collaborative filtering (CF) implements the idea for automating the process of "word-of-mouth" by which people recommend items to one another. It uses the known preferences of a

group of users who have shown similar behavior in the past to make recommendations of the unknown preferences for other users. CF is facing many challenges, among which the ability to deal with highly sparse data and to scale with the increasing numbers of users and items, are the most important in order to make satisfactory recommendations in a short time period. Sparsity of ratings data is the major reason causing poor recommendation quality. It occurs when available ratings data is rare and insufficient for identifying the similar neighbors. This problem is often very significant when the system is in its early stages. On the other hand, when numbers of existing users and items grow tremendously, traditional CF algorithms will suffer serious scalability problems, with computational resources grown nonlinearly and going beyond practical or acceptable levels.

To reduce the dimensionality of data and avoid the strict matching of attributes in similarity computation the cloud-model CF approach has been adopted. It is constructing the user's global preference based on his perceptions, opinions and tastes, which are subjective, imprecise, and vague (Palanivel and Siavkumar, 2010), and it seems to be an appropriate paradigm to handle the uncertainty and fuzziness on user preference. The main goal of the cloud model CF is to construct the global preference for each user by calculating triple digital characteristics: expected value E_x , entropy E_n and the hyper-entropy H_e (Zhang *et al.*, 2009).

According to the value of the total recommendation functions the objects are further ordered and classified in five categories. The outcome is developed national tourism web portal structured in the form of a social network. The suggested portal is a significant improvement on existing travel websites and provides tourists with a customized, unique, and enriching travel experience. It incorporates some standard plugins typical for social networks like Facebook. But, it advances the concept by including custom plugins, like the recommended objects plugin which is the core of the portal. It is using the Google Map of Macedonia, to visualize both: static tourist objects (object that are not temporary, like churches, museums, archeology localities, etc.) and dynamic objects (object that have limited time duration, like events, expositions, etc.). They are displayed on the map according to their geographical location being grouped into municipalities.

Municipalities are recommended to the user in the form of circles (Figure 1). The size of the circle indicates the user's affinity for the municipality. Therefore, a large circle indicates a municipality with many tourism objects with high recommendation marks i.e. that match the user profile. By displaying the user's affinity through the size dimension of the circle, users can easily observe which municipalities would be of most interest to them.




Figure 1. Recommended municipalities

Furthermore, the tourism objects are displayed as icons in the location of the correspondent object as shown in Figure 2.




Figure 2. Recommended tourism objects

The image of the icon indicates the type of tourism objects such as a museum, church, or restaurant. The size indicates how closely the object meets the user's interests. Each attraction also has an information window (Figure 2), which usually includes the name and picture of the attraction, an icon of an umbrella indicating that the attraction is accessible in the rain, and tags. The information window also displays a general idea of the time consumption of the attraction, friends who have visited the attraction, and an option to view narratives in either video, audio, or text format. Through this window, the user can also rate the object. This operation is recommended to be done after visiting the object and according to the personal experience and satisfaction. The goal is two-fold: to help updating the user profile, and to make the process of recommendation more accurate.

The recommendation accuracy was tested by application of information-retrieval classification metrics, which evaluate the capacity of the recommender in suggesting a list of appropriate objects to the user. The results pointed out that the recommender is robust as it achieved good outcomes. Moreover, the testing showed that the proposed approach can provide satisfactory performance even in a sparse dataset.

4. CONCLUSION AND FUTURE WORK

Although the designed web-based tourism portal is in its initial phase, it resulted in accurate recommendations and guidelines for tourists and travelers. So, the development of such software module contributes generally in increasing the awareness for Macedonia as a tourism destination. It assists all interested parties in planning their travel on more intelligent way by generating a personalized list of favorable and tailor-made items.

Since this portal assists tourists and travelers in identification of their ideal holiday place within Macedonia, it contributes to improvement of tourism promotion in more qualitative manner. Hence, this empirical investigation underlines the high priority importance of creating this kind of tourism recommender which will consequently enable the country to strengthen its tourism promotion. Yet, the discussed results and findings should be

interpreted as selected samples to underline the usefulness of the proposed approach in contribution to advertising and promotion. So, the future work may include additional insights on the improvement in the presented web-based national tourism portal.

REFERENCES

- Charou, E., Kabassi, K., Martinis, A. & Stefouli, M. (2010). *Integrating multimedia GIS technologies in a recommendation system for geo-tourism*. In: Tsihrintzis, G. A. and Jain, L. C. (Eds.). *Multimedia Services in Intelligent Environment*, Springer-Verlag Berlin, pp. 63-74.
- Daramola, O. J., Adigun, M. O., Ayo, C. K. & Olugbara, O. O. (2010). Improving the dependability of destination recommendations using information on social aspects. *Tourismos: an International Multidisciplinary Journal of Tourism*, 5(1), pp. 13-34.
- Gibson, H. & Yiannakis, A. (2002). Tourist roles: Needs and the life course. *Annals of Tourism Research*, 29(2), pp. 358-383.
- Goossen, M., Meeuwsen, H., Franke, J. & Kuyper, M. (2009). My Ideal Tourism Destination: Personalized Destination Recommendation System Combining Individual Preferences and GIS Data. *Journal of Information Technology & Tourism*, 11(1), pp. 17-30.
- Government of the Republic of Macedonia. (2012). *National Strategy on Tourism Development 2011-2015*, Skopje.
- Gretzel, Ulrike, Hyan, Kyung Yoo, & Purifoy Melanie. (2007). *Online Travel Review Study: Role & Impact of Online Travel Reviews*.
- Hinze, A., Voisard, A. & Buchanan, G. (2009). TIP: Personalizing Information Delivery in a Tourist Information System. *Journal of Information Technology & Tourism*, 11(3), pp. 247-264.
- Jannach, D. (2006). Finding preferred query relaxations in content-based recommenders. *IEEE Intelligent Systems Conference*, Westminster, UK, pp. 355-360.
- Niaraki, A.S. & Kim, K. (2009). Ontology based personalized route planning system using a multicriteria decision making approach. *Expert Systems with Applications*, 36, pp. 2250-2259.
- Kazienko, P. & Kolodziejski, P. (2006). Personalized Integration Recommendation Methods for E-commerce. *International Journal of Computer & Applications*, 3(3), pp. 12-26.
- Loh, S., Lorenzi, F., Saldaña, R. & Licthnow, D. (2004). A Tourism Recommender System Based on Collaboration and Text Analysis. *Information Technology & Tourism*, 6, pp. 157-165.
- Mirzadeh, N., Ricci, F. & Bansal, M. (2004). Supporting user query relaxation in a recommender system. 5th International Conference on E-Commerce and Web Technologies (EC-Web), Zaragoza, Spain, pp. 31-40.
- McSherry, D. (2005). Retrieval failure and recovery in recommender systems. *Artificial Intelligence Review*, 24, pp. 319-338.
- Palanivel, K. & Siavkumar, R. (2010). Fuzzy multi-criteria decision-making approach for collaborative recommender systems. *International Journal of Computer Theory and Engineering*, 2(1), pp. 57-63.
- Petrevska, B. (2010). Tourism in the global development strategy of Macedonia: Economic perspectives. *UTMS Journal of Economics*, 2(1), pp. 101-108.
- Petrevska, B. (2011a). Economic planning of tourism development in Macedonia. *Economic Development*, 3/2010, pp. 133-145.
- Petrevska, B. (2011b). Planning and forecasting tourism demand in Macedonia. *Conference Proceedings*, International Conference "Contemporary Trends in Tourism and

- Hospitality, 2011 - Via Danube, the Main Street of Europe”, Novi Sad, Serbia, pp. 169-177.
- Petrevska, B. (2012). Tourism in Macedonia - Before and After the Crisis, Conference Proceedings, International Conference “Faces of the Crisis”, Skopje, Macedonia, pp. 63-70.
- Ricci, F. & Del Missier, F. (2004). Supporting Travel Decision Making through Personalized Recommendation. In: Clare-Marie Karat, Jan Blom, and John Karat (eds.), *Designing Personalized User Experiences for eCommerce*, Kluwer Academic Publisher, pp. 221-251.
- Ricci, F. & Werthner, H. (2002). Case base querying for travel planning recommendation. *Information Technology & Tourism*, 4(3/4), pp. 215-226.
- Ricci, F., Arslan, B., Mirzadeh, N. & Venturini, A. (2002). ITR: A case-based travel advisory system. *6th European Conference on Advances in Case-Based Reasoning*, pp. 613-627.
- Thompson, C., Göker, M. & Langley, P. (2004). A personalized system for conversational recommendations. *Journal of Artificial Intelligence Research*, 21, pp. 393-428.
- Vansteenkoven, P. & Wouter, S. (2011). Trip Planning Functionalities: State of the Art and Future. *Information Technology & Tourism*, 12(4), pp. 305-315.
- Wallace, M., Maglogiannis, I., Karpouzis, K., Kormentzas, G. & Kollias, S. (2003). Intelligent one-stop-shop travel recommendations using an adaptive neural network and clustering of history. *Information Technology & Tourism* 6, pp. 181-193.
- Wang, J. (2008). Improving decision-making practices through information filtering. *International Journal of Information and Decision Sciences*, 1(1), pp. 14-21.
- WTTC. 2009. *Travel & Tourism Economic Impact - Macedonia 2009*.
- WTTC. 2010. *Travel & Tourism Economic Impact - Macedonia 2010*.
- WTTC. 2011. *Travel & Tourism 2011*.
- Zanker, M., Fuchs M., Höpken W., Tuta, M. & Müller, N. (2008). Evaluating Recommender Systems in Tourism - A Case Study from Austria. In: P. O'Connor et al. (Eds.). *Information and Communication Technologies in Tourism*, Proceedings ENTER 2008, Springer, pp. 24-34.
- Zhang, L., Pan, B., Smith, W. & Li, X. (2009). Travelers' Use of Online Reviews and Recommendations: A Qualitative Study. *Journal of Information Technology & Tourism*, 11(2), pp. 157-167.
- Ziegler, C. N. & Golbeck, J. (2006). Investigating Correlations of Trust and Interest Similarity. *Decision Support Services*, pp. 22-36.