

UNIVERSITY OF NOVI SAD TECHNICAL FACULTY "MIHAJLO PUPIN" ZRENJANIN

F

EDUCATION

Z

AND

TECHNOLOGY

2



11

R

DEVELOPMENT

ITROCONFERENCE Information technology and education development and and education development



ZRENJANIN, Oktobar 2020



UNIVERSITY OF NOVI SAD TECHNICAL FACULTY "MIHAJLO PUPIN" ZRENJANIN REPUBLIC OF SERBIA



XI INTERNATIONAL CONFERENCE OF INFORMATION TECHNOLOGY AND DEVELOPMENT OF EDUCATION ITRO 2020

PROCEEDINGS OF PAPERS



XI MEĐUNARODNA KONFERENCIJA INFORMACIONE TEHNOLOGIJE I RAZVOJ OBRAZOVANJA ITRO 2020

ZBORNIK RADOVA

ZRENJANIN, OCTOBER 2020

Publisher and Organiser of the Conference: University of Novi Sad, Technical faculty "Mihajlo Pupin", Zrenjanin, Republic of Serbia

For publisher: Dragica Radosav, Ph. D, Professor, Dean of the Technical faculty "Mihajlo Pupin", Zrenjanin, Republic of Serbia

Editor in Cheaf - President of OC ITRO 2020: Dragana Glušac, Ph. D, Assistant Professor

Proceedings editor: Marjana Pardanjac, Ph. D, Professor

Technical design: Dusanka Milanov MSc, Assistant Maja Gaborov MSc, Assistant Marko Blažić BSc, Assistant Nemanja Tasić BSc, Assistant

Circulation: 50

ISBN: 978-86-7672-341-6

CIP - Каталогизација у публикацији Библиотеке Матице српске, Нови Сад

37.01:004(082) 37.02(082)

INTERNATIONAL Conference of Information Technology and Development of Education ITRO (11; 2020; Zrenjanin)

Proceedings of papers [Elektronski izvor] / XI International Conference of Information Technology and Development of Education ITRO 2020 = Zbornik radova / XI međunarodna konferencija Informacione tehnologije i razvoj obrazovanja ITRO 2020, Zrenjanin, October 2020. - Zrenjanin : Technical Faculty "Mihajlo Pupin", 2020. - 1 elektronski optički disk (CDROM) : tekst, graf. prikazi ; 12 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovnog ekrana. - Elektronska publikacija u formatu pdf opsega 265 str. - Bibliografija uz svaki rad.

ISBN 978-86-7672-341-6

а) Информационе технологије -- Образовање -- Зборници б) Образовна технологија –
Зборници

COBISS.SR-ID 26470409

PARTNERS INTERNATIONAL CONFERENCE

South-West University "Neofit Rilski" Faculty of Education, Blagoevgrad, Republic of Bulgaria



SOUTH WEST UNIVERSITY "NEOFIT RILSKI"

Technical University of Košice Faculty of Electrical Engineering and Informatics Slovak Republic



University Goce Delcev Stip Republic of Macedonia



THE SCIENCE COMMITTEE:

Marina Čičin Šain, Ph.D, Professor, University of Rijeka, Croatia Sashko Plachkov, Ph.D, Professor, South-West University "Neofit Rilski" /Department of Education, Blagoevgrad, Republic of Bulgaria Sulejman Meta, Ph.D, Professor, Faculty of Applied Sciences, Tetovo, Macedonia Márta Takács, Ph.D, Professor, Óbuda University, John von Neumann Faculty of Informatics, Budapest, Hungary Nina Bijedić, Ph.D, Professor, Applied mathematics, Bosnia and Herzegovina Mirjana Segedinac, Ph.D. Professor, Faculty of Science, Novi Sad, Serbia Milka Oljača, Ph.D, Professor, Faculty of Philosophy, Novi Sad, Serbia Dušan Starčević, Ph.D, Professor, Faculty of Organizational Sciences, Belgrade, Serbia Josip Ivanović, PhD, Professor, Hungarian Language Teacher Training Faculty, Subotica, Serbia Ivanka Georgieva, Ph.D, South-West University "Neofit Rilski", Faculty of Engineering, Blagoevgrad, Republic of Bulgaria Miodrag Ivković, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Momčilo Bjelica, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Dragica Radosav, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Dragana Glušac, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Dijana Karuović, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Ivan Tasić, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Vesna Makitan, Ph.D, Assistant Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Marjana Pardanjac, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Snežana Babić Kekez, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Erika Tobolka, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Stojanov Željko, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Brtka Vladimir, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Kazi Ljubica, Ph.D, Assistant Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Berković Ivana, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Nikolić Milan, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Dalibor Dobrilović, Ph.D., Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Anja Žnidaršič, Ph.D Professor, Faculty of Organizational Sciences, Kranj, Slovenia Janja Jerebic, Ph.D Professor, Faculty of Organizational Sciences, Kranj, Slovenia Tatjana Grbić, Ph.D Professor, Faculty of Technical Sciences, Novi Sad, Serbia Slavica Medić, Ph.D Professor, Faculty of Technical Sciences, Novi Sad, Serbia Gordana Jotanović, Ph.D Professor, Faculty of Transport and Traffic Engineering, Doboj, BIH Đurđa Grijak, Ph.D Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Snežana Jokić, Ph.D, Assistant Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia Gordana Štasni, Ph.D Professor, Faculty of Philosophy, Novi Sad, Serbia Stojanov Jelena, Ph.D, Assistant Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia

THE ORGANIZING COMMITTEE:

Dragana Glušac, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia - Chairman of the Conference ITRO 2020

Ivan Tasić, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Dragica Radosav, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Dijana Karuović, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Marjana Pardanjac, Ph.D, Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Jelena Stojanov, Ph.D, Ass. Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Vesna Makitan, Ph.D, Ass. Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Snežana Jokić, Ph.D, Ass. Professor, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Dusanka Milanov, MSc, Assistant, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Dragana Drašković, MSc, Assistant, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Maja Gaborov, MSc, Assistant, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Maja Gaborov, MSc, Assistant, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Maja Gaborov, MSc, Assistant, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia Marko Blažić, BSc, Assistant, Technical Faculty "Mihajlo Pupin" Zrenjanin, R. of Serbia

All rights reserved. No part of this Proceeding may be reproduced in any form without written permission from the publisher.

The editor and the publisher are not responsible either for the statements made or for the opinion expressed in this publication.

The authors are solely responsible for the content of the papers and any copyrights, which are related to the content of the papers.

With this publication, the CD with all papers from the International Conference on Information Technology and Development of Education, ITRO 2020 is also published.

INTRODUCTION

For the first time the conference "Information Technology and Development of Education – ITRO 2020" has been held on line, due to the covid-19 pandemic circumstances. The main goal of the conference was scientific discussion and interchange of information and experiences about the implementation of IT solutions in educational technology and the impact of different kinds of crises on children's access to quality education. Thematic fields of the conference are aligned with general trends in education, especially in technical sciences.

At the conference, within the poster session and at the plenary presentation, problems and, conditions were presented in the following areas: Theoretical and methodological issues of modern teaching, Personalization and learning styles, Social networks and their impact on education, Safety and security of children on the Internet, Curriculum of modern teaching, Methodological issues of teaching natural and technical sciences, Lifelong learning and professional development of teachers, E-learning, Management in education, Development and impact of information technology on teaching, Information and communication infrastructure in the teaching process, Improving the competencies of teachers and students. A significant number of papers were related to the implementation of teaching in the context of the COVID 19 pandemic.

At the end of the conference, and based on the papers of our participants, we conclude that the main focus points of this moment in education, which in one of the papers is called the "digital revolution", are the following:

- intensive work on increasing the level of responsibility of all participants in education,
- intensive work on the digitization of teaching content in order to overcome barriers and problems, of which one is certainly the dominant which is students motivation,
- intensive work on increasing competencies and professional support to teachers in the circumstances of a pandemic, different type of crisis and state of emergency,
- necessity of lifelong learning mechanisms,
- encouraging the research of attributes and relatively simple but sufficiently efficient approaches to assessing the metrics of the usability of educational technologies,
- encouraging the media to play a more active role in presenting the situation in the field of education professionally and objectively.

The ITRO Organizing Committee would like to thank the authors of papers, reviewers and participants in the Conference who have contributed to its tradition and successful realization.

We hope that next year our planet Earth will recover and that we will see each other live at the next conference.

We especially want to pay tribute to our late colleague professor Ivan Tasić PhD, as one of the founders of the ITRO conference. Our team thus suffered an irreparable loss, and his name will forever remain on the pages of the conference proceedings.

Chairman of the Organizing Committee Ph.D Dragana Glušac

CONTENTS

SCIENTIFIC PAPERS

I. Tasić, M. Merdović, E. Terek, J. Rajković and M. Nikolić
THE INFLUENCE OF TEACHER COMMUNICATION SATISFACTION ON THE
TEACHING PROCESS AND STUDENT DEVELOPMENT1
F. Dedić, N. Bijedić, E. Babović and D. Gašpar
STUDENT'S SUCCESS PREDICTION IN THE SECONDARY LEVEL OF EDUCATION
USING A LINEAR REGRESSION MODEL
M. Đ. Adamović and D. V. Ivetić
GUIDELINES FOR DEVELOPMENT OF EDUTAINMENT VIDEO GAMES
J. V. Buralieva and D. Stojanov
FOURIER ANALYSIS THROUGH EXAMPLES USING WOLFRAM
MATHEMATICA
R. Timovski, N. Koceska and S. Koceski
REVIEW: THE USE OF AUGMENTED AND VIRTUAL REALITY IN
EDUCATION
M. Lazić, M. Kovačević, N. Tasić and M. Pardanjac
IMPLEMENTATION OF THE UNIFIED INFORMATION SYSTEM OF EDUCATION
IN HIGHER EDUCATION - SIGNIFICANCE AND EFFECTS
D. Milosavljev, J. Stojanov, A. Grban and M. Kavalić
EDUCATION AND KNOWLEDGE IMPROVEMENT OF EMPLOYEES IN DRIVING
SCHOOLS IN THE REPUBLIC OF SERBIA
L. Bajrami and M. Ismaili
INCORPORATING DIGITAL MEDIA TO MOTIVATE STUDENTS IN EFL
CLASSES
N. Koceska, S. Koceski, B. Pucovski, V. K. Mitkovska and A. Lazovski
INVESTIGATING THE EFFECTS OF ONLINE AND FLIPPED CLASSROOM
APPROACH DURING COVID-19 PANDEMIC42

Lj. Kazi, S. Nadrljanski, G. Gecin, A. Kansara, Z. Kazi, B. Radulović and N. Chotaliya RECOVERY OF PARTITIONED DATABASES BASED ON TIME STAMP DATA AND THE ROLE OF CRUD OPERATIONS: TWO EDUCATIONAL WEB
APPLICATIONS
G. Molnár, Z. Námesztovszki and Z. Szűts SWITCHING TO ONLINE EDUCATION, EXPERIENCES FROM HUNGARY AND SERBIA
L. K. Lazarova, M. Miteva and T. Zenku TEACHING AND LEARNING MATHEMATICS DURING COVID PERIOD60
G. Skondric, I. Hamulic and E. Mudnic VERIFICATION OF USER BEHAVIAR MODEL IN P2P STORAGE DISTRIBUTED SYSTEM SIMULATIONS
M. Knežević, E. Brtka and I. Vecštejn COMPARISON OF SOFTWARE APPLICATION DEVELOPMENT PROCEDURES IN C++ AND C# PROGRAMMING LANGUAGES
D. Radosav, N. Ljubojev, D. Milanov and M. Ercegovac TEACHERS' AND STUDENTS' ATTITUDES TOWARDS DOING HOMEWORK ASSIGNMENTS ONLINE
A. Tasić, D. Karuović and A. Lunjić SIGNIFICANCE AND APPLICATION WEB TECHNOLOGIES IN A TIME OF PANDEMIC
A. Belegisan, D. Glusac and D. Milanov CORRELATION BETWEEN SCHOOL SUCCESS AND STUDENTS' DIGITAL COMPETENCIES
M. Bakator and D. Radosav ANALYZING THE DIGITAL EDUCATION REVOLUTION91
N. Koceska and S. Koceski MEASURING THE IMPACT OF ONLINE LEARNING ON STUDENTS' SATISFACTION AND STUDENT OUTCOMES USING INTEGRATED MODEL96
R. Timovski, T. A. Pacemska and B. Aleksov USING WORLD REFERENCE LEVEL (WRL) IN THE PROCESS OF RECOGNIZING THE LEARNING OUTCOMES – CASE STUDY
D. Bikov, M. Pashinska and N. Stojkovikj PARALLEL PROGRAMMING WITH CUDA AND MPI107

D. Nedić, G. Jotanović, A. Krstić and T. Paunović
DEFINITE INTEGRAL IN THE GEOGEBRA PROGRAM PACKAGE
J. Stojanov, D. Drašković and Z. Zeljković
MATHEMATICAL PROBLEMS IN FINAL EXAMS THROUGH THE PISA
PERSPECTIVE
S. Mihailović, A. Kunusinac, D. Ivetić and I. Berković
THE USE OF PYTHON IN THE FIELD OF ARTIFICAL INTELLIGENCE
D. Stojanov, J. V. Buralieva and A. Velinov
AN IMPLEMENTATION OF A GENERIC SCHEME OF AN ARTIFICIAL NEURAL
NETWORK AND THE BACKPROPAGATION ALGORITHM IN C++129
M. Bakator and D. Radosav
MANAGING EDUCATION IN THE COVID-19 ERA134
D. Milanay, M. Ćaćkala Uranica, I. Dalinkač, F. Daganica and I. Dakaz
D. MITAHOV, M. COCKAIO-HFONJEC, I. FAILIKAS, E. DESCHICA and J. FEREZ USAGE OF 3D SCANNING IN EDUCATION 138
R. Zamurović, M. Pardanjac and J. Barbarić
3D ANIMATION IN THE FILM INDUSTRY142
A Stoikov Li Kazi and M Blažić
SOFTWARE REENGINEERING WITH OBJECT-ORIENTED N-TIER
ARCHITECTURE: CASE OF DESKTOP-TO-WEB TRANSFORMATION
M. Gaborov, D. Karuović, N. Jerković, N. Đordan and A. Felbab
ANALYSIS OF STUDENTS ATTITUDES ABOUT E – LEARNING
B. Đorić, M. Blagojević, M. Papić and N. Stanković
STUDENTS' ATTITUDES REGARDING ONLINE LEARNING DURING COVID-19
PANDEMIC
Z. KAZI SCHOOL MANAGEMENT IMPROVEMENT DEDAGOGUE INFORMATION
SYSTEM
M. Kavalić, D. Milosavljev, M. Pečujlija, S. Stanisavljev and R. Božić
LOCUS OF CONTROL IN THE FUNCTION OF IMPROVING WORK WITH
STUDENTS – PILOT RESEARCH
A. Krstev, D. Serafimovski, T. Cekerovski, M. Cekerovski and D. Krstev
APPLICATION OF SENSORS IN REAL TIME SYSTEMS FOR OPTIMIZING
INDUSTRIAL PROCESSES IN CHEMICAL FACILITIES

E. Karamazova, M. Kocaleva and T. Jusufi Zenku STATISTICAL DATA FOR MODERN COMMUNICATION IN MATHEMATICS SUBJECTS AT FACULTY
M. Bakator and D. Radosav RECAP ON SOCIAL MEDIA IMPACT ON EDUCATION
M. Kocaleva , B. Petrovska, N. Stojkovikj, A. Stojanova and B. Zlatanovska REVIEW OF SENTINEL-2 APPLICATIONS
A. Krstev, D. Krstev and R. Polenakovik MODELLING WITH STRUCTURAL EQUATION MODELLING – APPLICATION AND ISSUES
M. Gaborov, D. Radosav, A. Felbab and M. Mazalica REPRESENTATION OF THE PROGRAMMING LANGUAGES IN IT SECTOR IN ZRENJANIN
M. Ismaili, L. Bajrami and S. Hasani ENHANCING EFL STUDENTS' COMMUNICATIVE SKILLS BY USING LEARNING APPS
S. Dimitrijević and V. Devedžić USABILITY EVALUATION IN SELECTING EDUCATIONAL TECHNOLOGY208
E. Tosheva 3D MODELING SOLUTIONS IN THE CLOUD215
Đ. Milošević, D. Subošić, P. Vasiljević, V. Nikolić and B. Markoski POSSIBILITIES OF USING BIG DATA ANALYTIC IN POLICE WORK217
J. Milenković, M. Pavlović, V. Nikolić, A. Jašić and V. Premčevski EXAMPLE OF CLUSTERING USING K-MEANS METHOD IN PYTHON223
M. Stojičević, P. Vukašinović, V. Nikolić, B. Markoski and V. Premčevski EXAMPLE OF FUZZY-BASED SEARCH MECHANISM IN PYTHON226
N. Pena, D. Karuović and J. Bushati USER EXPERIENCE IN DEVELOPMENT OF THE WEB APPLICATIONS231
B. Tomić, N. Milikić, J. Jovanović and V. Devedžić EXAMINING ATTENDANCE, PERFORMANCE AND INTEREST IN A CS COURSE IN RELATION TO STUDENTS' ACHIEVEMENT GOAL ORIENTATION AND SELF- EVALUATION

B. Sobota, Š. Korečko, M. Hudák and M. Sivý	
COLLABORATIVE VIRTUAL REALITY USAGE IN EDUCATIONAL AN	D
TRAINING PROCESS	242
M. Lazić, M. Kovačević, N. Tasić and M. Pardanjac	
METHODOLOGY FOR EXTERNAL QUALITY CONTROL OF HIGHER E	DUCATION
INSTITUTIONS	
S. Danilov, V. Makitan and M. Sisak	
AN OVERVIEW OF THE MOST INFLUENTIAL ON-LINE MEDIA	
T. Zorić, V. Makitan and E. Brtka	
IT PROJECTS SUCCESS FACTORS	

Review of Sentinel-2 applications

M. Kocaleva*, B. Petrovska**, N. Stojkovikj*, A. Stojanova* and B. Zlatanovska*

* Faculty of Computer Science, Goce Delcev University of Stip, North Macedonia

** Military Academy "General Mihailo Apostolski", University "Goce Delcev", Stip, Macedonia mirjana.kocaleva@ugd.edu.mk, natasa.maksimova@ugd.edu.mk, aleksandra.stojanova@ ugd.edu.mk, biljana.zlatanovska@ugd.edu.mk, biserka.petrovska@morm.gov.mk

Abstract - Nowadays with satellites monitoring, most easily can be seen daily changes of the land, climate and water. This paper presents a literature review of researches in the field of earth observation, in recent years is done. First an outline of Copernicus and Sentinel-2 data is given. Then, Sentinel-2 applications in remote sensing problems are evaluated. At the end, deep learning and CNN architecture applied on Sentinel-2 images are presented, as well as our next goals.

I. INTRODUCTION

One of the basic fields in earth observation is collecting information about the earth's surface. The obtained data provide a better understanding of our planet and environment we live in, and thus serves as a core for making decision in several different domains. Optical satellites for Earth observation monitor our planet by obtaining images. They obtain images from ground, water, atmosphere and climate changes at different wavelengths of the electromagnetic spectrum [8], [3].

Widely known program for earth observation is Copernicus. Copernicus is European Union's program for earth monitoring. This program offers information based on satellite observations on the earth and non - space data. Copernicus has been especially designed to be suitable for customer necessity. Copernicus' services provide real-time data on a global level, which can be used for local and regional needs.

More recently, this data has become available to the public free. Since the launch of Sentinel-1A in 2014, the European Union has begun the process to set up nearly 20 satellites in orbit before 2030. Sentinel provides images with high temporal and spatial resolution. The Sentinel-2 data is publicly available at https://scihub.copernicus.eu/ as part of the Copernicus program [7].

II. SENTINEL-2

Sentinel-2 is a European mission for continuous, wide-range and high-resolution satellite images. Consist of two identical satellites Sentinel-2A and Sentinel-2B set at 180 degrees. Sentinel-2A launched on 23 June 2015 and Sentinel-2B launched on 7 March 2017. Sentinel-2 satellites covers the following areas:

- all continental land surfaces (including groundwater) between the widths of 84 $^\circ$ north and 56 $^\circ$ south,
- all coastal waters to at least 20 km from the coast,
- all islands greater than 100 km2,
- all the islands in the EU,
- the Mediterranean Sea,
- all sealed seas (for example, the Caspian Sea).



Figure 1. Sentinel-2 Coverage

The Sentinel-2 Multispectral instrument (MSI) consist of 13 spectral bands: four at 10 meters, six at

International Conference on Information Technology and Development of Education – ITRO 2020 October, 2020. Zrenjanin, Republic of Serbia

20 meters и three at 60 meters spatial resolution. The revisit time of one satellite is 10 days, or 5 days if they both work together. A swath width of each satellite is 290 km.

The data acquired from Sentinel-2 are used for:

- Land monitoring (spatial planning, agroenvironmental monitoring. water monitoring. and vegetation forest monitoring, carbon monitoring, monitoring of natural resources, monitoring of crops)
- Emergency management (natural disasters -• floods, landslides, fires. storms, earthquakes, etc., technological accidents, humanitarian crises (for example, after a period of severe drought), civil crises.
- Security (border surveillance, maritime surveillance, support for external action of the EU).

There are many types of Sentinel-2 products. Products consist of fixed-size granules. Granule is the indivisible part of the product. The size of the granules depends on the type of product. Sentinel products include image data in JPEG2000 format, quality indicators, help data and metadata.

The products of Sentinel-2 are given in the Table 1:

SENTINEL -2 PRODUCT TYPES

TABLEI

	I ADEL I.		SERVINCE 21RODOCT TITES			
name	availability		Data volume	Processing levels		
Level 0	not available t	0	granule	Payload	Data	
	users		(25x23 km ²)	Ground	Segment	
				(PDGS)	-	
Level 1A	not available t	0	granule	Payload	Data	
	users		$(25x23 \text{ km}^2)$	Ground	Segment	
				(PDGS).	-	
Level 1B	available t	0	granule –	Payload	Data	
	users		27MB	Ground	Segment	
			(25x23 km ²)	(PDGS).	-	
Level 1C	available t	0	tiles - 500MB	Payload	Data	
	users		(100x100	Ground	Segment	
			km ²)	(PDGS).		
Level 2A	available t	0	tiles - 600MB	Sentinel-2 Toolbox		
	users		(100x100			
			km ²)			

The radiometric resolution is expressed as an important number, usually in the range of 8 to 16 bits. The radiometric resolution of the MSI instrument is 12 bits, allowing image to be obtained in the range of 0 to 4 095 potential light intensity values. Radiometric accuracy is less than 5%. The radiometric resolution also depends on the detector's noise signal (SNR).

TABLE II. SPATIAL RESOLUTION BANDS AND SPECTRUM

Band number	Central wavelength (nm)	Bandwidth (nm)	Spatial resolution (m)	Part of spectrum	Description
1	443	20	60	Visible/VNIR	Coastal aerosol
2	490	65	10	Visible/VNIR	Blue
3	560	35	10	Visible/VNIR	Green
4	665	30	10	Visible/VNIR	Red
5	705	15	20	VNIR	Vegetation (red edge)
6	740	15	20	VNIR	Vegetation (red edge)
7	783	20	20	VNIR	Vegetation (red edge)
8	842	115	10	VNIR	NIR
8b	865	20	20	VNIR	Vegetation (red edge)
9	945	20	60	VNIR/SWIR	Water vapour
10	1375	30	60	SWIR	Cirrus
11	1610	90	20	SWIR	SWIR
12	2190	180	20	SWIR	SWIR

SENTINEL-2 APPLICATIONS III.

There are so many problems in the scope of earth observation, so application on Sentinel-2 can be noted in many fields, like: spatial monitoring of changes in tropical forests [2], methods for mapping vegetation properties [3], identifying glacial features [4], mapping land use and land cover change [5], remote sensing of eelgrass [6].

Eliakim Hamunyela in his doctoral thesis "Spatial monitoring of changes in tropical forests using observations from multiple satellites" talks about how to improve satellite monitoring of forest changes by addressing key challenges that hinder correct and timely spotting of disturbances in forests from satellite data. More specifically, the thesis assesses whether the problem is with the season, a small-scale omission and low-scale and low-noise forest disorders, the innate noise in the time series of satellite images and inter-sensory differences in the multi-sensory time series. Researches were accomplished in wet tropical forests in Brazil and dry tropical forests with a strong season in Bolivia. In addition, a distinction between the spatial context model and the seasonal model is done. [2]

In paper [3], Juan Pablo collects the latest methods for optimized and automatic assessment of vegetation properties. His main goal was "To analyze, optimize and automate the most up-to-date methods for mapping vegetation properties in the preparation". A GUI software package called ARTMO (Automatic Radiative Transfer Modeler Operator) was developed. The tool was applied to the assessment of the LAI and the LCC in the agricultural place Barrack, Spain.

Ruben Egbers performs data processing and identifies the glacial features in Sentinel-2 images. The pretension of his research was to examine how Sentinel-2 images are processed and whether these images are useful for the study of glacial features such as snowy peaks. The operations of Sentinel-2 data were made in the Sentinel-2 Toolbox. He investigated mountain range named Karakoram, which includes several long glaciers, such as the Baltor glacier or the glacier Hisspar. Karakoram glaciers are not retreating, but receive a mass (Hewitt, 2005), which makes this area interesting for studying. [4]

The focus of this research was to map and analyze the land use and land cover (LULC) between 1999 and 2017 in Kalmar municipality, with a method for detecting changes in the object. The study of LULC changes is of great significance because there is a decline in agricultural land, a growing population, and a rise in urban areas. The outcome of LULC modification have bigger impact than climate change in the future. Object-based detection of changes between remote scanned images is conducive to the analysis of LULC changes. The research methods consisted of an post-classification object-based method, for detection of LULC changes. In order to achieve higher accuracy of classification, the method was combined with visual inspection and by manual reclassification of the wrongly classified objects. Four LULC classes were mapped and analyzed. Maps showed that between 1999 and 2017, urban land use increased by 7 km2 and 20% and the agricultural lands decreased by 24 km2 and -10%. The main drivers for the loss of agricultural land were the expansion of urban areas and the growth of vegetation. The results of this study have shown that the detection of object-based changes helps to gain insight into LULC changes over time. [5]

In paper [6] was investigate Eelgrass (a seafood with long strips of leaves that grow in coastal waters and salty pads) as an ecologically important and fragile kind of grass as a plant that lives in or near the sea that is common in Denmark and the Northern Hemisphere. The depth of the boundaries of the eelgrass population is used to assess the ecological status of coastal waters, and coverage is used to assess the health of ecosystems. This thesis was used Sentinel-2 images with object-based analysis and diverse machine-learning algorithms for classification of submerged water vegetation in the Roskilde Fjord. The results established that the Random Forest is the most suitable machine learning algorithm for classification of water vegetation, and a parameter on a scale of 10 produces images that receive the highest accuracy of the classification. [6]

In the papers above, Sentinel-2 satellite images were used in remote sensing problems. Despite that, we are more interested about deep learning and CNN as deep learning architecture applied on Sentinel-2 images.

Deep learning is a new machine learning technique that learns features and tasks directly from data. Deep learning can be defined as AI method or techniques for learning in neural networks (ANNs) that contain more than one hidden layer. It is almost everywhere: Object recognition, Object classification, Object detection, segmentation, pose estimation, Image captioning, question answering, Machine translation, Speech recognition, Robotics [19], [20]. Many different architectures for deep learning exist such as deep neural networks, deep belief networks, recurrent neural networks and convolutional neural network. CNN is а combination of biology, math and computer science. CNN is comprised of several layers divided into two parts: feature learning (Conv, Relu, and Pool) and classification (FC and softmax). Every layer transforms an input 3D volume to an output 3D volume with some differentiable function that may or may not have parameters (e.g. Conv/FC do, ReLU /Pool do not). Each Layer may or may not have additional hyperparameters (e.g. Conv/FC/Pool do, ReLU doesn't). A classic CNN looks like

Input-> Conv-> ReLU-> Conv-> ReLU-> Pool-> ReLU-> Conv-> ReLU-> Pool->Fully Connected

First layer in CNN is always a convolution layer where we use filter to get activation map (feature map) from an input image. There are also two main parameters that we can change to modify the behavior of each layer. They are stride and padding. The value of stride is mostly set on 1 or 2, and the value of padding on 0. The output from the convolution layer is calculated with equation output=(W-F+2P)/S+1. For example, if we have an input size [32x32x3], filter 5x5x3, stride 1 and

International Conference on Information Technology and Development of Education – ITRO 2020 October, 2020. Zrenjanin, Republic of Serbia

pading 0, we will get the output= (32-5+2*0/1+1=28. ReLU is rectified linear units' layer that applies the function f(x)=max(0, x) to all input values. This layer changes all the negative activations to zero. This layer does not change the size of the volume. Pooling layer or downsampling layer is layer for resizing images that gives on output the maximum numbers from each subregion. The Max pooling function is the most used type of pooling. Neurons in a fully connected layer have full connections to all activations in the previous layer. The last one uses a softmax activation function for classifying to compute the class scores. CNN are mostly applied to images, video and natural language processing [21], [22], [23]. CNN for image classification start with low-level features like curves and edges and then building up more specific concept to recognize the classes. The network is usually trained by using backpropagation [14], [1]. The goal of back-propagation is to optimize the weights in order neural network to learn how to correctly map inputs to outputs. Back-propagation consist of three parts: forward pass, calculating the total error and backwards pass. The most common Convolutional Networks architectures are: LeNet (developed in 1998), AlexNet (2012), ZefNet (2014), VGGNet (2014), GoodLeNet (2015), ResNet (2016), Xception (2017), Convolutional Block Attention Module (2018), Channel Boosted CNN (2018) ... Deep learning and convolution neural networks, applied to satellite image recognition problems are presented in the following papers [8] - [13].

Since it is important to have information about the earth, LULC maps were created. LULC maps still took in manual work and data availability after long period (even a few years). Automatic methods for LULC classification exist, but there was a problem when they have a large-scale LULC classification. CNN cannot be directly applied to LULC. There were a small number of bases used to adapt the CNN to LULC classification. After acceptance of CNN architecture, they both were used for classification of Sentinel-2 images. Training data was taken from Sentinel-2. Researcher used annotation from OpenStreetMap database. TensorFlow framework and Inception-v3 CNN architecture were used. The result showed that CNNs were good for LULC classification. [8]

Several methodologies have been proposed for classification of satellite images, but CNN has proved to be one of the better ones and is therefore used in this paper [9]. In particular, a method for

classifying a satellite image using CNN architecture Six-layer was proposed. CNN architecture consisting of an input layer, three convolution layers, two sub-sampling layers and at the end a fully connected layer is used. Satellite images were collected to apply the proposed CNN architecture. The database contained 6 classes of different areas (airport, bridge, forest, harbor, land and urban area) each of 200 images or total 1200 images. From each class 50 images were used for training, and the rest 150 for testing. According to the experiments carried out and the obtained results, it was shown that the proposed method for classification could be an encouraging alternative to existing schemes based on extraction for feature.

With the development of INSPIRE, a few Spatial Data Infrastructures (SDI) became publicly available. At the same time, Copernicus satellites (Sentinel) produce huge amounts of image data. For image processing U-net Convolution Neural Network (CNN) architecture was developed. The research was based in Netherlands. They classified six classes: build-up area, water, cropland, forest, grassland and undefined area. A comparison of the Convolution Neural Network (CNN) with the Random Forest model was also performed [10].

A challenge in satellite images is automatic target detection. Khan and al. [11] proposed a system for classifying target and non-target objects. They detected aircrafts. The system they proposed was based on EdgeBoxes and Convolutional Neural Network (CNN). The architecture of CNN contains five layers: two convolutional, two pooling and one fully connected layer. A military dataset consists of 500 aircraft images, 5000 non-aircraft and 26 test images. The test images were taken from Google Earth. The results shown that the proposed system was good for detecting aircrafts in satellite images.

Authors in paper [12] and [13] deal with HSR (high-resolution satellite) images. For image scene classification, [12] proposed an agile CNN architecture known as SatCNN. They have used convolutional layers with many small kernels and obtained average precision of around 99.65% for 40 minutes training. SAT data sets (SAT-4 and SAT-6) were used for training. SAT-4 consist of 500 000 and SAT-6 of 405 000 images covering four/six classes. The use of NVIDIA, CUDA and CuDNN library made convolutions to move more quickly. In the second paper [13] was proposed a new model (multi-scale CNN) for geospatial object detection in HRS images. For training were used NWPU VHR-

10 datasets (positive dataset contains 650 images and the negative dataset contain 150 images) and the average precision of 89.6% was obtained.

IV. CONCLUSION

Sentinel-2 is one of the most essential data acquired for earth monitoring. In this article, we make a literature review (an overview) at recent studies in which researchers used image obtained from Sentinel-2 satellites in order to see the changes in the life environment. In addition, we are interested in research that make image classification using CNN and deep learning. Our aim is using CNN to make classification on Sentinel-2 and INSPIRE images to search for uncultivated workable land in Balkan Peninsula.

REFERENCES

- Stutz, D, "Understanding convolutional neural networks". InSeminar Report, Fakultät für Mathematik, Informatik und Naturwissenschaften Lehr-und Forschungsgebiet Informatik VIII Computer Vision, 2014.
- [2] Hamunyela, E, "Space-time monitoring of tropical forest changes using observations from multiple satellites", 2017.
- [3] Rivera Caicedo, J. P, "Optimized and automated estimation of vegetation properties: Opportunities for Sentinel-2", 2014.
- [4] Egbers, R, "Sentinel-2 data processing and identifying glacial features in Sentinel-2 imagery", 2016.
- [5] Tijssen, M, "Mapping land use and landcover change in Kalmar,(Sweden) using object-based change detection", Doctoral dissertation, University of Salzburg, 2018.
- [6] Ormond Fethers, J, "Remote Sensing of Eelgrass using Object Based Image Analysis and Sentinel-2 Imagery", Master thesis, 2018.
- [7] "Copernicus Open Access Hub". Available: https://scihub.copernicus.eu/, ESA 2014-2019.
- [8] Liebel, L, "Deep Convolutional Neural Networks for Semantic Segmentation of Multispectral Sentinel-2 Satellite Imagery: An Open Data Approach to Large-Scale Land Use and Land Cover Classification", 2017.
- [9] Nguyen, T., Han, J., & Park, D. C, "Satellite image classification using convolutional learning". In AIP Conference Proceedings (Vol. 1558, No. 1, pp. 2237-2240). AIP, 2013.

- [10] Delipetrev, B, "Sentinel 2 satellite images and INSPIRE SDI annotated datasets masks", Mendeley Data, v1. Available: https://data.mendeley.com/datasets/kmxgy6472h/1#folder-298788c8-4950-4adb-b290-f53929a60935, 2018.
- [11] Khan, M. J., Yousaf, A., Javed, N., Nadeem, S., & Khurshid, K, "Automatic target detection in satellite images using deep learning". J. Space Technol., 7(1), 44-49, 2017.
- [12] Zhong, Y., Fei, F., Liu, Y., Zhao, B., Jiao, H., & Zhang, L, "SatCNN: satellite image dataset classification using agile convolutional neural networks". Remote sensing letters, 8(2), 136-145, 2017.
- [13] Guo, W., Yang, W., Zhang, H., & Hua, G, "Geospatial object detection in high resolution satellite images based on multi-scale convolutional neural network". Remote Sensing, 10(1), 131, 2018.
- [14] Doukkali, F, "Convolutional Neural Networks (CNN, or ConvNets)". Available: https://medium.com/@phidaouss/convolutional-neural-networkscnn-or-convnets-d7c688b0a207, 2017.
- [15] Tonchovska, R., Stanley, V., & De Martino, S, "Spatial Data Infrastructure and INSPIRE". ECA Knowledge Brief. Volume 55, 2012.
- [16] Toshniwal, M, "Satellite image classification using neural networks". In 3rd International Conference: Sciences of Electronic, Technologies of Information and Telecommunications (pp. 27-31), 2005.
- [17] Scarpa, G., Gargiulo, M., Mazza, A., & Gaetano, R, "A CNNbased fusion method for feature extraction from sentinel data". Remote Sensing, 10(2), 236, 2018.
- [18] Ndikumana, E., Ho Tong Minh, D., Baghdadi, N., Courault, D., & Hossard, L, "Deep recurrent neural network for agricultural classification using multitemporal SAR Sentinel-1 for Camargue, France". Remote Sensing, 10(8), 1217, 2018.
- [19] Jones, M. T, "Deep learning architectures". Available: https://www.ibm.com/developerworks/library/cc-machinelearning-deep-learning-architectures/index.html, 2017.
- [20] UVA deep learning course. "Introduction to Neural Networks and Deep Learning". Available: https://uvadlc.github.io/ (Accessed on 17.03.2018)
- [21] Wu, J, "Introduction to convolutional neural networks". National Key Lab for Novel Software Technology. Nanjing University. China, 2017.
- [22] Britz, D, "Understanding Convolutional neural networks for NLP". Available: http://www. wildml. com/2015/11/understanding-convolutional-neuralnetworks-fornlp/, 2015.
- [23] Deshpande, A, "A Beginner's Guide To Understanding Convolutional Neural Networks". Available: https://adeshpande3.github.io/adeshpande3.github.io/A-Beginner's-Guide-To-Understanding-Convolutional-Neural-Networks/, 2016