

# Contaminant Levels and Ecological Effects

Understanding and Predicting with Chemometric Methods



# **Emerging Contaminants and Associated Treatment Technologies**

### **Series Editors**

Muhammad Zaffar Hashmi, Department of Chemistry, COMSATS University Islamabad, Pakistan

Vladimir Strezov, Department of Environmental Sciences, Macquarie University Sydney, NSW, Australia

Emerging Contaminants and Associated Treatment Technologies focuses on contaminant matrices (air, land, water, soil, sediment), the nature of pollutants (emerging, well-known, persistent, e-waste, nanomaterials, etc.), health effects (e.g., toxicology, occupational health, infectious diseases, cancer), treatment technologies (bioremediation, sustainable waste management, low cost technologies), and issues related to economic development and policy. The book series includes current, comprehensive texts on critical national and regional environmental issues of emerging contaminants useful to scientists in academia, industry, planners, policy makers and governments from diverse disciplines. The knowledge captured in this series will assist in understanding, maintaining and improving the biosphere in which we live. The scope of the series includes monographs, professional books and graduate textbooks, edited volumes and books devoted to supporting education on environmental pollution at the graduate and post-graduate levels.

More information about this series at http://www.springer.com/series/16185

Biljana Balabanova • Trajče Stafilov Editors

# Contaminant Levels and Ecological Effects

Understanding and Predicting with Chemometric Methods



Editors
Biljana Balabanova
Faculty of Agriculture
Goce Delčev University
Štip, North Macedonia

Trajče Stafilov Institute of Chemistry, Faculty of Natural Sciences and Mathematics Saints Cyril and Methodius University Skopje, North Macedonia

ISSN 2524-6402 ISSN 2524-6410 (electronic) Emerging Contaminants and Associated Treatment Technologies ISBN 978-3-030-66134-2 ISBN 978-3-030-66135-9 (eBook) https://doi.org/10.1007/978-3-030-66135-9

© The Editor(s) (if applicable) and The Author(s), under exclusive license to Springer Nature Switzerland AG 2021

This work is subject to copyright. All rights are solely and exclusively licensed by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors, and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

### **Preface**

The biosphere is the medium that is naturally optimized for the growth and development of a huge number of biological organisms. Nature itself creates natural disasters that degrade the ecosystems and organisms that live in it. Humans, in spite of their existential question in nature, still continuously degrade nature and its living environment. This anthropogenic factor affects all segments of the environment, the lower parts of the atmosphere, the upper parts of the lithosphere, as well as the hydrosphere. Intensive technological development as well as the availability of natural raw materials for their utilization have significantly enabled the progress of these degradation processes in nature. On the other hand, the chemical and pharmaceutical industry, with their intensive development, have generated substances that are not only unnatural but also highly risky for the human population and the environment. Pollutants and potentially toxic substances are continuously introduced into all segments of the biosphere, shifting the natural balance of natural normal distributions. The environmental pollutants create abnormal media for living organisms. These days, we are increasingly faced with the fact of the ecological risk for the survival of many species. In recent decades, researchers have paid great attention to environmental risk, determining the pollution index and identifying polluted sites where it is necessary to prevent further degradation. Therefore, several critical aspects should be involved when we initiate and launch environmental research or monitoring. One of the aims of the modern environmental investigations is to obtain more objective data for the complex but silent environmental markers, which will be identified as typical pollutants in various parts of the environment. The modern analytical approaches involve sophisticated and sensitive instrumental technique, but the main question is how to create a corresponding data matrix and proper data analysis. Chemometrics is a routine chemical sub-discipline, which involves several mathematical methods for extracting more realistic and proper environmental information. The implementation of modern and novel chemometric methods becomes a critical point in the environmental studies these days. Therefore, this book summarizes the latest investigations of the concerning parts of the biosphere, affected with hazards substances. Moreover, selected case studies investigation with spacious applicability will create general framework of the opportunities, advantages,

vi Preface

weaknesses, and anomalies of the mathematical approaches of the analysts. Furthermore, a properly defined chemometric model of each environmental investigation will provide long-term applicability potential.

This book consists of 13 chapters contributed by relevant experts in various fields correlated with environmental issues. All the chapters are logically selected and arranged to provide comprehensive state-of-the-art information about the practical aspects of environmental chemometric approaches. In this volume, the introductory chapter gives an overview of the critical environmental issues, such as degradation, ecological risks, and silent hazards. The next five chapters are on air pollution aspects: pollutants, hazardous emissions, monitoring, indication, as well as spatial indication of emission sources. This chapters give attention to air pollution, air deposition, and distribution models. Certain emphasis is given to the moss effectiveness for bioindication of the potential ecological risk. Another chapter is dedicated to the application of lichens as the main indicator in biological monitoring of air quality. Water pollutants and their determination issues are the main topics in the next two chapters, covering key issues in spatial distribution of various metals in different parts of the environment. These chapters deals with improving effective analytical methodologies of GC-MS and ICP-MS for tracking potential contaminants. This is followed by research into the effective removal of toxic hazard from aquatic systems. The next group of chapters is dedicated to the state of chemical characterization of the plant food and endemic plant species as characteristic media that involves the potential ecological risks. The presented are multidisciplinary approaches which enable detailed and precise elaboration of the set research subject.

All the chapters and their contents are supported by extensive citation of available literature; calculation and assumptions are based on realistic facts and figures of the present status of research and development in this field. This book will provide a wealth of information based on a realistic evaluation of contemporary development in environmental investigations with special emphasis on the latest research studies. Furthermore, this book also highlights the potential and perspective use of the multidisciplinary aspect for enchasing environmental pollution and potential ecological risks.

Most of the chapters cover advanced research as well as the use of more sophisticated methodologies. Therefore, we believe that the usefulness of this book will be primarily directed to experienced researchers. But of course we also encourage young researchers to use the book, because in many of the chapters, the methodologies used by the authors are explained very basically. We also believe that certain institutions and state regulatory bodies can use this book as an initiator for critical issues related to environmental degradation, environmental risks and their determination, and future prevention.

Štip, Republic of North Macedonia Skopje, Republic of North Macedonia Biljana Balabanova Trajče Stafilov

### **List of Abbreviations**

AAS Atomic absorption spectrometry
AED Atomic emission detector
AES Atomic emission spectrometry

AF Attenuation factor

AFR Revised attenuation factor

AFT Log-transformed attenuation factor

ALA Alpha linolenicacid ANN Artificial neural networks ANOVA Analysis of variance

APCI Atmospheric pressure chemical ionization

ATP Adenosine triphosphate

BAF Biological accumulation factor

BTF Biotransfer factor CA Cluster analysis

CART Classification and regression trees

CDI Chronic daily intake dose CEC Cation exchange capacity

CHCA A-cyano-4-hydroxycinnamic acid

CR Carcinogenic risk

CVAAS Cold vapor atomic absorption spectrometry

DBCP Dibromochloropropane
DCM Dichloromethane
DHA Docosahexaenoic
DMT Digital terrain models
DRC Dynamic reaction cell

DTPA Diethylenetriamine pentaacetic acid

DW Dry weight
EC Elemental carbon
ECD Electron capture
EDB Ethylene dibromide

EDS Energy dispersive X-ray spectrometry

viii List of Abbreviations

EEA European Environment Agency
ELISA Enzyme-linked immunosorbent assay
EPA Environmental Protection Agency

EPA Eicosapentaenoic ESI Electrospray ionization

ETAAS Electrothermal atomic absorption spectrometry

FID Flame ionization detector
FS Fluorescence spectroscopy
GC Gas chromatography
GHG Greenhouse gas

GLI Global leachability index GUS Groundwater ubiquity score

GWCP Groundwater contamination potential

HI Hornsby index

HPLC High-performance liquid chromatography

ICP-AES Inductively coupled plasma – atomic emission spectrometry

ICP-MS Inductively coupled plasma – mass spectrometry

IR Infrared spectroscopy
IRMS Isotope ratio spectrometry

LA Linoleic acid

LC Liquid chromatography
LDA Linear discriminant analysis

LEACH Leaching index

LIX Screening leachability index
LLE Liquid-liquid extraction
LOD Limit of detection
LOQ Limit of quantification
LPI Leaching potential index
LSD Least significant differences

MAC Maximum permissible concentrations
MALDI Matrix-assisted laser desorption/ionization

MS Mass spectrometry

MSA Multivariate statistical analysis
NMR Nuclear magnetic resonance
ORS Octopole reaction system
PC Principal components

PCA Principal component analysis

PDA Photodiode array

PDO Protected designation of origin
PGI Protected geographical indication
PLP Pesticide leaching potential index

PTFE Polytetrafluoroethylene PTH Parathyroid hormone

PTR-MS Proton transfer reaction mass spectrometry

RAF Relative accumulation factors

List of Abbreviations ix

REEs Rare earth elements

RLP Relative leaching potential index

SA Sinapic acid

SEM Scanning electron microscopy

TDS Total dissolved solids

TEP Thermoelectric power plant

TF Translocation factor

TGA/DTA Thermogravimetric and differential thermal analysis

TIN Triangular irregular network TLC Thin layer chromatography

TOF Time-of-flight
TPP Triphenylphosphate
VI Volatility index

# **Contents**

1	Development Progression	1
2	Spatial Series and Multivariate Analysis in Assessing the Essential (Cu and Zn) and Toxic (As, Cd, Cr, Co, Hg, Ni and Pb) Metals Linked with Health Risk and Ecological Effects of Atmospheric Deposition by Using Bryophyte Moss as Bioindicator Shaniko Allajbeu, Lirim Bekteshi, Pranvera Lazo, Flora Qarri, and Trajče Stafilov	33
3	Moss Biomonitoring of Air Pollution Around the Coal Mine and Bitola Thermoelectric Power Plant, North Macedonia	75
4	Lichens as the Main Indicator in Biological Monitoring of Air Quality	101
5	Proposing Chemometric Tool for Efficacy Surface Dust Deposition Tracking in Moss Tissue Cross Bioindication Process of Metals in Environment Biljana Balabanova, Maja Lazarova, Blažo Boev, Lucian Barbu-Tudoran, and Maria Suciu	131
6	Evidence for Atmospheric Depositions Using Attic Dust, Spatial Mapping and Multivariate Stats	171

xii Contents

7	Improving Quantitative Analysis of GC-MS for Tracking Potential Contaminants in Groundwater	213
8	Groundwater Pollution Under the Intensive Agriculture Production Biljana Kovacevik, Sasa Mitrev, Blažo Boev, Natalija Markova Ruzdik, and Vesna Zajkova Panova	239
9	Removal of Chromium(VI) from Aqueous Solution by Clayey Diatomite: Kinetic and Equilibrium Study Hamdije Memedi, Katerina Atkovska, Stefan Kuvendziev, Mrinmoy Garai, Mirko Marinkovski, Dejan Dimitrovski, Blagoj Pavlovski, Arianit A. Reka, and Kiril Lisichkov	263
10	Chemometric Determination of Macro- and Microelements in Barley Genotypes with Different Origin Grown in the Republic of North Macedonia	283
11	Chemical Composition and Nutritional Properties of Functional Food	311
12	Characterization of Multi-element Profiles and Multi-isotope Ratio Records as a Tool for Determination of the Geographical Origin of Various Plant Species	353
13	Accumulation Abilities of Endemic Plant Species from the Vicinity of an As-Sb-Tl Abandoned Mine, Allchar, Kožuf Mountain Katerina Bačeva Andonovska, Trajče Stafilov, and Vlado Matevski	375
Ind	ex	403

## Chapter 11 Chemical Composition and Nutritional Properties of Functional Food



Violeta Ivanova Petropulos and Biljana Balabanova

Abstract Functional foods and beverages provide an extra health benefit to the consumer beyond basic nutrition. Examples include foods that have been fortified with beneficial nutrients or foods that are free from certain components such as lactose or gluten-free. Also known as nutraceuticals, functional foods are highly nutritious and associated with a number of powerful health benefits, positive effect on certain functions in the body, in addition to its usual nutritional effect, in terms of promoting health and reducing the risk of disease, preventing nutrient deficiencies, and promoting proper growth and development. Most of the functional food's products have functional properties due to the presence of one or more components (biologically active compounds), with favorable physiological effects. A biologically active compound can be a macronutrient (resistant starch or n-3 fatty acid), a micronutrient (vitamin or mineral), and a nonessential food ingredient that has a certain energy value (oligosaccharides, conjugated linoleic acid, plant sterol, lycopene). Various chemical methods are used to monitor food quality, such as liquid chromatography, gas chromatography, and atomic spectrometry, connected with various detectors. The main reasons why chemical analyses are very important today are time-savings, often greater accuracy in work, the ability to analyze very small samples, and the ability to avoid often very complicated chemical separations.

 $\textbf{Keywords} \ \ \text{Functional food} \cdot \text{Chemical composition} \cdot \text{Nutrients} \cdot \text{Analytical techniques}$ 

V. I. Petropulos (⋈) · B. Balabanova

<sup>&</sup>quot;Goce Delčev" University, Faculty of Agriculture, Štip, Republic of North Macedonia e-mail: violeta.ivanova@ugd.edu.mk