

Посебноизданиена  
Geologica Macedonica,  
№.5

МАКЕДОНСКО ГЕОЛОШКО ДРУШТВО - Скопје, 1952

ЧЕТВРТИ КОНГРЕС  
на  
Геолозите на Република Северна Македонија  
ЗБОРНИК НА ТРУДОВИ

Главни и одговорни уредници:  
Проф. д-р Блажо Боев  
Проф. д-р Тодор Серафимовски

Охрид, 2021



Посебно издание на  
Geologica Macedonica,  
No 5

**МАКЕДОНСКО ГЕОЛОШКО ДРУШТВО – Скопје, 1952**

**ЧЕТВРТИ КОНГРЕС**  
**на**  
**ГЕОЛОЗИТЕ НА РЕПУБЛИКА СЕВЕРНА МАКЕДОНИЈА**

**ЗБОРНИК НА ТРУДОВИ**

**Охрид, 2021**

Издава: Македонско геолошко друштво – Скопје, 1952

**Главни и одговорни уредници**

Проф. д-р Блажо Боев

Проф. д-р Тодор Серафимовски

**Организационен одбор:**

Проф. д-р Горан Тасев

д-р Баара Науаф

д-р Костадин Јованов

Доц. д-р Игор Пешевски

м-р Флорент Чиче

Кирил Филев

м-р Златко Пелтековски

Љупчо Петрески

Доц. д-р Иван Боев

м-р Даниела Бомбол

Ванчо Ангелов

Мице Тркалески

**Секретар:**

д-р. Златко Илијовски

**Извршен секретар:**

Филип Јованоски

**Технички уредник:**

Благоја Богатиноски

**Организатор на Конгресот  
Македонско геолошко друштво Скопје 1952**

**Носители на Конгресни активности**

**Претседатели:**

Проф. д-р Блажо Боев  
Проф. д-р Тодор Серафимовски

**Научен одбор**

Проф. д-р Ванчо Чифлиганец  
Проф. д-р Крсто Блажев  
Проф. д-р Орце Спасовски  
Проф. д-р Гоше Петров  
Проф. д-р Тена Шијакова-Иванова  
Проф. д-р Милорад Јовановски  
Проф. д-р Владимир Берманец  
Проф. д-р Соња Лепиткова  
Проф. д-р Дејвид Алдертон  
Проф. д-р Војо Мирчовски  
Проф. д-р Владица Цветковиќ  
Проф. д-р Дејан Прелевиќ  
Проф. д-р Виолета Стефанова  
д-р. Александар Волков  
Проф. д-р Виолета Стојанова  
Проф. д-р Евгенија Тарасова  
Проф. д-р Сабина Стрмиќ-Палинкаш  
Проф. д-р Андреј Шмуц  
Прив. Доц. д-р Уве Колич

**Почесен одбор**

Проф. д-р Никола Думурџанов  
Проф. д-р Иван Загорчев  
Проф. д-р Марин Александров  
Проф. д-р Тодор Делипетров  
Проф. д-р Панде Лазаров  
Проф. д-р Борче Андреевски  
Проф. д-р Симеон Јанчев  
Проф. д-р Тадеј Доленец  
Проф. д-р Ладислав Палинкаш

**Конгресот финансиски го подржаа:**

ДПТУ „Бучим“, доел – Радовиш

Кожувчанка, доо –Кавадарци

Македонска Авторска Агенција, доо – Скопје

Авто-Искра, доел – Скопје

Хидроинженеринг, доел – Битола

Градежен Институт Македонија – Скопје

Градежен факултет – Скопје

Рудници за олово и цинк „Саса“ – Македонска Каменица

Геоинженеринг – Скопје

Геоинженеринг-консалтинг, доо – Скопје

Геинг – Скопје

## СОДРЖИНА – TABLE OF CONTENTS

ПРЕДГОВОР – PREFACE ..... 1–2

### ПЛЕРНАРНИ

MGK-2021-0-PL-01- **Блажо Боев,**  
**ПЕРМАФРОСТ – ГЕОЛОШКИ ПОТЕНЦИЈАЛ И ХАЗАРД**  
Permafrost – Geological potential and hazard ..... 3 – 8

### 1. ОСНОВЕН И ФУНДАМЕНТАЛЕН ДЕЛ

*Геохронологија и изотопна геохемија, Магматизам и вулканологија, Минералогија и петрологија,  
Палеонтологија и палеоантропологија, Структурна геологија и тектоника,  
Планетарни науки, Геофизика, Геохемија*

MGK-2021-1-OF-01- **Elena Angelova, Vlatko Šešov, Silvana Dimitrijević, Vojka Gardić,**  
CHEMICAL CHARACTERIZATION OF FLY ASH SAMPLES FOR FURTHER USE IN  
SEISMIC GEOTECHNICAL ENGINEERING  
Хемиска карактеризација на примероци од летечка пепел  
за понатамошна употреба во сеизмичкото геотехничко инженерство ..... 11–17

MGK-2021-1-OF-02- **Blažo Boev, Ivan Boev**  
NEW INFORMATION ABOUT THE AGE OF THE PELAGONIAN METAMORPHIC  
COMPLEX (??)  
Нови информации за староста на Пелагонискиот метаморфен  
комплекс (??) ..... 19 –24

MGK-2021-1-OF-03- **Ivan Boev**  
PETROGRAPHY OF THE DREN-BOHULA MASSIF AS A PART OF THE OPHIOLITIC  
COMPLEX DEMIR KAPIJA–GEVGELIJA  
Петрографија на масивот Дрен–Бохула како дел од офиолитскиот  
комплекс Демир Капија–Гевгелија ..... 25–34

MGK-2021-1-OF-04- **Saše Mitrev, Mitko Popov**  
PETROLOGICAL AND GEOCHEMICAL CHARACTERISTICS OF THE TERTIARY  
VOLCANIC ROCKS FROM THE LOCALITY GOLEMA ČUKA, BOGDANCI DISTRICT,  
REPUBLIC OF NORTH MACEDONIA  
Петролошки и геохемиски карактеристики на терциерните вулкански  
карпи од локалитетот Голема Чука, општина Богданци, Република  
Северна Македонија ..... 34–42

MGK-2021-1-OF-05- **Kujtim Onuzi, Agim Ymeri**  
CORRELATION OF THE GEOLOGICAL MAPS 1:50 000 SCALE OF THE ALBANIAN  
– NEIGHBOURING COUNTRIES BORDER AREA

	Корелација на геолошките карти со размер 1:50 000 на албанската гранична области со соседните земји.....	43–49
MGK-2021-1-OF-06-	<b>Kujtim Onuzi, Friedrich Koller</b> SOUTH-EASTERN ALBANIAN OPHIOLITES Југоисточни албански офиолити.....	51–55
MGK-2021-1-OF-07-	<b>Irakli Prifti, Gjergji Stoja, Agim Ymeri</b> OPINIONS ON GEOLOGICAL SETTING OF ALBANIAN–THESSALIAN BASIN IN KORÇA–POGRADECI REGION Мислења за геолошката градба на Албанско-Тесалискиот басен во Корча-Подградец регионот.....	57–64
MGK-2021-1-OF-08-	<b>Катерина Дрогрешка, Јасмина Најдовска, Драгана Черних, Моника Андреевска, Љубчо Јованов</b> СЕИЗМИЧНОСТ НА МАКЕДОНИЈА ВО ПЕРИОДОТ 2010-2020 ГОДИНА Seismicity in the Republic of North Macedonia during the period 2010–2020 .....	65–71
MGK-2021-1-OF-09-	<b>Barbara Radulović, Draženko Nenadić, Katarina Bogičević, Slobodan Knežević</b> PALEO-ECOLOGICAL CHARACTERISTICS OF MOLLUSCS OF THE PLEISTOCENE CORBICULA BEDS IN THE SAVA RIPARIAN AREA IN BELGRADE (SERBIA) Палеоеколошки карактеристики на мекотели од плеистоценските Corbicula наслаги во крајбрежната област на реката Сава во Белград (Србија) .....	73–76
MGK-2021-1-OF-10-	<b>Виолета Стојанова, Гоше Петров, Виолета Стефанова</b> МИКРО И НАНОФОСИЛНА АСОЦИЈАЦИЈА ОД ПАЛЕОГЕНИТЕ СЕДИМЕНТИ ВО КОЧАНСКАТА КОТЛИНА, РЕПУБЛИКА СЕВЕРНА МАКЕДОНИЈА Micro and nanophosylic association of paleogenic sediments in the Kočani valley, Republic of North Macedonia .....	77–82

## 2. ИНЖЕНЕРСКИ ДЕЛ

*Инженерска геологија и геотехника, Применета геофизика, Урбана геологија,  
Хидрогеологија и геотермија*

MGK-2021-2-ID-01-	<b>Орце Петковски, Ванчо Ангелов, Ласте Ивановски, Елена Ангелова, Наташа Неделковска</b> ИНЖЕНЕРСКОГЕОЛОШКИ ИСТРАЖУВАЊА И ИСПИТУВАЊА НА ЛОКАЛИТЕТОТ БАЛТАШНИЦА – САСА, МАКЕДОНСКА КАМЕНИЦА Engineering-geological investigations and tests at locality Baltašnica – Sasa, Makedonska Kamenica.....	85–94
MGK-2021-2-ID-02-	<b>Игор Пешевски, Јован Папиќ, Бојана Неделковска, Тамара Јовановска, Марија Манева, Сеад Абаз</b> ИНЖЕНЕРСКО-ГЕОЛОШКИ И ГЕОТЕХНИЧКИ ИСТРАЖУВАЊА И ИСПИТУВАЊА ВО ФУНКЦИЈА НА РУДАРСТВОТО ВО МАКЕДОНИЈА Engineering-geological and geotechnical investigations in function of mining in Macedonia.....	95–104

- MGK-2021-2-ID-03- **Булент Сулооца, Сеад Абази**  
ПОДГРАДУВАЊЕ И ОСИГУРУВАЊЕ НА ПОДЗЕМНИТЕ РУДАРСКИ  
ПРОСТОРИИ СО ТЕХНИКА НА ПРСКАН БЕТОН  
Upgrading and securing the underground mining premises with shotcrete  
technique .....105–109
- MGK-2021-2-ID-04- **Игор Пешевски, Милорад Јовановски, Зоран Панов, Јован Папиќ,  
Сеад Абази, Александра Николовска Атанасовска**  
ТРЕТМАН НА ИНЖЕНЕРСКАТА ГЕОЛОГИЈА И ГЕОТЕХНИКАТА  
ПРИ ИСТРАЖУВАЊЕ И ЕКСПЛОАТАЦИЈА НА МИНЕРАЛНИ СУРОВИНИ  
Treatment of engineering geology and geotechnics in investigation and  
exploitation of mineral resources.....111–122
- MGK-2021-2-ID-05- **Стојан Михаиловски, Златко Илијовски, Ивица Андов, Војо Мирчовски**  
ИЗВЕДБА НА ПИЕЗОМЕТРИ ЗА ДЕФИНИРАЊЕ НА МОЖНИ ПАТИШТА НА  
ДВИЖЕЊЕ НА ШЕСТОВАЛЕТЕН ХРОМ СО ПОДЗЕМНИТЕ ВОДИ НИЗ  
ЖЕДЕНСКИОТ МАСИВ КОН ИЗВОРОТ РАШЧЕ  
Construction of piezometers to define possible routes of movement of  
hexavalent chromium with groundwater through the zheden massif towards  
the spring Rashche .....123–134
- MGK-2021-2-ID-06- **Моме Милановски, Мила Крулановиќ, Сергеј Полекшиќ**  
ИНЖЕНЕРСКО-ГЕОЛОШКИ ИСТРАЖУВАЊА И ИСПИТУВАЊА  
НА ПРИСТАНИШТЕТО БАР, ЦРНА ГОРА  
Engineering geological research and testing to the port of Bar, Montenegro.....135–143
- MGK-2021-2-ID-06- **Војо Мирчовски, Дарко Пижев, Ѓорѓи Димов**  
ПРОЦЕНА НА РАНЛИВОСТА ОД ЗАГАДУВАЊЕ НА ПОДЗЕМНИТЕ ВОДИ  
ВО ВОДОНОСНИКОТ ГРДОВСКИ ОРМАН СО ПРИМЕНА НА МЕТОДИТЕ  
"GOD" И "AVI"  
Assessment of the groundwater vulnerability of pollution in the aquifer  
Grdovski Orman with the application "GOD" AND "AVI" method .....145–154

### 3. ЕКОНОМСКА ГЕОЛОГИЈА

*Металогенија, Минерални ресурси, Енергетски ресурси, Техногени наоѓачишња*

- MGK-2021-3-EG-01- **Todor Serafimovski, Ivica Ristović, Blažo Bovev, Goran Tasev,  
Ivan Bovev, Dalibor Serafimovski Matej Dolenc**  
SOME GEOCHEMICAL AND MINERALOGICAL FEATURES OF SAMPLES  
FROM OLD BOR'S TAILING DAM  
Некои геохемиски и минералоски карактеристики на примероци  
од старото борско хидројаловиште .....157–164
- MGK-2021-3-EG-02- **Виолета Стефанова, Ѓорѓи Димов, Виолета Стојанова**  
МОРФОЛОШКО-ХЕМИСКИ КАРАКТЕРИСТИКИ НА ЗЛАТНИ АГРЕГАТИ  
ОД ЛИПОВДОЛСКА РЕКА, ИСТОЧНА МАКЕДОНИЈА  
Morphological-chemical characteristics of golden aggregates  
from Lipovdolska river, Eastern Macedonia .....165–172



- MGK-2021-3-EG-03- **Goran Tasev, Kiril Filev, Dalibor Serafimovski, Todor Serafimovski**  
TECHNO-ECONOMIC PARAMETERS OF THE NORTHEASTERN PART  
OF CENTRAL PART ORE BODY, BUČIM COPPER MINE, REPUBLIC OF NORTH  
MACEDONIA  
Техно-економски параметри на североисточниот дел од централното  
рудно тело, рудник за бакар Бучим, Република Северна Македонија.....173–178
- MGK-2021-3-EG-04- **Aleksandar Gadzhalov, Irina Marinova**  
STYLES OF EPITHERMAL MINERALIZATION IN THE SURNAK DEPOSIT,  
KROUMOVGRAD GOLDFIELD, SE BULGARIA. DATA FROM SURFACE  
OUTCROPS  
Типови на епитермална минерализација во SURNAK наоѓалиштето,  
Крумовград Златоносно поле. Податоци од површински изданоци .....179–189
- MGK-2021-3-EG-05- **Mihail Tarassov, Eugenia Tarassova, Alexey Benderev, Milen Stavrev,  
Elena Tacheva, Alexander Nikolov, Mila Trayanova**  
TUNGSTEN IN SOILS, SEDIMENTS AND WATERS IN THE AREA  
OF THE GRANTCHARITSA TUNGSTEN DEPOSIT, WESTERN RHODOPES,  
BULGARIA  
Волфрам во почви, седименти и вода во поширокиот регион на  
наоѓалиштето за волфрам Грнчарица, Западни Родопи, Бугарија .....191–195
- MGK-2021-3-EG-06- **Hazim Hrvatović, Ladislav Palinkaš, Tola Merza, Petar Katanić,  
Enve Kamberović**  
LISTWANITES OF DINARIDE AND CENTRAL VARDAR ZONE OPHIOLITES  
A Review  
Листванитите на офиолитите од Динаридите и Вардарската централна  
зона. Преглед .....197–202
- MGK-2021-3-EG-07- **Lazar Gorgjiev, Todor Serafimovski, Marin Aleksandrov, Goran Tasev**  
OVERVIEW OF THE NATURAL PARAMETERS FROM THE GEOLOGICAL-  
ECONOMIC ASSESSMENT OF THE ORE DEPOSIT BALTAŠNICA, ORE FIELD SASA  
Преглед на природните параметри од геолошко-економската  
оцена на рудното наоѓалиште Балташница, Рудно Поле Саса .....203–210

#### 4. ПРОГРЕСИВНА ГЕОЛОГИЈА

*Примена на ГИС, Геоинформатика, Математичка геологија, Наногеологија, Медицинска Геологија*

- MGK-2021-4-PG-01- **Dalibor Serafimovski, Goran Tasev, Todor Chekerovski**  
THE ACCESS DATABASE FOR THE NORTHEASTERN PART OF THE CENTRAL  
PART ORE BODY AT THE BUČIM MINE, REPUBLIC OF NORTH MACEDONIA  
Акцес база на податоци за североисточниот дел од централното рудното  
тело во рудникот бучим, Северна Македонија.....213–219
- MGK-2021-4-PG-02- **Александар Буов, Анета Ристовска**  
РЕЗУЛТАТИ ОД РЕГИОНАЛНИТЕ ПРОСПЕКЦИСКИ ИСТРАЖУВАЊА  
НА ДЕЛ ОД ТЕРИТОРИЈАТА НА РЕПУБЛИКА СЕВЕРНА МАКЕДОНИЈА  
Results from the regional prospective research part  
of the territory of the Republic of North Macedonia .....221–230

- MGK-2021-4-PG-03- **Марија Манева, Игор Пешевски, Љупчо Петрески**  
ГЕОЛОШКО МОДЕЛИРАЊЕ НА НАОЃАЛИШТЕТО ЗА ЈАГЛЕН БРОД-  
ГНЕОТИНО СО ПРИМЕНА НА СОВРЕМЕНИ КОМПЈУТЕРСКИ ТЕХНИКИ  
Geological modeling of the coal deposit Brod-Gneotino with application of  
contemporary computer techniques .....231–240
- MGK-2021-4-PG-04- **Александар Буов, Анета Ристовска**  
ОКОНТУРУВАЊЕ НА РУДНО ТЕЛО ВО ПОРФИРСКИ ИСТЕМ,  
НА ПРИМЕР НА НАОЃАЛИШТЕ ЗА Cu, Au И Ag “БОРОВ ДОЛ”  
Contouring ore body in a porphy system an example mineral deposits  
for Cu, Au and Ag „Borov Dol“ .....241–249

#### 5. ГЕОЛОШКИ ХАЗАРДИ И ЗАШТИТА,

*Климатски промени, Геохазард, Геоколоџија и заштитата на животната средина*

- MGK-2021-5-GH-01- **Ivan Boev, Sonja Lepitkova**  
BARIUM IN AIRCONDITIONER FILTERS IN THE CITY OF SKOPJE  
(REPUBLIC OF NORTH MACEDONIA)  
Бариум во филтрите на климатизерите во градот Скопје  
(Северна Македонија) .....253–266
- MGK-2021-5-GH-02- **Toni Nikolić, Samir Huseinbasić, Suad Spago**  
NATURAL DISASTER IN BOSNIA AND HERZEGOVINA OVER 2014. WHAT WE  
LEARN – PREVENTION, DISASTER MANAGEMENT AND INTERVENTION  
Natural disaster in Bosnia and Herzegovina over 2014. what we learn –  
prevention, disaster management and intervention .....267–272

#### 6. ГЕОЛОШКО КУЛТУРНО НАСЛЕДСТВО И,

*Културно историски споменици, Геопаркови и туризам, Гаонаследство и национални музеи*

- MGK-2021-6-GK-01- **Ivan Boev**  
CHEMICAL COMPOSITION OF ROMAN COINS FROM PELAGONIA  
(NORTH MACEDONIA) DETERMINED BY THE SEM-EDS METHOD  
Хемиски состав на римските монети од Пелагонија  
(Северна Македонија) одреден со методата СЕМ-ЕДС.....275–279
- MGK-2021-6-GK-02- **Ivan Boev, Blažo Boev**  
SHOCKED QUARTZ IN THE SAMPLES FROM ARCHEOLOGICAL LOCALITY STOBI  
Шок кварц во примероците од археолошкиот локалитет Стоби .....281–295

## ИНДЕКС НА АВТОРИ – AUTHORS INDEX

Абази, Сеад, 2-ID-02, 2-ID-03, 2-ID-04,  
Aleksandrov, Marin, 3-EG-07,  
Ангелов, Ванчо, 2-ID-01,  
Angelova, Elena, **1-OF-01**, , 2-ID-01,  
Андов, Ивица, 2-ID-05,

Benderev, Alexey, 3-EG-05,  
Boev, Blažo, **0-PL-01**, **1-OF-02**, 3-EG-01,  
6-GK-02,  
Boev, Ivan, 1-OF-02, **1-OF-03**, **5-GH-01**,  
**6-GK-01**, **6-GK-02**,  
Bogićević, Katarina, 1-OF-0,  
Буов, Александар, **4-PG-02**, 4-PG-04,

Gadzhhalov, Aleksandar, **3-EG-040**,  
Gardić, Vojka, 1-OF-01,  
Gorgjiev, Lazar, **3-EG-07**,

Dimitrijević, Silvana, 1-OF-01,  
Димов, Ѓорѓи, 2-ID-07, 3-EG-02,  
Дрогрешка, Катерина, **1-OF-08**,

Eugenia Tarassova, 3-EG-05,

Ивановски, Ласте, 2-ID-01,  
Илијовски, Златко, 2-ID-05,

Filev, Kiril, 3-EG-03,

Јовановска, Тамара, 2-ID-02,  
Јовановски, Милорад, 2-ID-04,

Kamberović, Enve, 3-EG-06,  
Katanić, Petar, 3-EG-06,  
Крулановиќ, Мила, 2-ID-06,  
Knežević, Slobodan, 1-OF-09,  
Koller, Friedrich, 1-OF-06,

Lepitkova, Sonja, 5-GH-01,

Манева, Марија, 2-ID-02, **4-PG-03**,  
Marinova, Irina, 3-EG-04,  
Merza, Tola, 3-EG-06,  
Милановски, Моме, **2-ID-06**,  
Мирчовски, Војо, 2-ID-05, **2-ID-07**,  
Mitrev, Saše, **1-OF-04**,  
Михаиловски, Стојан, **2-ID-05**,

Најдовска, Јасмина, 1-OF-08,  
Неделковска, Бојана, 2-ID-02

Неделковска, Наташа, 2-ID-01,  
Nenadić, Draženko, 1-OF-09,  
Николовска Атанасовска, Александра, 2-ID-04,  
Nikolić, Toni, **5-GH-02**,  
Nikolov, Alexander, 3-EG-05,

Onuzi, Kujtim, **1-OF-05**, **1-OF-06**,

Hrvatović, Hazim, **3-EG-06**,  
Huseinbasić, Samir, 5-GH-02,

Панов, Зоран, 2-ID-04,  
Папиќ, Јован, 2-ID-02, 2-ID-04,  
Петковски, Орце, **2-ID-01**,  
Петрески, Љупчо, 4-PG-03,  
Петров, Гоше, 1-OF-10,  
Пешевски, Игор, **2-ID-02**, **2-ID-04**, 4-PG-03,  
Пишов, Дарко, 2-ID-07,  
Полекшиќ, Сергеј, 2-ID-06,  
Palinkaš, Ladislav, 3-EG-06,  
Popov, Mitko, 1-OF-04,  
Prifti, Irakli, **1-OF-07**,

Radulović, **1-OF-09**,  
Ristović, Ivica, 3-EG-01,  
Ристовска, Анета, 4-PG-02, 4-PG-04,

Serafimovsk, Todor i, **3-EG-01**, 3-EG-03,  
3-EG-07,  
Serafimovski, Dalibor, 3-EG-03, **4-PG-01**,  
Spago, Suad, 5-GH-02,  
Stavrev, Milen, 3-EG-05,  
Stoja, Gjergji, 1-OF-07,  
Стефанова, Виолета, 1-OF-10, **3-EG-02**,  
Стојанова Виолета, **1-OF-10**, 3-EG-02,  
Сулооца, Булент, **2-ID-03**,

Šešov, Vlatko, 1-OF-01

Tacheva, Elena, 3-EG-05,  
Tarassov, Mihail, **3-EG-05**,

Tasev, Goran, 3-EG-01, **3-EG-03**, 3-EG-07,  
4-PG-01,  
Trayanova, Mila, 3-EG-05,

Черних, Драгана, 1-OF-08,  
Chekerovski, Todor, 4-PG-01,

Ymeri, Agim, 1-OF-05, 1-OF-07,

## ПРЕДГОВОР

Четвртиот Конгрес на Геолозите на Македонија требаше да се одржи минатата, 2020 година, но поради пандемијата на КОВИД-19, Конгресот беше одложен за ова 2021 година, со надеж дека пандемијата ќе помине и дека ќе можеме во нормални околности да го одржиме Конгресот. Меѓутоа пандемијата на КОВИД-19 продолжи и во текот на 2021 година а со тоа и одржувањето на Конгресот на геолозите на Македонија стана неизвесен и во тековната 2021 година, затоа организациониот одбор на конгресот одлучи собраните конгресни материјали да бидат објавени во посебно издание на ГЕОЛОГИКА МАКЕДОНИКА (2021) и со тоа да бидат затворени активностите околу 4-от Конгрес на Геолозите на Македонија.

4-от Конгрес на Геолозите на Македонија претставува континуитет во конгресните активности на Македонското Геолошко Друштво и основа прави пресек на достигнувањата на геологијата во Македонија помеѓу двата конгреса.

Македонското геолошко друштво како асоцијација на сите геолози и истражувачи од сферата на гео-науките во Македонија уште од своето формирање во 1952 година па се до денес во својот фокус на интерес ги има гео науките како интегрален дел во развојот на општеството и во развојот на планетата Земја во целина.

Гео-науките во иднината ќе се занимаваат со изучувањето на динамиката на самата планета Земја, односно клучните двигатели и процеси кои управуваат со еволуцијата и однесувањето на планетата, како клучни елементи за стратешките планирања за развојот на Планетата и зачувувањето на нејзините посебности како што се: динамиката на движењето на луѓето, динамиката на промените во диверзитетот на флората и фауната (екологија), а посебно внимание ќе се посвети на оние еко-системи кои ги населуваат неколкуте најоддалечени места на оваа планета, чиј радиус е 6370 km, ќе заземаат централно место во иднината на Земјата, начинот на кој реагираат на (глобалните) животни и климатски промена.

Како резултат на Првиот Закон на термодинамика кој се однесува на зачувување на енергијата во системот, сите модификации на балансот на енергијата (и масата) во внатрешноста на планетата мора да имаат ефект на површината на планетата и нејзината биосфера, вклучувајќи го и општеството. Поседувањето на соодветно

## PREFACE

The fourth Congress of the Macedonian geologists was supposed to take place last year, 2020, but due to the COVID-19 pandemic, the Congress was postponed for this year, 2021, hoping that the pandemic will pass so that we could hold the Congress under normal conditions. However, the COVID-19 pandemic continued to spread in the course of 2021 and as a result of it, the holding of the Congress of the Macedonian geologists proved to be uncertain in the current 2021. So, the Organizing Committee of the Congress decided to publish the collected Congress materials in a separate publication GEOLOGICA MACEDONICA (2021) and with that, to close the activities around the fourth Congress of the Macedonian geologists.

The fourth Congress of the Macedonian geologists presents a continuity in the Congress activities of the Macedonian Geological Society and basically shows the achievements of geology in Macedonia between the two Congresses.

The Macedonian Geological Society, as an Association of all the geologists and researchers in the field of the geological sciences in Macedonia, has had the geological sciences in their focus of interest since its establishment in 1952 until today, as an integral part in the development of the society as well as within the development of our planet in general.

In the future, the geological sciences will be focused on studying the dynamics of the very planet Earth, i.e. the key moving forces and processes that govern the evolution and the behavior of the planet, as crucial elements for the strategic planning of the development of the Planet and preserving its particularity, such as the movement of the people, the dynamics of the changes in the diversity of the flora and fauna (ecology). A special attention will be paid to those eco-systems that have been populated at the most distant places on this Planet, whose radius is 6370 km. They will take the central place in the future of the Earth, the way in which they react to the (global) living and climatic changes.

As a result of the First Law of the thermodynamics, which refers to preserving the energy within the system, all the modifications of the energy balance (and the mass) in the interior of the planet must affect the surface of the planet and its biosphere, including the society as well. Possessing the appropriate knowledge and better understanding of such processes at a higher level is a precondition for comprehending the processes of the occurrence

знаење и подобро разбирање на таквите процеси на подлабоко ниво е предуслов за разбирањето на процесите за појавата на човечки и други форми на живот на површината. Од сите сфери во Земјиниот систем, една (гео сферата) е особено премалку застапена во програмите за истражување на планетата Земја во иднината. Секоја амбиција подобро да се разберат механизмите кои ги покренуваат промените во животната средина, што е очигледно важно, е нецелосно и најверојатно погрешно ако не се вклучат најрелевантните дисциплини од сферата на геонауките бидејќи промените во гео сферата ги покренуваат промените во животната средина на оваа планета.

Многу аспекти поврзани со Земјата често се главен фокус за широк спектар на гео научници кои секојдневно се занимаваат со науките за Земјата. За време на минатите декади, гео научниците проучувале широк спектар на теоретски и применети аспекти на Земјата и изградиле огромна база на знаење, која може да обезбеди многу одговори на прашањата за истражување кои се релевантни за гео науките во иднината. Дел од оваа база на знаење се геолошките записи кои се откриени при истражувањата на Антарктикот во неколкуте претходни декади, и кој може да се користат како соодветна природна референца за идни климатски промени во однос на отпорноста на екосистемите и човештвото под голема разновидност на атмосферски и климатски услови.

Гео научниците направиле значаен напредок во развојот на особено релевантните модели за предвидување на случувањата во литосферата и атмосферата и преку тие огромни достигнувања во истражувањето сега ги разбираат најголемиот дел од механизмите и времето на случувањата на поголемите, помалите до оние на нано-ниво процеси на Земјата. Кога дискутираме за иднината на Земјата, нејзината геосфера, атмосфера, хидросфера и биосфера, не можат да се игнорираат резултатите на таквите значајни истражувања.

Гео-научниците може значајно да допринесат да се даде осврт на сите приоритети под темата: Динамична планета. Всушност, не може да се даде осврт на најголемиот дел од овие приоритети (>65%) под темата Динамична планета, без виталните знаење на заедница на научните од областа на гео науките.

Затоа и IV-от Конгрес на геолозите на Македонија треба да биде посветен на теми кои се исклучително важни за еволуцијата и развојот на самата планета Земја.

Организационен одбор

of human and other forms of life at the surface. Considering all the spheres within the Earth system, one of them (the geo-sphere) has been particularly little represented in the programs for the exploration of the Earth system in the future. Each ambition and effort to better understand the mechanisms that are moving forces for the changes in the environment, which is obviously very significant, is incomplete and most probably wrong if the most relevant disciplines in the sphere of the geological sciences are not included, because the changes within the geo-sphere are moving the changes within the environment of this planet.

Many aspects related to the Earth have been a major interest for a wide spectrum of geo scientists who are continually working on the sciences about the Earth. In the course of the past decades the geo scientists were studying a wide scope of theoretical and applied aspects of the Earth and they have established an enormous knowledge base which can provide many answers to the questions considering the exploration, answers that are relevant for the geo sciences in the future. A part of this knowledge base presents the geological records that were found out in exploring the Antarctic during the last decades. They can be used as an adequate natural reference for the future climatic changes in relation to the resistivity of the eco-systems and the humanity under a great diversity of the atmospheric and climatic conditions.

The geo scientists have achieved a significant advancement in the development of the particular relevant modules for predicting the occurrences within the lithosphere and the atmosphere. Owing to that vast achievement in exploring, they can now understand the greatest part of the mechanisms and the time of the occurrences of the greater, the smaller to those at the nano level processes of the Earth. When we discuss about the future of the earth, its geosphere, atmosphere, hydrosphere and biosphere, we cannot ignore the results of such significant exploration.

The geological sciences can significantly contribute for providing a review to all the priorities of the Subject: Dynamic planet. In fact, a review cannot be provided to the greatest part of these priorities (>65%) under the subject the Dynamic planet, without taking into consideration the essential knowledge of the association of the scientists from the field of the geo sciences.

Accordingly, the fourth Congress of the Macedonian geologists should be dedicated to subjects that are exceptionally important for the evolution and the development of the very planet Earth.

Organizing board



## BARIUM IN AIRCONDITIONER FILTERS IN THE CITY OF SKOPJE (REPUBLIC OF NORTH MACEDONIA)

Ivan Boev, Sonja Lepitkova

*Faculty of Natural and Technical Sciences, Institute of Geology, "Goce Delčev" University in Štip,  
Blvd. Krste Misirkov 10-A, P.O. Box 210, 2000 Štip, North Macedonia  
ivan.boev@ugd.edu.mk*

**Abstract:** The presence of metals in the ambient air (ambient dust) in the urban environment is a frequent subject for research, and so far it has been worked out in many urban centers in the world. The systematic research for the contents of the ambient dust in the city of Skopje is not made before, so we cannot present such information. However, it should be emphasized that such information which refer on the contents of the urban dust exist in many towns, but that information is very changeable depending on the seasons in which the data is measured. As an example, on the basis of a large number of researches the metals which are present in the urban dust are divided in three groups: – Urban elements (Ba, Cd, Co, Cu, Mg, Pb, Sb, Ti, Zn). – Natural elements (Al, Ga, La, Mn, Na, Sr, Th, Y) – Elements with mixed background (Ca, Cs, Fe, Mo, Ni, Rb, Sr, U). There is accepted opinion that the background of the urban elements is primarily connected with the development of the traffic, the processes of corrosion of the materials build in the objects in the towns (buildings, houses, roads, etc.) as well as the emission of dust which appears in the soils, and fields with no grass. In order to be able to make any correlation of the obtained data which refer to a small number of measured samples (only of two locations) many deeper researches are needed. From the other side, the influence of the contents of dust (as well as the ambient air) upon the health of the people is a topic which requests more serious and longer measures.

**Key words:** barium, urban elements, natural elements

## БАРИУМ ВО ФИЛТРИТЕ НА КЛИМАТИЗЕРИТЕ ВО ГРАДОТ СКОПЈЕ (СЕВЕРНА МАКЕДОНИЈА)

**Резиме:** Концентрациите на бариум во филтрите од климатизерите на одредени објекти во градот Скопје се зголемени како последица на сообраќајот во градот Скопје (во надворешните филтри) и како последица на вградувањето на пластични материјали во подовите на објектите (линолеум, внатрешни филтри).

**Клучни зборови:** бариум, природни елементи

### INTRODUCTION

Soluble barium components are highly toxic when ingested into the human body, while insoluble components, such as the often present barium sulphate, are generally non-toxic. The soluble barium components that are inhaled cause benign pneumoconiosis or called baritosis). Intake of soluble barium components through food causes muscle stimulation, including the heart, irritation of the digestive system, and irritation of the central nervous system. (Browning, 1961).

The main source of barium components emitted into the atmosphere are industrial processes, including mining, refining, and production of barium and barium chemical compounds that are used as additives in fuels to reduce smoke emission in diesel engines. There is certain information

concerning the emission of barium in diesel engines that ranges up to a maximum of  $48 \mu\text{g}/\text{m}^3$ . (Fiorello, 1968).

There is very little information regarding the aspects of air pollution with barium and barium components. Most of the information relates to the concentration of barium in the atmosphere as a result of the impact of diesel engines (Golothan, 1967).

Barium soluble salts are highly toxic when ingested in the digestive system in humans. Barium chloride and barium carbonate are two soluble salts for which there are published results concerning toxicity (Browning, 1961, Patty, 1962), but it should be noted that the consequences of their toxicity are not fatal. One case has been reported (Browning, 1961) in which 7 grams of barium chloride were taken orally, with the occurrence of abdominal pain

and a complete collapse but without fatal consequences.

Insoluble barium sulphate is generally not toxic when ingested in the human digestive system. For example, barium sulphate is the most common insoluble component used in X-ray imaging of the human digestive system.

So far, no data have been published on the impact of barium compounds on domestic animals.

Miller (1967) published the results of the impact of the gases from diesel engines on white mice, whereby no visible effects were observed during liver analysis of the experimental mice.

No results have been reported regarding the impact of the concentration of barium on plants. In 1961 Browning mentioned that barium was toxic to plants, but he did not provide information on the chemical form and concentration, as well as on the type of plants.

Data relating to the environmental barium concentration standards can be found in the documents of the 29th Annual Conference of the US State Hygiene Office (1967), which mention the upper limit of exposure to soluble components of barium during 8 hours, which is  $500 \mu\text{g}/\text{m}^3$ .

#### *Mode of occurrence and usage*

Barium is a soft metal with a silver color that in nature appears in association with other elements. It occurs most often in the form of veins in the lead

and zinc deposits. There are two known major minerals of barium: baryte (barium sulphate  $\text{BaSO}_4$ ) and witherite (barium carbonate  $\text{BaCO}_3$ ). Baryte is mainly the most commercial mineral of barium. Smaller amounts of barium can also be found in the magmatic rocks, and as isomorphically present in feldspars and micas (Kirk-Otmer, 1964). Small amounts of barium are also present in coals (Abernathy et al, 1963) (Liu et al, 1983), (MacDonald et al, 1984) (Zierock, 1983), (Small, 1983).

Baryte (barium sulphate,  $\text{BaSO}_4$ ) finds a great application in the chemical industry, as a pigment and as a filler it is used in the production of linoleum and other chemical products. The use of barium sulphate for medical purposes is important. Barium carbonate ( $\text{BaCO}_3$ ) also has a significant usage (as a filler in glass industry), then barium chloride ( $\text{BaCl}_2$ ) for medical purposes, barium nitrate ( $\text{Ba}(\text{NO}_3)_2$ ) in the production of pyrotechnics and medical preparations, barium oxide ( $\text{BaO}$ ) is used in the production of barium peroxide, barium hydroxyde and barium methoxide, and they are further used in the production of detergents.

Organometallic components of barium are used as additives in diesel fuels to reduce the presence of smoke in the exhaust fumes of diesel engines (Stern, 1968). In 1967 Miler published the results of research on the effects of barium additives on the reduction of smoke during the operation of diesel engines (Figure 1).




Fig. 1. Effects of barium additive on the reduction of smoke during the operation of diesel engines

## METHODOLOGY

The following research methods were applied for the research activities:

- collecting samples of separate materials in the objects and determination of the presence of Ba and other elements with application of appropriate analytical techniques and methods. For that purpose, samples are collected from two locations in Skopje:
  - Skopje-Centar (outer filters, inside filters, walls, used poly-color, used agglomeration for leveling of floors, abrasive cleaning powder (Ajax) and liquid washing splendor (Glos), samples of the air and samples of the floor)
  - Skopje-Biser (outer filters, inside filters, walls, used poly-color, samples of the air)
- Determination of the presence of Ba and other metals with application of the methods ICP-MS
- Determination of the presence of Ba-phases in the samples from the walls and floors with application of Scanning Electronic Micoroscopy-SEM-EDS,

### *Methods of preparation of the specimens*

Dry samples are extracted with a compound of acids, HCl/HNO<sub>3</sub>, 16 hours at room temperature and reflux ion of 2 hours according to ISO 11464:1996 (E). The extract is filtered until the final volume and rarefied with nitrate acid. The contents of the metals in traces is determined with ICP-AES, Liberty 110, Varian, according to ISO 11885:1996 (E)

### *Reactants*

All the used reactants are with cleanliness p.a. The cleanliness of the reactants is verified with an experiment.

Water: The quality of the redistilled water is according to ISO 3696, Grade 2.

HCl, 37%,  $\rho = 1.19$  g/mol

HNO<sub>3</sub>, 65%,  $\rho = 1.40$  g/mol

H<sub>2</sub>O<sub>2</sub>, >30%,  $\rho = 1.11$  g/mol

### *Standard dilutions*

Basic standard dilution: ICP- Multi-element standard dilution, Merck IV, 23 elements in a

diluted nitrate acid with a concentration for each element separately of 1000 mg/L: Ag, Al, B, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, In, K, Li, Mg, Mn, Na, Ni, Pb, Sr, Tl, Zn

Table 1

### *Conditions of work of the Inductive Linking Plasma*

Conditions for ICP- AES, Liberty 110, Varian					
Introducing a sample					
Sprayer	V-groove				
Spray chamber	Inert Sturman-Masters				
Peristaltic pump	12 rollers, 1 turn/min increment				
Conditions for the program					
Power of plasma	1,0 kW				
Speed of pump/rpm	25				
Flow of Ar for plasma	15 L/min				
Time for stabilization	30 s				
Flow of axial Ar	1,5 L/min				
Time of flushing	30 s				
Pressure of sprayer	200 kPa				
Time of stagnation	30 s				
Correction of fon	dynamic				
High of plasma	Opt. SBR				
Conditions for elements					
Element	Wave length/nm	Slitt	Time for integration/s	Filter	Line of fender
As	193.696	0.02	7	1	1
Ni	352.45	0.02	5	6	1
Sr	407.77	0.02	5	7	1
Ba	455.403	0.02	5	7	1
Mn	257.61	0.01	5	6	2
Fe	259.94	0.01	5	6	2
Cr	267.72	0.01	5	6	2
Zn	213.86	0.007	5	6	1
Cu	324.75	0.01	5	6	2
Pb	220.35	0.007	7	6	1
Co	228.62	0.007	5	6	1
Cd	226.50	0.007	5	1	3

One-element standard dilution for As, Titirisol, Merck, 1000 mg/L.

### Tools

The entire tool used for synthesis of the extracts and preparation of the standards is overflow in Nitrate acid for at least +6 ours, and then it is washed with redistilled water.

### Analytical conditions for the work of the instruments

Conditions for work of Scanning Electronic Microscope.

The records of the samples and the chemical analyses are made with Scanning Electronic Microscope from the brand of JEOL JSM-6610LV which is equipped with energetic-dispersed spectrometer

(EDS) from the brand X-Max Large Area Analytical Silicon Drift.

The recording of the samples is made with high vacuum of 20 kV whereas the source of electrons is LaB6 (Lantan-heksa-boridien) filament. The shown photographs are obtained with a help of detector for free electrons (SEI). The samples are blushed with gold and the unmarked piques of the spectrums belong to this element.

## RESULTS AND DISCUSION

The obtained results of the research are shown in the Tables 2.

Table 2


*Results of the presence of Ba and other metals in the analyzed samples (method, ICP-AES, controlled with ICP-MS)*

	1	2	3	4	5	6 (1)	6(2)	7	8	9	10	11	12	13
mg/kg	Outer filter Center	Inside filter Center	Section of wall Center	Agglomeration for alignment	Poly color Center	Cleaning abrasive Ajakx/mg1 <sup>-1</sup>	Cleaning abrasive Glos/mg1 <sup>-1</sup>	Sample from the filter floor	Inside Biserfilter	Outer Biserfilter	Section of wall Biser	Poly color Biser	Filtres (1+2+3+4)	Filtres (5+6+7+8)
Ba	292.6	282.7	0.54	27.7	7.56	<0.73	4.5	129.5	183.9	199.5	0.43	7.68	1.2	0.4
Sr	76.6	112.8	413.8	46.9	38.0	1.0	65.6	38.2	75.0	71.6	406.2	40.5	1.6	0.9
Fe	16562.7	12477.5	46.1	4237.6	298.7	<100	<100	162.7	12430.9	13980.8	63.5	267.2	58.3	31.1
Mn	461.4	355.2	<1	189.1	10.6	<1.33	<1.33	4.1	356.3	424.2	<1	9.9	<1	<1
Zn	1890.9	4277.7	6.4	38.2	9.4	<8	<8	38.6	4722.6	1154.2	4.3	8.4	6.4	3.9
Ni	66.7	60.3	4.9	16.6	6.9	32.0	28.0	<1.3	61.5	69.4	3.5	6.3	4.2	1.2
Cr	65.1	70.2	0.9	15.6	9.8	10.6	14.4	0.6	55.0	47.0	0.7	8.6	1.4	1.3
Cu	184.6	370.3	<3	0.5	<3	49.0	<7	2.6	600.4	116.6	<3	<3	32.1	26.0
Pb	243.2	360.5	<1.5	6.0	7.4	<1.5	<6	<1.5	543.0	164.4	<1.5	8.3	6.2	4.4
Co	7.4	13.1	0.4	1.8	0.6	2.5	<0.7	0.1	16.8	6.6	0.1	0.5	<0.7	<0.7
Cd	7.6	22.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	32.6	4.6	<0.5	<0.5	<0.5	<0.5
As	<2.5	<2.5	<2.5	<2.5	1.1	<2.5	<2.5	<2.6	<2.6	<2.6	<2.6	0.1	2.0	1.2


The results obtained are showing significant amounts of Ba, Cu and Pb in analysed filters. Also is very important to concluded that concentration of barium is too high in floor

samples of linoleum. Results obtained with SEM-EDS techniques are presented in following Figures and Tables.

*Sample from floor 1:*



**Fig. 2.** Morphological view of the sample 1 (zoom 400×)



**Fig. 3.** Morphological view of the sample 1 (zoom 3500×)






Fig. 4. Results of the scanning of sample 1




Fig. 5. Compound EDS spectrum of the analyzed field

Table 3  
Contents of the elements of the compound spectrum (Figure 5)

Element	App Conc.	Intensity Corn.	Weight%	Weight% Sigma	Atomic%
C K	18.90	0.1965	57.58	0.54	71.67
N K	0.00	0.0305	0.00	0.00	0.00
O K	6.48	0.1848	20.98	0.51	19.60
Na K	0.55	0.6880	0.48	0.05	0.31
Al K	0.29	0.7969	0.22	0.03	0.12
Si K	0.47	0.8861	0.32	0.03	0.17
Cl K	13.93	0.7612	10.95	0.14	4.62
Ca K	13.42	0.8919	9.01	0.12	3.36
Ti K	0.58	0.7394	0.47	0.04	0.15
<b>Totals</b>			<b>100.00</b>		




Fig. 6. EDS spectrum of the brightest point from picture

Table 4  
Contents of the elements of the compound spectrum (Figure 6)

Element	App Conc.	Intensity Corn.	Weight%	Weight% Sigma	Atomic%
C K	19.24	0.2891	46.29	0.77	56.80
O K	15.34	0.2587	41.28	0.74	38.02
Na K	0.49	0.6155	0.56	0.09	0.36
S K	4.98	0.8189	4.23	0.13	1.95
Cl K	1.50	0.7160	1.46	0.06	0.61
Ca K	8.00	0.9008	6.18	0.13	2.27
<b>Totals</b>			<b>100.00</b>		




Fig. 7. EDS spectrum of the grey basis of Fig.1

Table 5

Contents of the elements of the compound spectrum (Figure 7)

Element	App Conc.	Intensity Corn.	Weight%	Weight% Sigma	Atomic%
C K	16.05	0.2872	60.59	1.14	70.75
O K	5.62	0.2148	28.36	1.12	24.86
Na K	0.42	0.6714	0.68	0.13	0.42
Mg K	0.20	0.6604	0.34	0.09	0.19
Cl K	4.14	0.7466	6.01	0.19	2.38
Ca K	3.32	0.8950	4.02	0.15	1.41
<b>Totals</b>			<b>100.00</b>		

From the presented results we can conclude that the most dominant elements in the sample are carbon, oxygen, chlorine and calcium. This copy is very unstable

under the electron beam because of the presence of organic compounds.

Sample from wall Biser 1:




Fig. 8. Morphological view of the sample of wall 1 Biser (zoom 400×)




Fig. 9. Morphological view of the sample of wall 1 Biser (zoom 1000x)




Fig. 10. EDS spectrum of the surface on Fig.8

Table 6

*Contents of the elements (spectrum of Figure 10)*


Element	App Conc.	Intensity Corn.	Weight%	Weight% Sigma	Atomic%
C K	1.63	0.1461	10.02	1.14	15.95
O K	17.01	0.2807	54.57	0.85	65.21
S K	15.03	0.8294	16.33	0.31	9.74
Ca K	19.05	0.8990	19.08	0.34	9.10
Totals			100.00		




From the performed analyses it can be concluded that this sample represents the plaster that has a certain amount of calcium carbonate. Within the sample there are no visible phases

containing Ba. Certain amount of Ba method ICP-AES and ICP-MS values are in ppm and as such they are isomorphic mixed in the carbonate and sulphate phases.

*Sample from wall Centar 1.*




**Fig. 11.** Morphology of the sample 1 Centar (zoom 400×)




**Fig.12.** Morphology of the sample 1 Centar (zoom 1000×)





**Fig. 13.** Morphology of the sample 1 Centar (zoom 5000×)



**Fig. 14.** Spectrum of the surface from Fig.12, sample 1 Centar

**Table 7**

*Contents of the determined elements (spectrum of Figure 14)*


Element	App Conc.	Intensity Corrn.	Weight%	Weight% Sigma	Atomic%
C K	2.24	0.1631	12.36	1.12	18.73
O K	20.21	0.3121	58.37	0.87	66.42
S K	12.47	0.8218	13.68	0.27	7.77
Ca K	15.57	0.9000	15.59	0.29	7.08
Totals			100.00		

Figure 15 shows the scanned field of sample from wall 1 Centar, whereas on the pictures 15a,


15b, 15c, 15d, the distribution of separate elements is shown.

From the conducted research it can be concluded that in the samples taken from the walls of the site center there is no presence of phases containing Ba. The deterimend concen-

tration of Ba with the methods ICP-AES and ICP-MS techniques are in ppm values and are isomorphic mixed in calcium carbonate and calcium sulphate stages.



a) view of a scanned field



b) distribution of Ca




c) distribution of S



d) distribution of C

**Fig. 15.** Results of the scanning by SEM-EDS



**Fig. 16.** Compound spectrum of the scanned field

Table 8

*Contents of the determined elements (compound spectrum of Figure 16)*

Element	App Conc.	Intensity Corn.	Weight%	Weight% Sigma	Atomic%
C K	3.20	0.1605	12.53	0.81	19.19
O K	26.71	0.2980	56.41	0.63	64.86
Mg K	0.25	0.5770	0.27	0.05	0.21
S K	18.35	0.8233	14.03	0.20	8.05
Ca K	23.98	0.9005	16.75	0.22	7.69
<b>Totals</b>			<b>100.00</b>		

## CONCLUSION

The main conclusions of the conducted research and the results shown are the following:

- Determined concentrations of Ba (and other metals Fe, Mn, Zn, Cu, Pb) in the inside and outer filters.
- At the object in centar these concentrations range from 282-292 mg/kg Ba.
- At the object Biser these concentrations range from 183-199 mg/kg.
- At the object in Bitola these concentrations range from 200 до 188 mg/kg.
- Higher concentration of Ba is found at the sample from the floor which is a plastic material, linoleum.
- Lower concentrations of Ba are found in the other samples, but these concentrations are not high.
- Concentrations of Ba are determined in the samples of air.
- At the samples of the isolated materials there are determined concentrations of sulphur (S) which are linked in the calcium-sulphate phases.

Determined concentrations of Ba in the inside and outer filters coming from the barium additive on the reduction of smoke during the operation of diesel engines and from the floor plastic materials (linoleum) inside of the buildings.

## INSTEAD OF COMMENT

The presence of metals in the ambient air (ambient dust) in the urban environment is a frequent subject for research, and so far it has been

worked out in many urban centers in the world. The systematic research for the contents of the ambient dust in the city of Skopje is not made before, so we cannot present such information. However, it should be emphasized that such information which refer on the contents of the urban dust exist in many towns, but that information is very changeable depending on the seasons in which the data is measured.

As an example, on the basis of a large number of researches the metals which are present in the urban dust are divided in three groups:

- Urban elements (Ba, Cd, Co, Cu, Mg, Pb, Sb, Ti, Zn),
- Natural elements (Al, Ga, La, Mn, Na, Sr, Th, Y),
- Elements with mixed background (Ca, Cs, Fe, Mo, Ni, Rb, Sr, U).

There is accepted opinion that the background of the urban elements is primarily connected with the development of the traffic, the processes of corrosion of the materials build in the objects in the towns (buildings, houses, roads, etc.) as well as the emission of dust which appears in the soils, and fields with no grass.

In order to be able to make any correlation of the obtained data which refer to a small number of measured samples (only of two locations) many deeper researchers are needed. From the other side, the influence of the contents of dust ( as well as the ambient air) upon the health of the people is a topic which requests more serious and longer measures.

## REFERENCES

- Abernethy, R. F., Gibson, F. H. (1963) : Rare Elements in Coal, U.S.Bur.Mines, Inform.Circ, 8163, 1963

- Kirk-Othmer. (1964): Barium and Barium Compounds, in Encyclopedia of Chemical Technology, Vol 3, pp, 77, 80, New York, Wiley, 1964
- Browning, E. (1961): Toxicity of Industrial Metals, London Butterworths, pp 53-56, 1961
- Fiorello, S. C. (1968): The navy's Smoke Abatement Program, Society of Automotive Engineers, S.A.E.680345, 1968
- Golothan, D.W. (1967): Diesel Engine Exhaust Smoke, The Influence of Fuel Properties and the Effects of Using Barfium Containing Fuel Additive, Society of Automotive Engineers, S.A.E. 670092, 1962
- Miller, C.O. (1967): Diesel smoke Suppression bu Fuel Additive Treatment, Society of Automotive Engineers, S.A.E. 670093, 1967
- Patty, F.A. (1962): Industrial Hygiene and Toxicology, Vol. II, New York, Wiley, pp, 998-1002, 1962
- Stern, A.C. (1968): Air Pollution, Vol. III, New York, Academic Press, 1968
- Liu, B. Y. H., D. Y. H. Pui, and K. L. (1983): Rubow. Characteristics of Air Sampling Filter Media. Ch. in Aerosols In the Mining and Industrial Work Environments, Ed. by V. A. Marple and B. Y. H. Liu. Ann Arbor Science, v. 3, 1983, pp. 989-1038.
- MacDonald, J. S., N. J. Barsic, G. P. Gross, S. P. Shahed, and J. H. Johnson. (1984): Status of Diesel Particulate Measurement Methods (Pres. at Int. Congr. and Exposition, Detroit, MI, Feb. 27-Mar.2, 1984). SAE 840345, 1984, 20 pp.
- Zierock, K. H. (1983): Characterization of Particulate Emissions From Diesel Engines.
- Staub Reinhalt. Luft, Vol. 43, No. 223, 1983, pp. 1-8.
- Small, J. E. (1983): Health Effects of Diesel Exhaust Emissions in Underground
- Mines. M. S. Thesis, Univ. M. N, Minneapolis, M. N. (1983) 98 pp.