



СВЕСНА СЕДАЦИЈА И МОЖНОСТИ ЗА НЕЈЗИНА ПРИМЕНА ВО ОРАЛНАТА ХИРУРГИЈА

доц. д-р Бруно Николовски

УСКЦ “Св. Пантелејмон”, Клиника за орална хирургија, имплантологија и РТГ - Скопје
Универзитет “Гоце Делчев”, факултет за медицински науки - Штип







ТЕХНИКА ВО КОЈА УПОТРЕБАТА НА ЛЕК ИЛИ ЛЕКОВИ ПРОИЗВЕДУВА СОСТОЈБА НА ДЕПРЕСИЈА НА ЦЕНТРАЛНИОТ НЕРВЕН СИСТЕМ ШТО ОВОЗМОЖУВА ДА СЕ ИЗВЕДЕ ТРЕТМАН, НО ЗА ЧИЕ ВРЕМЕ, СЕ ОДРЖУВА ВЕРБАЛЕН КОНТАКТ СО ПАЦИЕНТОТ

American Society of Anesthesiology (ASA) Систем за класификација на физичкиот статус

ASA I

Целосно здрав пациент



ASA II

Пациент со лесно системско заболување.

ASA III

Пациент со системско заболување што ја ограничува активноста, но не онеспособува

ASA IV

Пациент со системско заболување кое е постојана закана по животот.

ASA V

Пациент во умирање за кој не се очекува да преживее 24 часа со или без операција

ASA E

Итна операција од било кој тип

КОМПЛИКАЦИИ

1

Респираторна
депресија

Bhananker SM, Posner KL, Cheney FW, Caplan RA, Lee LA, Domino KB. Injury and liability associated with monitored anesthesia care: a closed claims analysis. *Anesthesiology* 2006;104:228-234

2

Кардиоваскуларна депресија

Thomas Simopoulos, Daniel Leffler, Sheila Barnett, Devon Campbell, Shu Jing Lian, Jatinder S Gill. (2018) Prospective Assessment of Pain and Comfort in Chronic Pain Patients Undergoing Interventional Pain Management Procedures. *Pain Medicine* 19:2, 336-347.

3

Хипотензија

Задоволство кај пациентите

