

**UNIVERSITY "ST. KLIMENT OHRIDSKI" - BITOLA
FACULTY OF INFORMATION AND COMMUNICATION
TECHNOLOGIES - BITOLA
REPUBLIC OF NORTH MACEDONIA**

**Proceedings of the 13th International Conference on
Applied Internet and Information Technologies
AIIT 2023**

13 October, 2023, Bitola, Republic of North Macedonia



**UNIVERSITY “ST. KLIMENT OHRIDSKI” - BITOLA
FACULTY OF INFORMATION AND COMMUNICATION
TECHNOLOGIES - BITOLA
REPUBLIC OF NORTH MACEDONIA**

**13TH INTERNATIONAL CONFERENCE ON
APPLIED INTERNET AND INFORMATION
TECHNOLOGIES**

**AIIT 2023
PROCEEDINGS**



Bitola, 2023

Proceedings publisher and organizer of the conference:

University "St. Kliment Ohridski" - Bitola, Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia

For publisher:

Blagoj Ristevski, PhD
Faculty of Information and Communication Technologies - Bitola
University "St. Kliment Ohridski" - Bitola, North Macedonia

Proceedings editors:

Kostandina Veljanovska, PhD
Eleonora Brtka, PhD

Conference Chairmans:

Kostandina Veljanovska, University "St. Kliment Ohridski", Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia - chair
Eleonora Brtka, University of Novi Sad, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia – co-chair

Technical preparation of the proceedings:

Andrijana Bocevska, PhD
Kostandina Veljanovska, PhD

Cover design:

Andrijana Bocevska, PhD

e-Proceedings

ISBN 978-608-5003-03-7

Disclaimer:

All rights reserved. No part of this proceeding may be reproduced in any form without written permission from the publisher. The publisher and editors are not responsible either for the statements made or for the opinion expressed in this publication. The authors solely are responsible for the content of the papers and any copyrights, which are related to the content of the papers.

CIP - Каталогизација во публикација
Национална и универзитетска библиотека "Св. Климент Охридски", Скопје

004-049.8(062)

INTERNATIONAL conference on applied internet and information technologies AIIT 2023 (13 ; 2023 ; Bitola, Republic of North Macedonia)

Proceedings / 13th International conference on applied internet and information technologies AIIT 2023, 13 October, 2023, Bitola, Republic of North Macedonia ; [editors Kostandina Veljanovska, Eleonora Brtka]. - Bitola : University "St. Kliment Ohridski", Bitola Faculty of information and communication technologies, 2023. - 411 стр. : илустр. ; 30 см

Библиографија кон трудовите
ISBN 978-608-5003-03-7

а) Информатичка технологија -- Примена -- Собири
COBISS.MK-ID 62559493

Introduction

The International conference on Applied Internet and Information Technologies is a traditional meeting held every year, that sprouts out of collaboration between the University of Novi Sad, Technical Faculty “Mihajlo Pupin”, Zrenjanin, Serbia and the University “St. Kliment Ohridski”, Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia. The XIII AIIT2023 was held in Bitola, Macedonia on which besides the participants from Serbia and Macedonia there were researchers from Croatia, Bosnia and Herzegovina, Hungary, Finland, Russia, Turkey, Egypt, India and Australia whose contribution was either as authors or as reviewers of the papers.

At the Conference were presented innovative findings in the field of information systems, communications and computer networks, software engineering and applications, data science and big data technologies, artificial intelligence, intelligent systems, business intelligence and IT support to decision-making, data and system security, distributed systems, Internet of Things and smart systems, embedded systems, computer graphics, IT management, e-commerce, e-government, e-education, Internet marketing, and IT practice and experience.

The Conference chairs would like to express gratitude to the authors for their contributions and to express special gratitude to the reviewers for their tremendous work done for selecting the papers with their valuable comments and suggestions that contributed to improve the quality of the papers. Out of more than 60 submitted papers, 51 were selected, presented at the Conference and are published in this proceedings.

The work during the conference was organized in nine sessions: plenary session, five in-person oral sessions, one video session and two poster sessions. During the conference, a round table with participants from academic organizations and IT industry was successfully organized. The theme of the discussions at the round table was "Strengthening the capacities of Faculty of ICT for the realization of strategic cooperation with companies from the IT industry".

AIIT 2023 was very successful conference with fruitful exchange of experiences among the participants reviving the hope of further strengthening a friendly environment after the pandemic crisis. We hope that we will continue with the contribution to the further deepening the development of Internet and information technologies research.

Conference chairs:

Kostandina Veljanovska, University “St. Kliment Ohridski”, Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia (chair)

Eleonora Brtka, University of Novi Sad, Technical Faculty “Mihajlo Pupin”, Zrenjanin, Serbia (co-chair)

MAIN ORGANIZERS:



**Faculty of Information and Communication
Technologies – Bitola "St. Kliment Ohridski"
University – Bitola
NORTH MACEDONIA
<http://fikt.uklo.edu.mk/>**



**Technical Faculty "Mihajlo Pupin" Zrenjanin
University of Novi Sad
SERBIA
<http://www.tfzr.uns.ac.rs/>**

ORGANIZING PARTNERS:



**Matrosov Institute for System Dynamics and Control
Theory of Siberian Branch of Russian Academy of
Sciences, Irkutsk, RUSSIA
<http://idstu.irk.ru/>**



**Irkutsk State Transport University (IrGUPS)
Irkutsk, RUSSIA
<https://www.irgups.ru/>**



**Faculty of Engineering
South-west university "Neophyte Rilsky"-Blagoevgrad
BULGARIA
<http://www.swu.bg/>**

Conference Chairs

Kostandina Veljanovska, University “St. Kliment Ohridski”, Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia

Kostandina Veljanovska, Ph.D. finished BSc in Computer Science at the University "Sts. Kiril i Metodi", Skopje. Her first MSc in Applied Engineering she received at the University of Toronto, Toronto, Canada. Her second MSc and also her PhD in Technical Sciences she received at the University “St. Kliment Ohridski” - Bitola, R. Macedonia. Her postdoctoral studies in Artificial Intelligence she attended at the Laboratory of Informatics, Robotics and Microelectronics at the University of Montpellier, Montpellier, France. She worked as a Research assistant at the Faculty of Applied Science, University of Toronto, Canada. She also, worked as a researcher in research team for Constraints, Learning and Agents at LIRMM, University of Montpellier. Since 2008, she works as a Full Professor in Information Systems and Networks, Artificial Intelligence and Systems and Data Processing at the Faculty of Information and Communication Technologies, University “St. Kliment Ohridski” - Bitola, Republic of North Macedonia. Her research work is focused on artificial intelligence, machine learning techniques and intelligent systems. She has published numerous scientific papers in the area of interest, as well as several monographic items. She is a reviewing referee for well-known publishing house, journals with significant impact factor in science and also, member of editorial board of several international conferences.

Eleonora Brtka, University of Novi Sad, Technical Faculty “Mihajlo Pupin”, Zrenjanin, Serbia

Eleonora Brtka, Ph.D. is an associate professor at the Information Technology department at the University of Novi Sad, Technical Faculty „Mihajlo Pupin“, Zrenjanin. She has received her PhD in Information technology in 2015. Current research interests include: data science techniques and methods, programming languages, education, artificial intelligence and intelligent agent technologies. She is the author or co-author of several articles published in international journals and in the proceedings of international conferences. She participated in several national funded projects.

Organizing Committee

Chairs

Kostandina Veljanovska (chair), Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia

Eleonora Brtka, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia (co-chair)

Zoran Kotevski, Faculty of Information and Communication Technologies - Bitola, Republic of North Macedonia (co-chair)

Members

Željko Stojanov, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia

Blagoj Ristevski, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Višnja Ognjenović, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia

Dalibor Dobrilovic, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia

Monika Markovska, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Dragica Radosav, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Biljana Radulovic, Technical Faculty "Mihajlo Pupin" Zrenjanin, Serbia

Božidar Milenkovski, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Ivana Berković, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Ljubica Kazi, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Snežana Savoska, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Vladimir Brtka, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Zoltan Kazi, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Siniša Mihajlović, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Velibor Premčevski, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Nikola Rendeovski, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Aleksandra Stojkov, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Maja Gaborov, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Andrijana Bocevska, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Milica Mazalica, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Igor Vecštejn, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Tome Dimovski, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Marko Blažić, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Vuk Amižić, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Natasa Blazeska-Tabakovska, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Jovana Borovina, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Dalibor Šeljmeši, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Mimoza Bogdanoska-Jovanovska, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Vladimir Šinik, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Nadežda Ljubojev, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Marina Blažeković Toshevski, Faculty of Information and Communication Technologies - Bitola, North Macedonia

Vladimir Karuović, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Evgeny Cherkashin, Institute of System Dynamic and Control Theory SB RAS, Russia

Anastasia Popova, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences, Russia

Filip Tsvetanov, South-west University "Neophyte Rilsky", Faculty of Engineering, Blagoevgrad, Bulgaria

Program Committee

Blagoj Risteovski (president), Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Eleonora Brtko, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia (vice-president)

Željko Stojanov, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Višnja Ognjenović, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Dalibor Dobrilović, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Ljubica Kazi, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Dragica Radosav, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Dragana Glušac, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Borislav Odadžić, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Miodrag Ivković, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Biljana Radulović, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Ivana Berković, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Vladimir Brtko, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Zoltan Kazi, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Jelena Stojanov, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Vesna Makitan, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Nadežda Ljubojev, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Vladimir Šinik, Technical Faculty "Mihajlo Pupin", Zrenjanin, Serbia

Igor Nedelkovski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Aleksandar Markovski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Violeta Manevska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Pece Mitrevski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Ilija Jolevski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Dragan Gruevski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Kostandina Veljanovska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Monika Markovska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Snežana Savoska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Ramona Markoska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Sonja Mančevska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Mimoza Bogdanoska-Jovanovska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Nataša Blažeska Tabakovska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Božidar Milenkovski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Zoran Kotevski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Nikola Rendevski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia

Andrijana Bocevska, Faculty of Information and Communication Technologies, University "St. Kliment

Ohridski" - Bitola, North Macedonia
Tome Dimovski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia
Marina Blažeković Toševski, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia
Lela Ivanovska, Faculty of Information and Communication Technologies, University "St. Kliment Ohridski" - Bitola, North Macedonia
Ilija Hristoski, Faculty of Economics - Prilep, North Macedonia
Elena Vlahu-Gjorgievska, University of Wollongong, Australia
Ming Chen, Zhejiang University, China
Alexander Feoktistov, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences, Irkutsk, Russia
Alexander Yurin, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences, Irkutsk, Russia
Igor Bychkov, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences, Irkutsk, Russia
Andrey Gachenko, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences. Irkutsk, Russia
Andrey Mikhailov, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences. Irkutsk, Russia
Anastasia Popova, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences. Irkutsk, Russia
Alexey Daneev, Irkutsk State Transport University, Irkutsk, Russia
Denis Sidorov, Melentiev Energy Systems Institute of Siberian Branch of the Russian Academy of Sciences, Irkutsk, Russia
Viacheslav Paramonov, Matrosov Institute for System Dynamics and Control Theory of the Siberian Branch of the Russian Academy of Sciences, Irkutsk, Russia
Andrey Dorofeev, Institute of High Technologies, Irkutsk National Research Technical University, Irkutsk, Russia
Gogolák László, Subotica Tech - College of Applied Sciences, Subotica, Serbia
Zlatko Čović, Subotica Tech - College of Applied Sciences, Department of Informatics, Subotica, Serbia
Zora Konjović, University Singidunum, Centar Novi Sad, Serbia
Siniša Nešković, Faculty of organizational sciences, University of Belgrade, Serbia
Nataša Gospić, Faculty of transport and traffic engineering, Belgrade, Serbia
Branko Markoski, Faculty of technical Sciences, Novi Sad, Serbia
Željko Trpovski, Faculty of technical Sciences, Novi Sad, Serbia
Branimir Đorđević, Megatrend University, Belgrade, Serbia
Slobodan Jovanović, Faculty of Information Technology, Belgrade, Serbia
Željko Eremić, College of Technical Sciences - Zrenjanin, Serbia
Rajnai Zoltán, Obuda University, Budapest, Hungary
Tünde Anna Kovács, PhD, Óbuda University, Hungary
Zoltán Nyikes, PhD, Milton Friedman University, Hungary
Mirjana Pejic Bach, University of Zagreb, Croatia
Androkli Mavridis, Aristotel University of Thessaloniki, Greece
Madhusudan Bhatt, R.D. National College, University of Mumbai, India
Amar Kansara, Parth Systems LTD, Navsari, Gujarat, India
Narendra Chotaliya, H. & H.B. Kotak Institute of Science, Rajkot, Gujarat, India
Zeljko Jungic, ETF, University of Banja Luka, Bosnia and Herzegovina
Saso Tamazic, University of Ljubljana, Slovenia
Marijana Brtko, Centro de Matemática, Computação e Cognição, Universidade Federal do ABC, São Paulo, Brazil
Zoran Cosic, Statheros, Split, Croatia
Istvan Matijevics, Institute of Informatics, University of Szeged, Hungary
Slobodan Lubura, Faculty of electrical engineering, University of East Sarajevo, Bosnia and Herzegovina
Edit Boral, ASA College, New York, NY, USA

Dana Petcu, West University of Timisoara, Romania

Marius Marcu, "Politehnica" University of Timisoara, Romania

Aleksej Stevanov, South-west University "Neophyte Rilsky", Faculty of Engineering, Blagoevgrad, Bulgaria

Petar Apostolov, South-west University "Neophyte Rilsky", Faculty of Engineering, Blagoevgrad, Bulgaria

Filip Tsvetanov, South-west University "Neophyte Rilsky", Faculty of Engineering, Blagoevgrad, Bulgaria

Francesco Flammini, School of Innovation, Design and Engineering, Division of Product Realisation, Mälardalen University, Eskilstuna, Sweden

Deepak Chahal, Jagan Institute of Management Studies (JIMS, Rohini Sector-5), New Delhi, India

Abdel-Badeeh M. Salem, Faculty of Computer and Information Sciences, Ain Shams University, Cairo, Egypt

Dragan Peraković, University of Zagreb, Faculty of Transport and Traffic Sciences, Zagreb, Croatia

Gordana Jotanović, University of East Sarajevo, Faculty of Transport and Traffic Engineering, Doboj, Bosnia and Herzegovina

Goran Jauševac, University of East Sarajevo, Faculty of Transport and Traffic Engineering, Doboj, Bosnia and Herzegovina

Dinu Dragan, Faculty of technical Sciences, University of Novi Sad, Serbia

Gururaj Harinahalli Lokesh, Department of IT, Manipal Institute of Technology, Bengaluru, India

Ertuğrul AKBAŞ, Esenyurt University, Istanbul, Turkiye

CONTENTS

Invited Speakers

The Latest Trends in IT Project Management	15
Vesna Makitan	
Virtual Reality: The Gateway to Next-Generation Skill Development and Talent Attraction	23
Nikola Rendeovski, Blagoj Risteovski	

Regular Papers

Cyber Risk Management Tool for Improving the Cybersecurity Maturity in the Companies	30
Kire Jakimoski, Oliver Iliev, Gorgi Kakashevski, Biljana Stojchevska, Jelena Gjorgjev, Elena Petrova	
Cyberbullying: Characteristics, Consequences, and Impact on Youth In North Macedonia	37
Marina Dodevska, Nikola Janev	
Internet Of Things, Big Data and Privacy Issues	45
Nebojsa Denić, Sonja D. Radenković, Ana Kovačević, Kostadinka Stojanović	
Leveraging Social Media within Integrated Service Delivery of Personalized Public Services towards Proactive E-government	50
Mimoza Bogdanoska Jovanovska, Jadranka Denkova, Dragan Grueski, Renata Petrevska Nechkoska, Natasha Blazheska-Tabakovska	
Social Media Algorithms and their Impact on Sustainable Internet Marketing Strategies	58
Mihalj Bakator, Dragan Čočkalov, Mila Kavalić, Sanja Stanisavljev, Edit Terek-Stojanović	
Modeling in Social Systems Meet Artificial Intelligence	66
Kalistrat Sandjakoski, Ljubinka Gjergjeska Sandjakoska	
Ensuring Web Accessibility of UI Components by following Web Content Accessibility Guidelines	72
Nikola Mandić, Branko Markoski, Velibor Premceovski	
DIRA Learning Platform as a Learning Management System (LMS) for Roma Adults Gaining Knowledge and Skills in E-Services	81
Nikola Rendeovski, Dimitar Veljanovski, Andrijana Bocevska, Monika Markovska, Prakash Dhakal, Anca Enache	
Selection of Key Functionalities for Website Development with a Real Example	90
Predrag Novokmet, Vesna Makitan, Dragana Glušac, Eleonora Brtka, Mila Kavalić, Siniša Mitić	
Use of Python and OpenCV in Thermal Image Processing	96
Sinisa Mihajlović, Dragan Ivetić, Ivana Berković, Dalibor Dobrilović	
Light Sensor Analyses for Usage in Open-Source Hardware Platforms for Solar Data Acquisition	102
Sinisa Mihajlovic, Milica Mazalica, Jovana Borovina, Dalibor Dobrilovic, Jasmina Pekez	

Smart City - Belgrade: Opportunities and Challenges	110
Mirjana Tomic, Kostadinka Stojanovic, Dragan Zlatkovic, Nebojsa Denic	
Challenges of Knowledge Management in Industry 4.0 –Preliminary Literature Review	119
Jelena Slavić, Zeljko Stojanov	
ChatGPT and AI for Learning – Opportunities and Challenges	126
Mimoza Anastoska-Jankulovska	
AI and Tracking Data Exchanges on Maps	134
Marko Blažić, Dubravka Sladić, Višnja Ognjenović, Ivana Berković, Katarina Vignjević	
Machine Learning Algorithms for Heart Disease Prognosis using IoMT Devices	141
Anita Petreska, Blagoj Risteovski, Daniela Slavkovska, Saso Nikolovski, Pero Spirov, Nikola Rendevski, Snezhana Savoska	
Comparative Analysis of ML Algorithms for Breast Cancer Detection	151
Daniela Slavkovska, Blagoj Risteovski, Anita Petreska	
Future Challenges for Object Detection and Image Recognition Techniques	162
Buen Bajrami, Kostandina Veljanovska, Zoran Kotevski	
An Example of Application for Custom Design Automation using SolidWorks Application Programming Interface	169
Hristijan Stojceski, Andrijana Bocevska, Igor Nedelkovski, Nikola Rendevski	
Enhancing Spatial Exploration of Outdoor Object Recognition and Tracking with ARToolkit NFT Markers	178
Blagoj Nenovski, Igor Nedelkovski	
NFT Marker Recognition in Multi-Marker Environment and Media Integration in ARToolkit	187
Blagoj Nenovski, Igor Nedelkovski	
Content-Based Image Retrieval: Contemporary Trends and Challenges	195
Buen Bajrami, Zoran Kotevski, Kostandina Veljanovska	
Latest Advances in Video Indexing and Retrieval	201
Nora Pireci Sejdiu, Zoran Kotevski, Blagoj Risteovski, Kostandina Veljanovska	
VR as a Tool for EVs Maintenance Training	207
Naile Emini, Konstantin Veljanovski, Nikola Rendevski	
Automation and Monitoring on Integration ETL Processes while Distributing Data	212
Aneta Trajkovska, Tome Dimovski, Ramona Markoska, Zoran Kotevski	
Finding the Eigenspaces of a Matrix with GeoGebra	220
Sonja Mančevska, Elena Karamazova Gelova, Mirjana Kocaleva Vitanova	
Exploring the Impact of Pair Programming on Student Achievement: A Comparative Analysis	228
Ilker Ali1, Aybeyan Selim, Blagoj Risteovski, Sonja Mančevska	
Graph-Based Task Management Parameterized by Linguistic Path Attributes	236
Dalibor Šeljmeši, Vladimir Brtka, Edit Boral, Berković	
Data Mining and Big Data Analytics Using Accelerate Data	244
Valmir Sinani, Blagoj Risteovski	

NoSQL Database Support to Big Data Storage Systems and Specific Use Cases: a Review Valmir Sinani	253
New Possibilities of Applying Digital Marketing in Business Duda Balje	263
A Model of Problems Related to Scrum Team Communication in Meetings and Their Impact on Job Satisfaction Maja Gaborov, Željko Stojanov, Srđan Popov	271
Navigating the Future: How Information Technologies are Shaping Entrepreneurship Ecosystems in Society 5.0 Dragan Čočkalo, Mihalj Bakator, Sanja Stanisavljev, Melita Čočkalo-Hronjec, Dragana Kovač	279
On the Applicability of Bloom's Taxonomy and Teacher Digital Competencies for Learning how to Code in Primary Schools Maja Videnovik, Ana Madevska Bogdanova, Elena Vlahu Gjorgjievaska, Vladimir Trajkovik	286
Development of Human Resources in The Digital Age Svetlana Stojkov, Mila Kavalić, Edit Terek	293
An Integrated System for Efficient Student Attendance Management Piroška Stanić Molcer, Robert Pinter, Sanja Maravić Čisar, Zlatko Čović	301
EasyLoanDecision: A Expert System for Consumer loan Natasha Blazheska-Tabakovska, Lijeta Hodja, Igor Nedelkovski, Mimoza Bogdanoska Jovanovska, Marina Blazekovic-Toshevski	308
Intellectual Capital and its Importance for an Entrepreneurial IT Company in The Period to Come Bozidar Milenkovski, Sasho Nikolovski, Nikola Rendevski	315
Software Testing Strategies, Approaches, Methods and Techniques - Overview Zoltan Kazi, Maria Kazi	321
Edge Computing System to Form a Data Center on Air Pollution in the Traffic Environment of Smart Cities Gordana Jotanovic, Aleksandar Damjanovic, Goran Jausevac, Zeljko Stojanov, Vladimir Brtko, Dragan Perakovic, Miroslav Kostadinovic	330
Communication Performance of The Laboratory System for Measuring Fuel Mass Flow Zoran Ristikić, Svetko Milutinović, Milan Eremija, Ibrahim Badnjar	338
Preliminary Research on the Possibilities of PPG (Photoplethysmogram) Signal Analysis of Medical Sensors and Smart Watch Sensors Ivana Popovic, Sonja Djukic Popovic, Stefan Popovic, Stevan Ivankovic	344
ChatGPT for EFL Teachers and Students Lela Ivanovska	351
Design Considerations for a Generic Graph Database in Archival Document Management Ilija Hristoski, Jelena Stojanov, Željko Stojanov	360
Exploring the Impact of AI-Driven Marketing Strategies on Player Retention in the Video Game Industry Stefan Ugrinov, Dragan Čočkalo, Mihalj Bakator, Mila Kavalić, Verica Gluvakov	368

Overview of E-invoice in Serbia	374
Milica Mazalica, Biljana Radulovic, Aleksandra Stojkov Loncarski	
Chatbots – Architecture and Applications	381
Igor Vecštejn, Verica Gluvakov, Maja Gaborov	
Comparative Study of React, Angular, and Vue for Front-end Development	389
Tamara Milić, Igor Vecštejn, Eleonora Brtko, Maja Gaborov	
Human-Computer Interaction Using XBOX Kinect Technology	397
Marjana Pardanjac, Snežana Jokić, Aleksandra Karuović, Isidora Jokić, Marija Dunjić	
An Overview of Metric Models for Evaluating Website Security	404
Vuk Amizic, Ljubica Kazi	

Finding the Eigenspaces of a Matrix with GeoGebra

Sonja Mančevska¹, Elena Karamazova Gelova² and Mirjana Kocaleva Vitanova²

¹ University “St. Kliment Ohridski”-Bitola, Faculty of Information and Communication Technologies-Bitola, Studentska nn, Bitola, R. North Macedonia

² University “Goce Delcev” Shtip, Faculty of computer science, Goce Delcev 89, Shtip, R. North Macedonia

sonja.manchevska@uklo.edu.mk; elena.gelova@ugd.edu.mk; mirjana.kocaleva@ugd.edu.mk

Abstract:

In this paper we present the design of two GeoGebra applets for solving problems involving eigenspaces of a given matrix. One applet features the steps of the standard procedure for finding the eigenvalues and the corresponding linearly independent eigenvectors which will span the eigenspaces. As an additional result, this applet gives an answer to the question whether a given matrix can be diagonalized (by displaying its modal and spectral matrix), or not. The other applet is based on the GeoGebra’s commands for the eigenvalues and the Jordan canonical form of a given matrix. It automates the extraction from the similarity matrix in the Jordan decomposition the basis for each of the eigenspace.

Keywords:

Matrices, diagonalizable matrices, defective matrices, eigenvalues, eigenvectors, eigenspaces, Jordan canonical form, Jordan decomposition, GeoGebra

1. Introduction

The standard procedure for solving problems related with the eigenspaces of a given $n \times n$ matrix A involves two steps. The first one is to determine the set of all eigenvalues i.e., the spectrum of A , which comes down to finding all the roots of its characteristic polynomial $P(\lambda) = \det(\lambda I_n - A)$. If λ is an eigenvalue for A , the next step is to determine the eigenvectors corresponding to λ , by solving the matrix equation $A\mathbf{x} = \lambda\mathbf{x}$, with $\mathbf{x} \in \mathbb{C}^n$ as an unknown vector. The eigenspace $E(\lambda)$ corresponding to λ is the set of all solutions of this equation and it is expressed in a form of subspace of \mathbb{C}^n spanned by a finite set of linearly independent eigenvectors for λ . Depending on the size of the matrix and the values of its entries, the calculations that should be performed for each step can be quite extensive and can be properly handled if a suitable software is employed.

GeoGebra is an educational software that includes a computer algebra system which is sophisticated enough to be successfully used for solving various problems when dealing with matrices with moderate sizes. In most of the cases, the CAS specific commands for the eigenvalues and the eigenvectors will display the output in just a few seconds. But, in some cases, the command for the eigenvectors will display a question mark as an output although, for the same matrix, the command for the eigenvalues and the Jordan decomposition will display appropriate results. This situation occurs whenever the matrix is defective i.e., when the matrix is not diagonalizable. A priori, we cannot determine whether a given matrix is defective or not. This can be verified only after the comparison of the algebraic and geometric multiplicities of its eigenvalues. In a case of a defective matrix, we can proceed in two ways. One way is to use other GeoGebra’s commands for performing each of the steps of the standard procedure. An applet that is based on this procedure is described in the next section. The other way is to use the result obtained via the Jordan decomposition of the matrix and extract from it all the required information about its eigenvectors and eigenspaces. An applet that automates the extraction of the bases for the eigenspaces is presented in the third section.

The theoretical backgrounds of the spectral theory of matrices, along with variety of solved problems involving the calculation of spectrum and the corresponding eigenvectors and eigenspaces, are usually covered in most of the undergraduate textbooks in linear algebra or operator theory, and their application. For textbooks and articles that also cover the concepts of Jordan canonical form, generalized eigenvectors, and Jordan chains as well, we refer to [1] – [10].

2. GeoGebra applet for the standard procedure

The first applet is based on the output of the **Factors()** command and works *only if* this command displays a proper factorization of the characteristic polynomial. This means that if the factorization of this polynomial is of form

$$P(x) = (x - \lambda_1)^{k_1} \dots (x - \lambda_m)^{k_m} (x - \mu_1)^{s_1} (x - \bar{\mu}_1)^{s_1} \dots (x - \mu_r)^{s_r} (x - \bar{\mu}_r)^{s_r}, \quad (1)$$

where $\lambda_i \in \mathbb{R}$, for every $i \in \{1, \dots, m\}$, $\mu_j \in \mathbb{C} \setminus \{\mathbb{R}\}$ and $\bar{\mu}_j$ denotes the complex conjugate of μ_j , for every $j \in \{1, \dots, r\}$, then the **Factors()** command should display the corresponding factorization in form

$$\begin{pmatrix} x - \lambda_1 & k_1 \\ \vdots & \vdots \\ x - \lambda_m & k_m \\ x^2 + p_1x + q_1 & s_1 \\ \vdots & \vdots \\ x^2 + p_r x + q_r & s_r \end{pmatrix}, \quad (2)$$

where $x^2 + p_j x + q_j = (x - \mu_j)(x - \bar{\mu}_j)$, $j \in \{1, \dots, r\}$. Otherwise the applet will not work properly.

Applets based on the other GeoGebra's commands for location of the roots of the characteristic polynomial and that have a different approach to the solution of the corresponding matrix equation $A\mathbf{x} = \lambda\mathbf{x}$, are available through the links in [11] – [13].

The applet is built via the GeoGebra's CAS view. The list of inputs in the CAS cells is given in Table 1, Table 2, and Table 3.

In each table, at the end of some of the inputs a semicolon is placed. This will suppress the output in the corresponding CAS cell and declutter the applet. If necessary, any such semicolon can be omitted.

The matrix must be defined at the beginning. Once the applet is built, it can be used for a different matrix by simply changing the input in the first CAS cell.

Table 1:

List of the inputs in the CAS cells \$1 through \$11

CAS cell	Input
\$1	A:= (definition of)
\$2	n:=Length(A)
\$3	I:=Identity(n)
\$4	$\lambda * I - A$
\$5	P(λ):=Determinant($\lambda * I - A$)
\$6	CFactor(P(x))
\$7	U:=Factors(P(x))
\$8	U_1:Sequence(If(Degree(Element(U,k,1))=1, Element(U, k), Sequence({x - Element(CSolutions(Element(U,k,1)), m), Element(U,k,2)}, m, 1, 2)), k, 1, Length(U));
\$9	L:=Flatten(U_1);
\$10	AM:Sequence(Flatten({RightSide(CSolve(Element(L, 2*p-1))), Element(L,2*p)}), p, 1, (1/2) Length(L))
\$11	GM:=Sequence({Element(AM, q, 1), Length(A)-MatrixRank(A-Element(AM, q, 1)*I)}, q, 1, (1/2) Length(L))

The outputs in CAS cell \$10 and CAS cell \$11 are in a form of matrices, each with two columns and the same number of rows. The first column is the same for both matrices and it consists of the roots of the characteristic polynomial. The second column in the output of CAS cell \$10 displays the *algebraic multiplicity* of the corresponding roots. If all the roots of the characteristic polynomial are real, this matrix will be equal to the one in CAS cell \$7. The second column in the output of CAS cell \$11 displays the *geometric multiplicity* of the corresponding roots. If this matrix equals to the one in the output of the CAS cell \$10, then the matrix A is diagonalizable. Otherwise, the matrix is defective.

Table 2:

List of the inputs in the CAS cells \$12 through \$24

CAS cell	Input
\$12	ListVar:{x1,x2,x3,x4,x5,x6,x7,x8,x9,x10};
\$13	X:=Transpose(Take(ListVar, 1, n));
\$14	B:=Sequence(Sequence({Element(I, s, t)}, s, 1, Length(I)), t,1,Length(I));
\$15	B_1:=Sequence(Flatten(Solve(I* X-Element(B, q), X)),q,1,n);
\$16	SYS:=Sequence({"for","λ=", Element(AM, q, 1),":", (A-Element(AM, q, 1)*I),"", X,"=",0*X}, q, 1, (1/2) Length(L))
\$17	SYS1:=Sequence({"for","λ=", Element(AM, q, 1),":", (A-Element(AM, q, 1)*I)* X,"=",0*X}, q, 1, (1/2) Length(L));
\$18	SOL1:=Sequence({"for","λ=", Element(AM, q, 1),":",Flatten(Solve((A-Element(AM, q, 1)*I)* X, X))}, q, 1, (1/2) Length(L));
\$19	SOL:=Sequence({"for","λ=", Element(AM, q, 1),":",Transpose(RightSide(Element(SOL1, q, 5)))}, q, 1, (1/2) Length(L))
\$20	Eigenspaces:=Sequence({"E(", Element(AM, q, 1),")=", "span", Sequence(Substitute(Element(SOL, q, 5),Element(B_1, p)), p, 1,n)\{0*X}}, q, 1, (1/2) Length(L))
\$21	M_1:=Join(Sequence(Element(Eigenspaces, q, 5), q, 1, (1/2) Length(L)));
\$22	M_2:=Sequence(Transpose(Element(M_1, r)), r, 1, Length(M_1));
\$23	M:=Transpose(Join(M_2))
\$24	If(Element(Dimension(M), 1)==Element(Dimension(M), 2), {"SpectralMatrix=",Expand(M ⁻¹ *A*M)}, nondiagonalizable)

For matrices with dimensions larger than 10×10 the list of unknowns in CAS cell \$12 should be extended with $x_{11}, x_{12}, x_{13}, \dots$, as needed.

The eigenspaces will be displayed in the output of the CAS cell \$20 in a form of a matrix where, for each different eigenvalue, the corresponding eigenspace is given by its basis.

If the matrix is diagonalizable then its modal matrix will be displayed in CAS cell \$23, while its spectral matrix will be displayed in CAS cell \$24. If this is the case, for verification, the inputs listed in the next table can be added.

Table 3:

List of the inputs in the CAS cells \$25 through \$27 (optional)

CAS cell	Input
\$25	$M*(\text{Expand}(M^{-1}*A*M))*M^{-1}$
\$26	$\text{Expand}(\text{Eigenvalues}(A))$
\$27	$\text{Expand}(\text{JordanDiagonalization}(A))$

The output in the CAS cell \$25 should be equal to the matrix defined in CAS cell \$1. The elements in the output list in the CAS cell \$26 are the eigenvalues of the matrix. Each value is listed as many times as its algebraic multiplicity. The second matrix in the output of the CAS cell \$27, *up to a permutation of its diagonal elements*, should equal to one in the output in the CAS cell \$25.

Usually, the commands in CAS cell \$26 and CAS cell \$27 work quite well if the expressions are replaced with $\text{Eigenvalues}(A)$ and $\text{JordanDiagonalization}(A)$, respectively, but for some matrices we've observed unusually coined expressions in the outputs, which were overcome by adding the external command **Expand()**.

While the Jordan canonical form of a given square matrix is unique, up to a permutation of its Jordan blocks, the similarity matrix or, in a case of a diagonalizable matrix its modal matrix, is not. This can happen even for the same permutation of the Jordan blocks. This is due to the fact that for each eigenvalue, regardless of whether the matrix is diagonalizable or defective, neither the corresponding eigenvectors, nor the basis for corresponding eigenspaces is unique. Hence, the modal matrix in the

output of CAS cell \$27, or any other application with similar capacities, may differ from the modal matrix obtained in the output of the CAS cell \$27. This does not affect the results for the eigenspaces themselves. They are just described differently i.e., with a different set of vectors as their basis.

3. Alternative GeoGebra applet for finding the eigenspaces

In some cases, the GeoGebra’s command **Factors()** does not factorize the characteristic polynomial in form (2). For example, instead of trinomials, the matrix in the CAS cell \$7 in the previous applet may contain polynomials of larger degrees. In these cases, one alternative is to use other GeoGebra’s commands to locate the roots of the characteristic polynomial. The other one is to use GeoGebra’s command **JordanDiagonalization()** and build the applet with the inputs in the CAS cells as listed in Table 4. Again, the matrix must be defined at the beginning i.e., in the CAS cell \$1.

Table 4:
List of the inputs in the CAS cells for the alternative applet

CAS cell	Input
\$1	$A := (\text{definition of})$
\$2	$I := \text{Identity}(\text{Length}(A))$
\$3	$o := \text{Transpose}(\text{Sequence}(0, k, 1, \text{Length}(A)))$
\$4	$E := \text{Eigenvalues}(A)$
\$5	$JD := \text{JordanDiagonalization}(A)$
\$6	$S := \text{Element}(JD, 1)$
\$7	$SS := \text{Sequence}(\text{Sequence}(\{\text{Element}(S, p, q)\}, p, 1, \text{Length}(S)), q, 1, \text{Length}(S))$
\$8	$EE := \text{Unique}(E)$
\$9	$\text{Eigenspaces} := \text{Sequence}(\{\text{"E("}, \text{Element}(EE, q), \text{")="}, \text{"span"}, \text{RemoveUndefined}(\text{Sequence}(\text{If}(\text{Expand}((A - \text{Element}(EE, q) I) \text{Element}(SS, k)) == o, \text{Element}(SS, k)), k, 1, \text{Length}(A))), q, 1, \text{Length}(EE))$

4. Examples

Below are the results obtained with each applet for few matrices. Both applets work for real and complex matrices and matrices with undefined entries (parameters).

Example 4.1. The eigenspaces for the matrix

$$A = \begin{bmatrix} a & 1 & 0 & 0 \\ 0 & b & 1 & 0 \\ 0 & 0 & a & 1 \\ 0 & 0 & 0 & b \end{bmatrix},$$

obtained with the applets are given in Figure 1 and 2.




Figure 1: The result for the matrix from the Example 4.1 obtained with the first applet




Figure 2: The result for the matrix from the Example 4.1 obtained with the second applet

Example 4.2. The eigenspaces for the matrix

$$A = \begin{bmatrix} 5 & 3 & 5 & 1 & 7 \\ 2 & 3 & 4 & 2 & 4 \\ 0 & -5 & 4 & 7 & 3 \\ 3 & 1 & 6 & 6 & 7 \\ -3 & 2 & -7 & -8 & -7 \end{bmatrix},$$

obtained with the applets are given in Figure 3 and 4.




Figure 3: The result for the matrix from the Example 4.2 obtained with the first applet




Figure 4: The result for the matrix from the Example 4.2 obtained with the second applet

Example 4.3. The eigenspaces for the matrix

$$A = \begin{bmatrix} 2 & 1 & 3 & 0 & -3 & -2 & -1 & 0 & -2 \\ 0 & 4 & 0 & -1 & 0 & -1 & -2 & 1 & 0 \\ -2 & -13 & 7 & -2 & 0 & -3 & 8 & 1 & -1 \\ -5 & -2 & 5 & 8 & -6 & 0 & 3 & 0 & -3 \\ -2 & -13 & 2 & -2 & 5 & -1 & 8 & 1 & 1 \\ 5 & -1 & -5 & -1 & 7 & 3 & -1 & 0 & -1 \\ 1 & 2 & -1 & -1 & 1 & -1 & 0 & 1 & 0 \\ -2 & -4 & -2 & 5 & 3 & 1 & 2 & 2 & -4 \\ -5 & 1 & 5 & 1 & -7 & 0 & 1 & 0 & 4 \end{bmatrix},$$

obtained with the applets are given in Figure 5, where (a.1) – (a.6) are the results from the first applet, (b.1) – (b.6) are the results from the second applet. The order in which the eigenspaces are displayed in the applets differs from one applet to other.

(a.1)	$E(5) = \text{span} \left\{ \begin{pmatrix} 1 \\ 0 \\ 1 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ 0 \\ 0 \\ 1 \\ 0 \\ -1 \\ 0 \\ 0 \\ 1 \end{pmatrix} \right\}$	(b.1)	$E(5) = \text{span} \left\{ \begin{pmatrix} 1 \\ 0 \\ 1 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ 0 \\ 0 \\ 1 \\ 0 \\ -1 \\ 0 \\ 0 \\ 1 \end{pmatrix} \right\}$
(a.2)	$E(3) = \text{span} \left\{ \begin{pmatrix} 1 \\ 0 \\ 1 \\ 0 \\ 0 \\ 1 \\ 0 \\ 1 \\ 0 \end{pmatrix} \right\}$	(b.2)	$E(3) = \text{span} \left\{ \begin{pmatrix} 1 \\ 0 \\ 1 \\ 0 \\ 0 \\ 1 \\ 0 \\ 1 \\ 0 \end{pmatrix} \right\}$
(a.3)	$E(7+i) = \text{span} \left\{ \begin{pmatrix} 0 \\ 0 \\ -1 \\ 1+i \\ -1 \\ -1 \\ 0 \\ i \\ 1 \end{pmatrix} \right\}$	(b.3)	$E(7+i) = \text{span} \left\{ \begin{pmatrix} 0 \\ 0 \\ 1 \\ -1-i \\ 1 \\ 1 \\ 0 \\ -i \\ -1 \end{pmatrix} \right\}$
(a.4)	$E(7-i) = \text{span} \left\{ \begin{pmatrix} 0 \\ 0 \\ -1 \\ 1-i \\ -1 \\ -1 \\ 0 \\ -i \\ 1 \end{pmatrix} \right\}$	(b.4)	$E(7-i) = \text{span} \left\{ \begin{pmatrix} 0 \\ 0 \\ -i \\ 1+i \\ -i \\ -i \\ 0 \\ 1 \\ i \end{pmatrix} \right\}$
(a.5)	$E(2+i) = \text{span} \left\{ \begin{pmatrix} 0 \\ -i \\ -i \\ 0 \\ 0 \\ -i \\ 0 \\ -i \\ 1 \\ 0 \end{pmatrix}, \begin{pmatrix} \frac{1-2i}{5} \\ \frac{2-4i}{5} \\ \frac{6-2i}{5} \\ \frac{6-2i}{5} \\ 1 \\ \frac{6-2i}{5} \\ -1 \\ -i \\ 0 \\ 1 \end{pmatrix} \right\}$	(b.5)	$E(2+i) = \text{span} \left\{ \begin{pmatrix} -1+2i \\ 0 \\ -4-2i \\ -5 \\ -4-2i \\ 5 \\ 2+i \\ 4+2i \\ -5 \end{pmatrix}, \begin{pmatrix} 0 \\ -1+2i \\ -1+2i \\ 0 \\ -1+2i \\ 0 \\ -1+2i \\ -2-i \\ 0 \end{pmatrix} \right\}$

(a.6)

$$E(2-i) = \text{span} \left\{ \begin{pmatrix} 0 \\ i \\ i \\ 0 \\ i \\ 0 \\ 1 \\ 0 \end{pmatrix}, \begin{pmatrix} \frac{1+2i}{5} \\ \frac{2+4i}{5} \\ \frac{6+2i}{5} \\ \frac{6+2i}{5} \\ \frac{1}{5} \\ \frac{6+2i}{5} \\ -1 \\ i \\ 0 \\ 1 \end{pmatrix} \right\}$$

(b.6)

$$E(2-i) = \text{span} \left\{ \begin{pmatrix} 1 \\ 0 \\ -2i \\ 1-2i \\ -2i \\ -1+2i \\ i \\ 2i \\ 1-2i \end{pmatrix}, \begin{pmatrix} 0 \\ 1 \\ 1 \\ 0 \\ 1 \\ 0 \\ 1 \\ -i \\ 0 \end{pmatrix} \right\}$$

Figure 5: Comparison of the results obtained from the applets for the matrix from the Example 4.1

Example 4.4. The matrix

$$A = \begin{bmatrix} 31 & -7 & 49 & 24 & -5 & 27 & -50 & -33 \\ 4 & -2 & 6 & 3 & -1 & 3 & -6 & -4 \\ -57 & 12 & -87 & -42 & 9 & -47 & 87 & 58 \\ -13 & 0 & -18 & -10 & 3 & -10 & 18 & 13 \\ 16 & -6 & 24 & 11 & -3 & 12 & -24 & -16 \\ 8 & 2 & 11 & 6 & -2 & 6 & -11 & -8 \\ -60 & 15 & -90 & -43 & 9 & -48 & 90 & 61 \\ 31 & -9 & 47 & 22 & -4 & 25 & -48 & -33 \end{bmatrix},$$

has only one eigenvalue and one eigenspace with a dimension equal to 3. Its basis obtained with the applets are shown in Figure 6 and 7.

Eigenspaces:=Sequence("E(", Element(AM, q, 1), ")", "span", Sequence(Substitute(Element(SOL, q, 5),

$$\rightarrow \text{Eigenspaces} := E(-1) = \text{span} \left\{ \begin{pmatrix} 1 \\ 2 \\ -1 \\ -1 \\ 0 \\ -1 \\ 1 \\ 0 \\ 0 \end{pmatrix}, \begin{pmatrix} -3 \\ 1 \\ 2 \\ 3 \\ -2 \\ -1 \\ 0 \\ 1 \\ 0 \end{pmatrix}, \begin{pmatrix} -1 \\ 1 \\ 2 \\ 2 \\ -2 \\ -1 \\ 0 \\ 0 \\ 1 \end{pmatrix} \right\}$$

Figure 6: The result for the matrix from the Example 4.3 obtained with the first applet

Eigenspaces:=Sequence("E(", Element(EE, q), ")", "span", RemoveUndefined(Sequence(If(Expand(A-

$$\rightarrow \text{Eigenspaces} := E(-1) = \text{span} \left\{ \begin{pmatrix} 2 \\ -1 \\ -2 \\ -2 \\ -2 \\ 3 \\ -1 \\ 2 \end{pmatrix}, \begin{pmatrix} 9 \\ 0 \\ 0 \\ -18 \\ -9 \\ 9 \\ -9 \\ 18 \end{pmatrix}, \begin{pmatrix} 0 \\ 0 \\ 9 \\ -18 \\ -9 \\ 9 \\ 0 \\ 9 \end{pmatrix} \right\}$$

Figure 7: The result for the matrix from the Example 4.3 obtained with the second applet

5. Limitations of the applets

Both applets were tested on various type of matrices, including the ones with undefined entries (like the one from Example 4.1), randomly generated entries, and the ones that were designed with the intention that the output in specific CAS cells can be easily verified with the results obtained if the calculations were performed manually. In some cases, the results were quite impressive. In others, due to the complexity of the algorithms and the extensiveness of the eternal calculation, one or both applets, failed to display the answers. This happened even in the cases where the inputs in some of the CAS

cells were simplified so that can be performed step by step across additional CAS cells (number of which depends on the size of the matrix) and the proper results would be obtained quite quickly.

In the cases where the intermediate results contain some sort of rounding, it was more likely that applets will not produce a proper output in the next cells.

Sometimes problems were overcome if the objects were recomputed (via View → Recompute all objects) or reentering the input in one or more cell by simply positioning the cursor at the end of the expression and pressing Enter. In many cases, saving the changes in the applet after modification of the matrix in the CAS cell \$1, closing the application and reopening it, resolved the incorrect display in the outputs of the cells. Increasing the CAS Timeout in GeoGebra Classic 5 from the default 5 seconds to the maximum of 60 seconds, was also helpful in many cases.

6. Conclusion

Depending on the matrix, each applet has a capacity to quickly display the eigenvalues, eigenvectors, eigenspaces and additional intermediate results about the matrix. Each one can be quite useful tool in the undergraduate courses in matrix theory. It can be used by teachers for demonstration during the lectures and by students when solving problems that involve finding the eigenvalues and corresponding eigenvectors and eigenspaces of a given square matrix. The applets incorporate a proper interpretation of intermediate results and the outputs of the GeoGebra's commands. This can help students to fully grasp the concept of the Jordan decomposition of a matrix and understand the information that this decomposition contains about a given matrix.

References:

- [1] K. M. Abadir, J. R. Magnus, *Matrix Algebra*, Cambridge University Press, 2005.
- [2] R. Bronson, G. B. Costa, *Matrix Methods: Applied Linear Algebra and Sabermetrics* (4th ed.), Academic Press, 2020.
- [3] R. Bronson, *Matrix Methods: An Introduction*, Academic Press, 1969.
- [4] J. B. Fraleigh, R. A. Bearegard, *Linear Algebra* (3rd ed.), Addison-Wesley, 1995.
- [5] S. R. Garcia, R. A. Horn, *A Second Course in Linear Algebra*, Cambridge University Press, 2017.
- [6] R. A. Horn, C. R. Johnson, *Matrix Analysis*, Cambridge University Press (2nd ed.), 2013.
- [7] S. Kurepa, *Konačno dimenzionalni vektorski prostori i primjene*, Tehnička knjiga - Zagreb, 1967.
- [8] R. Martínez-Guerra, O. Martínez-Fuentes, J. J. Montesinos-García, *Algebraic and Differential Methods for Nonlinear Control Theory: Elements of Commutative Algebra and Algebraic Geometry*, Springer Int. Pub. 2019.
- [9] M. Taboga, "Generalized eigenvector", *Lectures on matrix algebra* (2021). URL: <https://www.statlect.com/matrix-algebra/generalized-eigenvector>.
- [10] M. Taboga, "Jordan chain", *Lectures on matrix algebra* (2021). URL: <https://www.statlect.com/matrix-algebra/Jordan-chain>.
- [11] GeoGebra Community Resources, *Diagonalmatrix und Eigenvektoren R^n* (2018). URL: <https://www.geogebra.org/material/show/id/upUZg79r>.
- [12] GeoGebra Community Resources, *Finding Eigenvectors/Eigenvalues* (2015). URL: <https://www.geogebra.org/classic/fjxu5cYU>.
- [13] GeoGebra Community Resources, *Jordan-Normalform Hauptvektoren 1.+2.Stufe $R^{5 \times 5}$* (2019). URL: <https://www.geogebra.org/m/cbrraju7>.