

Science - Industry - Education

Conference Proceedings

FACULTY OF OCCUPATIONAL SAFETY UNIVERSITY OF NIŠ, SERBIA 7-8 DECEMBER 2023



www.znrfak.ni.ac.rs/semsie

e, Industry, Education Safety Engineering & Management – Science, Industry, Education

Man and Working Envi

Oth International Conference

20th International Conference Man and Working Environmen

:0th International Conference Man and Working Environmen

Safety Engineering & Management – Science, Industry, Educatior safety Engineering & Management – Science, Industry, Education

UNIVERSITY OF NIŠ FACULTY OF OCCUPATIONAL SAFETY

The 20th International Conference "Man and Working Environment" SAFETY ENGINEERING & MANAGEMENT – SCIENCE, INDUSTRY, EDUCATION (SEM-SIE 2023)

CONFERENCE PROCEEDINGS

Ministry of Science, Technological Development and Innovation of the Republic of Serbia

7–8 December 2023 Niš, Serbia

The 20th International Conference "Man and Working Environment" SAFETY ENGINEERING & MANAGEMENT SCIENCE, INDUSTRY, EDUCATION (SEM-SIE 2023)

Conference Organiser: UNIVERSITY OF NIŠ FACULTY OF OCCUPATIONAL SAFETY

Conference Co-organisers:

Ministry of Science, Technological Development and Innovation of the Republic of Serbia Faculty of Engineering, South-West University "Neofit Rilski", Blagoevgrad, Bulgaria Faculty of Natural and Technical Sciences, "Goce Delčev" University, Štip, North Macedonia

> **Publisher:** University of Niš, Faculty of Occupational Safety

> > **For the publisher:** Prof. Dr. Srđan Glišović, Dean

Editors: Prof. Dr. Vesna Nikolić Prof. Dr. Evica Stojiljković

Technical Editor: Rodoljub Avramović, MSc

Proofreading: Prof. Predrag Niketić, PhD Aleksandra Petković, MA

Printout: "Unigraf X-copy" doo Niš

Number of copies: 100

CIР - Каталогизација у публикацији Народна библиотека Србије, Београд 331.45/.46(082)(0.034.2) 502/504(082)(0.034.2) 614.8.084(082)(0.034.2) INTERNATIONAL Conference Man and Working Environment (20; 2023; Niš) Safety engineering & management - science, industry, education (SEM-SIE 2023) [Elektronski izvor] : conference proceedings / The 20th International Conference "Man and Working Environment", 7-8 December 2023 Niš ; [conference organiser] University, Faculty of occupational safety ; [editors Vesna Nikolić, Evica Jovanović]. - Niš : Faculty of Occupational Safety, 2023 (Niš : Unigraf X-copy). - 1 USB fleš memorija : tekst, slika ; 1 x 6 x 9 cm Tekst štampan dvostubačno. - Na nasl. str.: Ministry of Science, Technological Development and Innovation of the Republic of Serbia. - Tiraž 100. - Napomene i bibliografske reference uz tekst. - Bibliografija uz svaki rad. ISBN 978-86-6093-115-5 а) Заштита на раду -- Зборници б) Животна средина -- Заштита -- Зборници в) Превентивно инжењерство -- Зборници

COBISS.SR-ID 132040457

Conference Organiser:

UNIVERSITY OF NIŠ



FACULTY OF OCCUPATIONAL SAFETY



Conference Co-organisers:

Faculty of Engineering, South-West University "Neofit Rilski", Blagoevgrad, Bulgaria



Faculty of Natural and Technical Sciences, "Goce Delčev" University, Štip, North Macedonia



UNDER THE AUSPICES OF:

Ministry of Science, Technological Development and Innovation of the Republic of Serbia



Република Србија министарство науке, технолошког развоја и иновација

www.nitra.gov. rs

PROGRAMME COMMITTEE

Vesna Nikolić, PhD, Chair University of Niš, Faculty of Occupational Safety, Serbia

Srđan Glišović, PhD University of Niš, Faculty of Occupational Safety, Serbia

Miomir Raos, PhD University of Niš, Faculty of Occupational Safety, Serbia

Dejan Mirakovski, PhD "Goce Delčev" University, Faculty of Natural and Technical Sciences Štip, North Macedonia

South-West University "Neofit Rilski", Faculty of Engineering, Bulgaria

Saša Kenjereš, PhD Delft University of Technology, Faculty of Applied Sciences, The Netherlands

> Joana Duarte, PhD University of Porto, IJOOES, Portugal

Rogert Sorí Gómez, PhD University of Vigo, Environmental Physics Laboratory (EPhysLab), Spain

Radoslav Hristov Kartov, PhD Academy of the Ministry of Interior, Faculty of Fire Safety and Civil Protection, Bulgaria

> Mirko Markič, PhD University of Primorska, Faculty of Management, Koper, Slovenia

Goran Šimunović, PhD University of Slavonski Brod, Faculty of Mechanical Engineering, Croatia

Marija Hadži-Nikolova, PhD "Goce Delčev" University, Faculty of Natural and Technical Sciences Štip, North Macedonia

Ivan Samardžić, PhD University of Slavonski Brod, Faculty of Mechanical Engineering, Croatia

> **Snježana Kirin, PhD** University of Applied Sciences, Karlovac, Croatia

Mirjana Vojinović-Miloradov, Professor Emeritus University of Novi Sad, Faculty of Technical Sciences, Serbia

Miodrag Hadžistević, PhD University of Novi Sad, Faculty of Technical Sciences, Serbia

Dragan Mlađan, PhD University of Criminal Investigation and Police Studies, Serbia

Biljana Vranješ, PhD University of Banja Luka, Faculty of Mechanical Engineering, Bosnia and Herzegovina

> Želimir Kešetović, PhD University of Belgrade, Faculty of Security Studies, Serbia

Nenad Komazec, PhD University of Defence in Belgrade, Serbia

Dragan Adamović, PhD University of Novi Sad, Faculty of Technical Sciences, Serbia

Milan Banić, PhD University of Niš, Faculty of Mechanical Engineering, Serbia

> **Jovica Jovanović, PhD** University of Niš, Faculty of Medicine, Serbia

Milan Blagojević, PhD University of Niš, Faculty of Occupational Safety, Serbia

Slobodan Milutinović, PhD University of Niš, Faculty of Occupational Safety, Serbia

Ivan Mijailović, PhD University of Niš, Faculty of Occupational Safety, Serbia

Goran Janaćković, PhD University of Niš, Faculty of Occupational Safety, Serbia

Milan Protić, PhD University of Niš, Faculty of Occupational Safety, Serbia

Darko Mihajlov, PhD University of Niš, Faculty of Occupational Safety, Serbia

Dejan Vasović, PhD University of Niš, Faculty of Occupational Safety, Serbia

Jelena Malenović-Nikolić, PhD University of Niš, Faculty of Occupational Safety, Serbia

Predrag Niketić, PhD University of Niš, Faculty of Occupational Safety, Serbia

Ivana Ilić Krstić, PhD University of Niš, Faculty of Occupational Safety, Serbia

Ana Vukadinović, PhD University of Niš, Faculty of Occupational Safety, Serbia

Miloš Cvetković, PhD University of Niš, Faculty of Occupational Safety, Serbia

Josip Taradi, PhD European Society of Safety Engineers, Zagreb, Croatia

Lazar Velimirović, PhD Mathematical Institute of the Serbian Academy of Sciences and Arts, Serbia

Petar Vranić, PhD Mathematical Institute of the Serbian Academy of Sciences and Arts, Serbia

ORGANISING COMMITTEE

Evica Jovanović, PhD, Chair University of Niš, Faculty of Occupational Safety, Serbia

Aca Božilov, MSc University of Niš, Faculty of Occupational Safety, Serbia

Aleksandra Petković, MA University of Niš, Faculty of Occupational Safety, Serbia

Mirjana Milutinović, MSc University of Niš, Faculty of Occupational Safety, Serbia

Rodoljub Avramović, MSc University of Niš, Faculty of Occupational Safety, Serbia

CONTENTS

INVITED PAPERS

Rogert Sorí, Orlando Moreno, Milica Stojanović, Jorge David Alonso, Zulima García, Roberto Garriaga, Arguil Pérez, Aliana López Mayea DANGER, VULNERABILITY AND RISK OF FOREST FIRES IN CIEGO DE AVILA, CUBA: THE ROLE OF ANTHROPOGENIC AND ENVIRONMENTAL FACTORS
Dejan Mirakovski PERSONAL EXPOSURE TO RESPIRABLE DUST IN EXTRACTIVE INDUSTRIES IN WESTERN BALKAN COUNTRIES
Dragan Adamović BTEX EMISSIONS FROM PASSENGER CARS IN URBAN DRIVING CONDITIONS25
SAFETY ENGINEERING & MANAGEMENT IN SCIENCE
Darko Palačić CONCEPTS AND PHILOSOPHY OF OHS RISK MANAGEMENT
Marija Hadži-Nikolova, Dejan Mirakovski, Nikolinka Doneva, Afrodita Zendelska, Teodora Topčeva COMPARISON OF NOISE POLLUTION IN AGGLOMERATIONS VS SMALL URBAN AREAS
Radoslav Kurtov, Dejan Ristić PROBLEMS WITH ACTIVATION TIME OF JET FANS FOR EXHAUSTING SMOKE AND HEAT IN COVERED GARAGES
Snježana Kirin, Manuela Žakula, Filip Stevanović INVESTIGATING THE COMFORT OF PROTECTIVE CLOTHING FOR FIREFIGHTERS
Jovica Jovanović, Milica Jovanović IMPORTANCE OF OCCUPATIONAL MEDICINE IN THE MANAGEMENT OF WORKPLACE RISKS
Angelina Cvetanović, Goran Bošković, Nebojša Jovičić, Miloš Jovičić FORECASTING SUSTAINABLE STEEL SUPPLY CHAINS: A CASE STUDY
Ana Vukadinović, Jasmina Radosavljević GREEN AND SUSTAINABLE THERMAL INSULATION MATERIALS FOR BUILDINGS67
Danka Milojković, Hristina Milojković, Katarina Milojković THE GREEN TOURISM BUSINESS SCHEME (GTBS)
Mladen Todić, Snežana Petković, Biljana Vranješ, Valentina Golubović Bugarski, Aleksandar Majstorović SAFE USE OF LPG FROM MOBILE BOTTLES
Zorica Mirosavljević, Bojana Zoraja, Milana Ilić Mićunović STATUS OF PACKAGING GLASS WASTE MANAGEMENT IN SERBIA

SAFETY ENGINEERING & MANAGEMENT IN EDUCATION

Vesna Nikolić THE FIRST STEP OF THE ANDRAGOGIC CYCLE – ASSESSMENT	
OF OSH TRAINING NEEDS	151
Tomislav Katić A NEW CONCEPT OF SAFETY LEADERSHIP	159
Maja Meško, Snežana Živković, Tamara Rađenović, Mirko Markič OCCUPATIONAL HEALTH AND SAFETY PRACTICES IN SLOVENIA AND SERBIA: COMPARATIVE ANALYSIS	165
Filip Kovačić, Darko Palačić COMPARATIVE ANALYSIS OF THE FUNDAMENTAL	1.00
ELEMENTS OF OHS LEGAL REQUIREMENTS IN CROATIA AND SERBIA	169

Mile Vajkić, Biljana Vranješ, Milan Erić
USING VIRTUAL REALITY AND AUGMENTED REALITY
FOR TRAINING FOR HEALTHY AND SAFE WORK 175
Predrag Niketić USAGE INCONSISTENCIES OF SERBIAN TRANSLATIONS OF THE ENGLISH TERM 'SAFETY'
Milan Veljković, Miljana Stratijev, Aleksandra Ilić Petković
SEM ANALYSIS OF ENVIRONMENTAL ATTITUDES, MOTIVES,
AND REUSE BEHAVIOR AMONG STUDENTS 187
Dragoslav Tomović, David Tomović COMPETENCES OF OCCUPATIONAL SAFETY AND HEALTH EXPERTS IN THE INTEGRATED MANAGEMENT SYSTEM
Saša Milojević, Goran Bošković, Slobodan Savić, Blaža Stojanović
CONDITIONS FOR SAFE APPLICATION OF LIQUEFIED
NATURAL GAS IN HEAVY- DUTY GARBAGE TRUCKS

SAFETY ENGINEERING & MANAGEMENT IN INDUSTRY

Ana Stojković, Nenad Krstić, Dragan Đorđević, Miodrag Stanisavljević, Nikola Igić, Ivan Krstić LABORATORY ACCREDITATION AS A TOOL FOR IMPROVING QUALITY SYSTEMS IN INDUSTRY
Teodora Topčeva, Marija Hadži-Nikolova, Nikolinka Doneva, Afrodita Zendelska, Ana Mihailovska, Boban Samardžiski PERSONAL NOISE EXPOSURE LEVEL AMONG EMPLOYEES IN SCHOOLS, AUTOMOTIVE AND MINING INDUSTRY
Dario Javor, Nebojša Raičević, Dejan Krstić RANKING OF ENERGY SOURCES USING THE BEST-WORST WEIGHTING METHOD AND THE MCDM METHODS
Ivana Ilić Krstić, Jelena Malenović Nikolić, Lidija Milošević, Miloš Cvetković CAUSES OF OCCUPATIONAL INJURIES IN COAL MINES IN SERBIA
Dejan Bogdanović A MULTICRITERIA ANALYSIS OF THE WORK ENVIRONMENT PARAMETERS IN OPEN PIT MINES
Vladimir Mijakovski, Monika Lutovska NON-FATAL INJURY INCIDENCE RATE DURING THE CONSTRUCTION OF THE DEMIR KAPIJA – SMOKVICA HIGHWAY
Momčilo Matijašević, Siniša Sremac RISK MANAGEMENT DURING UNCONTROLLED RELEASE OF VOCs DURING UNDERGROUND RESERVOIR AND VEHICLE REFUELLING
Milica Jovanović, Jovica Jovanović OCCUPATIONAL SAFETY ENGINEERING FOR COMPUTER OPERATORS
Ana Luković, Desanka Dašić A CASE STUDY OF THE SOUTH-EAST SERBIA ECO-INDUSTRIAL SYMBIOSIS NETWORK

Stanko Pavlović, Jugoslav Ilić, Dejan Ivanović, Evica Jovanović	
HUMAN ERROR ANALYSIS IN A PERMIT- TO-WORK SYSTEM:	
A CASE STUDY OF PANČEVO OIL REFINERY	255
Radomir Nikolić, Petar Radonjić THE IMPACT OF ARTIFICIAL LIGHTING ON RISK ASSESSMENT AND EMPLOYEE SAFETY AND HEALTH	261
	201

SPONSOR PAGES



MARIJA HADŽI-NIKOLOVA¹ DEJAN MIRAKOVSKI¹ NIKOLINKA DONEVA¹ AFRODITA ZENDELSKA¹ TEODORA TOPČEVA²

¹Goce Delčev University, Faculty of Natural and Technical Sciences, Štip, North Macedonia ²Goce Delčev University, Faculty of Mechanical Engineering, Štip, North Macedonia

¹marija.hadzi-nikolova@ugd.edu.mk ¹dejan mirakovski@ugd.edu.mk ¹nikolinka.doneva@ugd.edu.mk ¹afrodita.zendelska@ugd.edu.mk ²teodora3263@student.ugd.edu.mk

COMPARISON OF NOISE POLLUTION IN AGGLOMERATIONS VS SMALL URBAN AREAS

Abstract: In the last few decades, noise pollution has had a growing impact on quality of life, as a result of inadequate, unplanned urbanization, traffic intensification, usage of obsolete motor vehicles, etc. A number of surveys and monitoring studies in recent decades have shown that noise pollution, as a part of air pollution, presents a real threat to people's health and quality of life. Therefore, a two-year monitoring of noise level in three urban areas, the cities of Skopje, Tetovo (as an agglomeration), and Štip (as a smaller urban area), was performed. The Municipality of Štip was chosen as a representative of a small urban area with dynamic development, whose noise dispersion model (NDM) can be applied to all other similar urban areas. Based on performed measurements, a noise dispersion model for the three urban areas using SoundPLAN Software was developed.

The aim of this paper is to point out the fact that small urban areas, such as Štip, also have a problem with high noise levels. On the other hand, they have no legal obligation to develop strategic noise maps and action plans for solving noise pollution problems, or to assess health effects related to high noise levels and apply noise reduction measures. The paper attempts to answer if small urban areas are safe from noise pollution and if they should also develop noise reduction action plans.

Keywords: strategic noise maps, action plans, noise dispersion model, human health

INTRODUCTION

A number of surveys and monitoring studies in recent decades have shown that environmental noise pollution is a real threat to human health and quality of life (Ising et al., 2009). Noise level generally increases each subsequent year, so some authorities claim that the average noise level in cities has increased by 1 dB per year for the last 30 years (Lambert et al., 1994). In developing countries, the problem of increased noise levels is mainly due to inadequate urban planning and overcrowding of cities. These countries are striving to engage in modern technological and industrial development trends and their governments are ready to sacrifice the environment for intensifying development and industrialization that will allow these countries to be competitive on the world market, neglecting the health of the population exposed to high noise levels (Hadzi-Nikolova, 2013).

Noise pollution is considered today as one of the main environmental problems in cities, as cited by the World Health Organization (2011), as the second among a series of environmental stressors for its public health impact in a selection of European Countries.

In this regard, strategic noise maps present the main tool for assessing exposure of the population to environmental noise as outlined in the European Directive 2002/49/EC (Directive 2002/49/EC). Different strategies can be considered for noise mapping. One is the elaboration of noise maps through computerized methods, usually performed by different commercial software, whereas a second option is *in situ* measurements (Bunn et al., 2016; Fiedler et al., 2015; Sarantopoulos et al., 2014; Romeu et al., 2011; Hadzi-Nikolova et al., 2013; Hadzi-Nikolova et al., 2012).

In the Republic of North Macedonia, according to available literature data, no extensive research about environmental noise levels and its harmful health effects has been carried out. There is no established state network for continuous noise level monitoring and, consequently, strategic noise maps have not been prepared yet.

Accordingly, the main objective of this paper is to define and analyse noise levels in urban areas and to consider proposed measures for improving the situation with noise pollution. As representative urban areas, the cities of Skopje and Tetovo were taken as agglomerations that, according to the Regulation on agglomerations, main roads, main railways, main airports for which strategic noise maps should be prepared (2011), have an obligation to develop a strategic noise map, while the City of Štip, as a smaller urban area, does not belong to the agglomeration group and has no obligation to develop a strategic noise map.

METHODS AND MATERIALS

Noise level measurements at 30 measurement points in the City of Skopje and the Municipality of Tetovo, as well as at 20 measurement points in the Municipality of Štip during 2 years of monitoring were performed in the one-third frequency octave band according to ISO 1996 2:2017 Acoustics - Description, measurement and assessment of environmental noise - Part 2: Determination environmental of noise levels (International Organisation for Standardisation, 2017), using a Sound Level Meter type CR:171C, an instrument Class 1 according to IEC 61762. Locations of all measurement points were selected near a busy intersections and commercial buildings as the main noise sources in urban areas.

Measurements were performed at 1.5 m height nearby main noise sources (frequency crossroad, commercial buildings) and on the most exposed facades of buildings at a 3.5 m distance from the buildings' walls and other reflective surfaces in accordance with the Regulation on locations of measuring stations and measuring points (2008). Frequency analysis provided additional information about the noise source as well as about the prevalence of certain frequencies and whether they are within the human hearing range. With measurements in the 1/3 frequency octave band, the following indicators were directly measured:

- L_d (Indicator for noise disturbance during the day) or daily noise level, which is A-equivalent long-term average sound level defined in ISO 1996-2:2017 (International Organisation for Standardisation, 2017);
- L_e (Indicator for noise disturbance during the evening) or evening noise level, which is Aequivalent long-term average sound level defined in ISO 1996-2:2017 (International Organisation for Standardisation, 2017);
- L_n (Indicator for noise disturbance during the night) or night noise level, which is A-equivalent long-term average sound level defined in ISO 1996-2:2017 (International Organisation for Standardisation, 2017);
- L_{eq} (Equivalent noise level) is an indicator of the noise calculated from the measured noise levels in an interval.

 L_{den} (day-evening-night-weighted sound pressure level as defined in section 3.6.4 of ISO 1996-1:2017 (International Organisation for Standardisation, 2017) was estimated based on 24-hour noise levels data for each measurement location using the formula below:

$$L_{\rm den} = 10 \log \left[\frac{12}{24} 10^{0.1L_{\rm d}} + \frac{4}{24} 10^{0.1(L_{\rm c}+5)} + \frac{8}{24} 10^{0.1(L_{\rm n}+10)} \right] {\rm D}$$

ay-evening-night level is a descriptor of noise level based on energy equivalent noise level (Leq) over a whole day with a penalty of 10 dB for night-time noise (23.00-7.00) and an additional penalty of 5 dB for evening noise (19.00-23.00).

Noise level data (source specific profiles) were embedded within the digital ground model (DGM) for each intersection, using one of the most advanced noise and air pollution modelling software packages, SoundPLAN 7.2, produced by Braunstein + Berndt GmbH / SoundPLAN International LLC19. The software features easy to use tools for DGM development, noise sources approximation, and contour maps calculation.

Fig. 1 shows a general overview of model development and contents of noise maps using the SoundPLAN 7.2 noise and air pollution modelling software.




Figure 1. General overview of model development and contents of noise maps (Hadzi-Nikolova, 2013)

Noise maps present the existing and predicted noise emission level within the monitored area, determine the total noise exposure of the population caused by all human activities, giving directions on how to solve noise management issues and ensure efficient physical planning, planning of protection of existing spaces from noise sources, and 'acoustic space zoning' according to legally permissible noise levels.

RESULTS AND DISCUSSION

The results obtained during the 2-year monitoring for noise level indicators (L_d , L_e , L_n , $L_{eq,24h}$) in three urban areas, the City of Skopje, the Municipality of Tetovo, and the Municipality of Štip are presented in Table 1.

Table 1. Measured noise le	vels in three urban areas
----------------------------	---------------------------

Urban area	L _d (07.00-19.00)			
	Min	Max L _{eq,24h}		Stan.
	dB(A)	dB(A)	dB(A)	dev.
Skopje	50.1	69.4	65.4	6.1
Tetovo	53.2	65.4	58.6	2.9
Štip	57.1	66.7	60.2	2.7
	L _e (19.00-23.00)			
	Min	Max	Leq,24h	Stan.
	dB(A)	dB(A)	dB(A)	dev.
Skopje	56.5	69.8	62.8	6.1
Tetovo	51.2	62.4	56.1	3.3
Štip	56.3	65.1	58.6	1.9
	L _n (23.00-07.00)			
	Min	Max	L _{eq,24h}	Stan.
	dB(A)	dB(A)	dB(A)	dev.
Skopje	54.3	69.1	62.2	5.6
Tetovo	50.3	63.8	54.0	4.1
Štip	52.3	65.8	59.0	3.5

Table 2 compares the estimated day-evening-night level (L_{den}) and measured night noise level (L_n) values to the WHO (2018) recommended values.

38 | Safety Engineering & Management – Science, Industry and Education (SEMSIE) 2023

Table 2. <i>Estimated day-evening-night level</i> (L_{den})				
	L _{den}	Max*	L _n	Max*
	dB(A)	dB(A)	dB(A)	dB(A)
Skopje	69.2	53	62.2	45
Tetovo	61.5	53	54.0	45
Štip	65.5	53	59.0	45

Stip 65.5 53 59.0 45 *WHO Guidelines strongly recommend reducing noise levels produced by road traffic below 53 dB during dayevening-night time (L_{den}) and below 45 dB during nighttime (L_n).

Based on noise level measurement data and the number of vehicles on specific streets in the City of Skopje, Noise Dispersion Models (NDMs) were developed for individual parts of these three urban areas. The NDM for Aerodrom district was developed using data about the daily flow of vehicles for the following streets: Kuzman Josifovski Boulevard, Jane Sandanski Boulevard, Nikola Karev, Belasica, Bojmija, Vladimir Komarov, Vasko Karangeleski, Franjo Kluz, and Gjuro Djonović.




Figure 2. Daily noise map for Aerodrom district – City of Skopje



Figure 3. Night noise map for Aerodrom district – City of Skopje



Figure 4. Daily noise map for the central part of Tetovo



Figure 5. Night noise map for the central part of Tetovo




Figure 6. Daily noise map for the central part of Štip

The NDMs developed using the SoundPLAN 7.2 noise and air pollution modelling software clearly indicate excellent compliance between modelled and measured data for the three considered urban areas.

According to the Regulation on environmental noise level limit values (2008) regarding the permissible noise levels, the urban areas are divided into four groups, given in Table 3. All three urban areas, Aerodrom district (Skopje), the central part of Tetovo, and the central part of Štip are included in the third level area according to noise level protection.

Table 3. Division of urban areas				
An area defined according to	Noise level in dB			
noise level protection	L_d	Le	L _n	
First level area	50	50	40	
Second level area	55	55	45	
Third level area	60	60	50	
Fourth level area	70	70	60	

Results from the 2-year monitoring of noise levels clearly indicate that the measured noise levels (daily, evening and night noise level) exceed the limit values for all three noise indicators, L_d, L_e, L_n, in accordance with the Regulation on environmental noise level limit values (2008). Exceedance of the permissible noise levels of indicators for daily and evening noise levels ranges from 5 to 7 dB for all measurement points. Significantly higher noise levels compared to the limit values were registered for the indicator of night noise, which exceeds the limit values by 7 to 13 dB. On the other hand, WHO Guidelines strongly recommend reducing noise levels produced by road traffic below 53 dB during day-evening-night time (L_{den}) and below 45 dB during night-time (L_n) (Table 2). If these recommended values according to the WHO Guidelines are exceeded, adverse health effects will occur frequently and a sizeable proportion of the population will become highly annoyed and sleepdisturbed. There is also evidence that the risk of cardiovascular disease will increase (WHO Regional Office for Europe, 2018).

High noise levels in the considered areas resulted primarily from traffic noise, increased number of motor vehicles, malfunction of motor vehicles, damaged roads, inadequate urban planning, bars, and commercial-office buildings.

The developed noise maps can serve as a basis for the preparation of strategic noise maps, which, in accordance with the Regulation on closer contents of strategic noise maps and noise action plans (2010) should contain data about

- Existing, previous or predicted noise conditions expressed through noise indicators;
- Overcoming the permissible noise levels;
- Estimated number of apartments, schools, hospitals, and similar facilities in a given zone exposed to higher noise level indicators;
- Estimated number of people in the area exposed to higher noise levels.

CONCLUSION

The results of two-year noise monitoring clearly indicate that small urban areas, such as Štip, also have a problem with high noise levels, so they need to prepare action plans, including noise level reduction measures, although they have no legal obligation to develop strategic noise maps and action plans for solving noise pollution problems, or to assess health effects related to high noise levels and apply noise reduction measures.

High noise levels and the developed noise dispersion models in the three considered urban areas, Aerodrom

district in the City of Skopje, and the central city areas of the Municipalities of Tetovo and Štip, as well as harmful health effects related to high noise levels, clearly point out the necessity of developing a state monitoring network for continuous noise level measurement. Continuous noise level monitoring is necessary for smooth data collection, systematization, processing, establishment of a database, possibility of its usage, determination of the so-called 'hot spots', and development of strategic noise maps for urban areas. Proper urban planning and sound insulation of residential buildings are of particular importance for solving the noise pollution problem.

Considering the harmful health effects of noise (Ising et al., 2004; Van Kamp et al., 2012; Babisch, 2011; Hadzi-Nikolova et al., 2013; ACOEM, 2003; Button et al., 2004; Dalton et al., 2007; Mathews, 2009), the overall goal of an urban noise management and control policy is to ensure that all activities in society are aligned with the residents' wish for a quiet society. The broad operational objectives include requirements for protection, promotion, and improvement of quality of life, i.e. the requirements for environmentally sustainable development, reduction of health risks, and prevention of environmental degradation. Such a policy seeks to promote ecological well-being by preventing and minimizing noise pollution.

ACKNOWLEDGEMENTS

This paper is part of the Project, Monitoring and mapping noise level in urban areas, financially supported by Ministry of Environmental and Physical Planning of Republic of North Macedonia.

REFERENCES

ACOEM Noise and Hearing Conservative Committee. (2003). Noise-induced hearing loss. *Journal of Occupational and Experimental Medicine*, 45, 579–581.

Babisch, W. (2011). *Cardiovascular Effects of Noise*. Noise & Health, 13.

Button, D. C., Behm, D. G., Holmes, M., & Mackinnon, S. N. (2004). Noise and muscle contraction affecting vigilance task performance. *Occupational Ergonomics*, *4*, 751–756.

Bunn, F., & Zannin, P. H. T. (2016). Assessment of railway noise in an urban setting. *Appl Acoust, 104*, 16–23.

Dalton, B. H., & Behm, D. G. (2007). Effects of noise and music on human and task performance: A systematic review. *Occupational Ergonomics*, *7*, 143–152.

Directive 2002/49/EC. Directive 2002/49/EC of the European Parliament and of the Council of 25 June 2002 relating to the assessment and management of environmental noise. https://eur-lex.europa.eu/legalcontent/EN/TXT/?uri=celex%3A32002L0049

Fiedler, P. E. K., & Zannin, P. H. T. (2015). Evaluation of noise pollution in urban traffic hubs – Noise maps and measurements. *Environ Impact Assess Rev*, 2(51), 1–9.

Hadzi-Nikolova, M. (2013). *Modern approach in control and managing the noise in urban areas*. [Doctoral dissertation, Goce Delčev University, Štip, Republic of Macedonia].

Hadzi-Nikolova, M., Mirakovski, D., Despodov, Z., & Doneva, N. (2013). Traffic noise in small urban areas. *Transport & Logistics*, *13*(27), 123-132.

Hadzi-Nikolova, M., Mirakovski, D., Delipetrov, T., & Arsov, P. (2012). Noise Dispersion Modelling in Small Urban Areas with CUSTIC 3.2 Software. *International Journal of Emerging Technology & Advanced Engineering*, 2(12), 84-88.

Hadzi-Nikolova, M., Mirakovski, D., Ristova, E., & Stefanovska Ceravolo, Lj. (2012). Modeling and Mapping of Urban Noise Pollution with SoundPLAN Software. *International Journal for Science, Technics and Innovations for the Industry MTM (Machines, Technologies, Materials),* 38-42.

Hadzi-Nikolova, M., Mirakovski, D., Zdravkovska, M., Angelovska, B., & Doneva, N. (2013). Noise Exposure of School Teachers – Exposure Levels and Health Effects. *Archives of Acoustics*, 38(2), 259-264.

International Organisation for Standardisation. (2017). Acoustics – Description, measurement and assessment of environmental noise – Part 2: Determination of environmental noise levels. (ISO Standard No. 1996-2:2017).

Ising, H., Babisch, W., Guski, H., Kruppa, B., & Maschke, C. (2004). *Exposure and Effect Indicators of Environmental Noise*. Berliner Zentrum Public Health.

Lambert, J., & Vallet, M. (1994). *Study related to the preparation of a communication on a future EC noise policy.* Final report. INRETS Report LEN No. 9420. Lyon.

Mathews, R. (2009). *The Effect of Community Noise on Health and Well-being*. [Master's thesis, Auckland University of Technology, New Zealand].

Regulation on agglomerations, main roads, main railways, main airports for which strategic noise maps should be prepared. (2011). Official Gazette of the Republic of Macedonia, No. 15/11.

Regulation on closer contents of strategic noise maps and noise action plans. (2010). Official Gazette of the Republic of Macedonia, No. 133/10.

Regulation on environmental noise level limit values Official. (2008). Gazette of the Republic of Macedonia, No. 147/08.

Regulation on locations of measuring stations and measuring points. (2008s). Official Gazette of the Republic of Macedonia, No. 120/08.

Romeu, J. Genescà, M. Pàmies, & T. Jiménez, S. (2011). Street categorization for the estimation of day levels using short-term measurements. *Appl Acoust*, *72*, 569–77, 2011.

Sarantopoulos, G., Lykoudis, S., & Kassomenos, P. (2014). Noise levels in primary schools of medium sized city in Greece. *Sci Total Environ*, 482–483, 493–500.

Van Kamp, I., Babisch, W., & Brown, A. L. (2012). Environmental Noise and Health. In R. H. Friis (Ed.), *The Praeger Handbook of Environmental Health. Vol. I* (pp. 69-93). ABC-CLIO.

World Health Organization (WHO). (2011). Burden of disease from environmental noise. Quantification of healthy life years lost in Europe. Denmark: WHO Regional Office for Europe.

WHO Regional Office for Europe. (2018). Environmental noise guidelines for European Region.