

UDK 37

ISSN 2545 - 4439
ISSN 1857 - 923X

INTERNATIONAL JOURNAL

Institute of Knowledge Management


KNOWLEDGE



Vol. 75. 4.

Scientific Papers

MEDICAL SCIENCES AND HEALTH



KIJ

Vol. 75

No. 4

pp. 295 - 494

Skopje

2026

KNOWLEDGE



INTERNATIONAL JOURNAL

**SCIENTIFIC PAPERS
VOL. 75.4**

March, 2026

**INSTITUTE OF KNOWLEDGE MANAGEMENT
SKOPJE**



KNOWLEDGE

International Journal Scientific Papers Vol. 75.4

ADVISORY BOARD

Vlado Kambovski PhD, Robert Dimitrovski PhD, Siniša Zarić PhD, Maria Kavdanska PhD, Mirjana Borota – Popovska PhD, Veselin Videv PhD, Ivo Zupanovic PhD, Savo Ashtalkoski PhD, Zivota Radosavljević PhD, Laste Spasovski PhD, Mersad Mujevic PhD, Milka Zdravkovska PhD, Drago Cvijanovic PhD, Predrag Trajković PhD, Lazar Stosic PhD, Krasimira Staneva PhD, Nebojsa Pavlović PhD, Daniela Todorova PhD, Lisen Bashkurti PhD, Zoran Srzentić PhD, Itska Derijan PhD, Sinisa Opic PhD, Marija Kostic PhD

Print: GRAFOPROM – Bitola

Editor: IKM – Skopje

Editor in chief

Robert Dimitrovski, PhD

KNOWLEDGE - International Journal Scientific Papers Vol. 75.4

Copyright: Robert Dimitrovski, PhD

ISSN 1857-923X (for e-version)

ISSN 2545 – 4439 (for printed version)

INTERNATIONAL EDITORIAL BOARD

President: Academic Prof. Vlado Kambovski PhD, Skopje (N. Macedonia)

Vice presidents:

Prof. Robert Dimitrovski PhD, Institute of Knowledge Management, Skopje (N. Macedonia)

Prof. Sinisa Zaric, PhD, Faculty of Economics, University of Belgrade, Belgrade (Serbia)

Prof. Mersad Mujevic PhD, Public Procurement Administration of Montenegro (Montenegro)

Members:

- Prof. Azra Adjajlic – Dedovic PhD, Faculty of criminology and security, Sarajevo (Bosnia & Herzegovina)
- Prof. Aleksandar Korablev PhD, Faculty of economy and management, Saint Petersburg State Forest Technical University, Saint Petersburg (Russian Federation)
- Prof. Anita Trajkovska PhD, Rochester University (USA)
- Prof. Aziz Pollozhani PhD, Rector, University Mother Teresa, Skopje (N.Macedonia)
- Prof. Anka Trajkovska-Petkoska PhD, UKLO, Faculty of technology and technical sciences, Bitola (N. Macedonia)
- Prof. Aneta Mijoska PhD, Faculty of Dentistry, University “St. Cyril and Methodius”, Skopje (N. Macedonia)
- Prof. Alisabri Sabani PhD, Faculty of criminology and security, Sarajevo (Bosnia & Herzegovina)
- Prof. Artan Nimani PhD, Rector, University of Gjakova “Fehmi Agani” (Kosovo)
- Prof. Ahmad Zakeri PhD, University of Wolverhampton, (United Kingdom)
- Prof. Ana Dzumalievova PhD, South-West University “Neofit Rilski”, Blagoevgrad (Bulgaria)
- Prof. Branko Sotirov PhD, University of Rousse, Rousse (Bulgaria)
- Prof. Branko Boshkovic, PhD, College of Sports and Health, Belgrade (Serbia)
- Prof. Branimir Kampl PhD, Institute SANO, Zagreb (Croatia)
- Prof. Branislav Simonovic PhD, Faculty of Law, Kragujevac (Serbia)
- Prof. Bistra Angelovska, Faculty of Medicine, University “Goce Delcev”, Shtip (N.Macedonia)
- Prof. Cezar Birzea, PhD, National School for Political and Administrative Studies, Bucharest (Romania)
- Prof. Cvetko Andreevski, Faculty of Tourism, UKLO, Bitola (N.Macedonia)
- Prof. Drago Cvijanovic, PhD, Faculty of Hotel Management and Tourism, University of Kragujevac, Vrnjacka Banja (Serbia)
- Prof. Dusan Ristic, PhD Emeritus, College of professional studies in Management and Business Communication, Novi Sad (Serbia)
- Prof. Darijo Jerkovic PhD, Faculty of Business Economy, University “Vitez”, (Bosnia & Herzegovina)
- Prof. Daniela Todorova PhD, “Todor Kableshev” University of Transport, Sofia (Bulgaria)
- Prof. Dragan Kokovic PhD, University of Novi Sad, Novi Sad (Serbia)
- Prof. Dragan Marinkovic PhD, High health – sanitary school for professional studies, Belgrade (Serbia)
- Prof. Itska Mihaylova Derijan PhD, University Neofit Rilski, Faculty of pedagogy, Blagoevgrad (Bulgaria)
- Prof. Dzulijana Tomovska, PhD, Faculty of Biotechnical sciences, Bitola (N.Macedonia)
- Prof. Evgenia Penkova-Pantaleeva PhD, UNWE -Sofia (Bulgaria)
- Prof. Fadil Millaku, PhD, University “Hadzi Zeka”, Peja (Kosovo)
- Prof. Fatos Ukaj, University “Hasan Prishtina”, Prishtina (Kosovo)

- Prof. Georgi Georgiev PhD, National Military University “Vasil Levski”, Veliko Trnovo (Bulgaria)
- Prof. Halit Shabani, PhD, University “Hadzi Zeka”, Peja (Kosovo)
- Prof. Halima Sofradzija, PhD, University of Sarajevo, Sarajevo (Bosnia and Herzegovina)
- Prof. Haris Halilovic, Faculty of criminology and security, University of Sarajevo, Sarajevo (Bosnia and Herzegovina)
- Prof. Helmut Shramke PhD, former Head of the University of Vienna Reform Group (Austria)
- Prof. Hristina Georgieva Yancheva, PhD, Agricultural University, Plovdiv (Bulgaria)
- Prof. Hristina Milcheva, Medical college, Trakia University, Stara Zagora (Bulgaria)
- Prof. Hristo Beloev PhD, Bulgarian Academy of Science, Rector of the University of Rousse (Bulgaria)
- Prof. Izet Zeqiri, PhD, Academic, SEEU, Tetovo (N.Macedonia)
- Prof. Ivan Marchevski, PhD, D.A. Tsenov Academy of Economics, Svishtov (Bulgaria)
- Prof. Ibrahim Obhodjas PhD, Faculty of Business Economy, University “Vitez”, (Bosnia & Herzegovina)
- Doc. Igor Stubelj, PhD, PhD, Faculty of Management, Primorska University, Koper (Slovenia)
- Prof. Ivo Zupanovic, PhD, Faculty of Business and Tourism, Budva (Montenegro)
- Prof. Ivan Blazhevski, PhD, Institute for Sociological, Political and Juridical Research, Skopje (N.Macedonia)
- Prof. Isa Spahiu PhD, International Balkan University, Skopje (N. Macedonia)
- Prof. Ivana Jelik PhD, University of Podgorica, Faculty of Law, Podgorica (Montenegro)
- Prof. Islam Hasani PhD, Kingston University (Bahrein)
- Prof. Jamila Jaganjac PhD, Faculty of Business Economy, University “Vitez”, (Bosnia & Herzegovina)
- Prof. Jova Ateljevic PhD, Faculty of Economy, University of Banja Luka, (Bosnia & Herzegovina)
- Prof. Jonko Kunchev PhD, University „Cernorizec Hrabar“ - Varna (Bulgaria)
- Prof. Karl Schopf, PhD, Akademie fur wissenschaftliche forchung und studium, Wien (Austria)
- Prof. Katerina Belichovska, PhD, Faculty of Agricultural Sciences, UKIM, Skopje (N. Macedonia)
- Prof. Krasimir Petkov, PhD, National Sports Academy “Vassil Levski”, Sofia (Bulgaria)
- Prof. Kamal Al-Nakib PhD, College of Business Administration Department, Kingdom University (Bahrain)
- Prof. Kiril Lisichkov, Faculty of Technology and Metallurgy, UKIM, Skopje (N.Macedonia)
- Prof. Krasimira Staneva PhD, University of Forestry, Sofia (Bulgaria)
- Prof. Lidija Tozi PhD, Faculty of Pharmacy, Ss. Cyril and Methodius University, Skopje (N.Macedonia)
- Prof. Laste Spasovski PhD, Vocational and educational centre, Skopje (N.Macedonia)
- Prof. Larisa Velic, PhD, Faculty of Law, University of Zenica, Zenica (Bosnia and Herzegovina)
- Prof. Łukasz Tomczyk PhD, Pedagogical University of Cracow (Poland)
- Prof. Lujza Grueva, PhD, Faculty of Medical Sciences, UKIM, Skopje (N.Macedonia)
- Prof. Lazar Stosic, PhD, Association for development of science, engineering and education, Vranje (Serbia)
- Prof. Lulzim Zeneli PhD, University of Gjakova “Fehmi Agani” (Kosovo)
- Prof. Lisen Bashkurti PhD, Global Vice President of Sun Moon University (Albania)
- Prof. Lence Mircevska PhD, High Medicine School, Bitola, (N.Macedonia)

- Prof. Ljupce Kocovski PhD, Faculty of Biotechnical sciences, Bitola (N.Macedonia)
- Prof. Marusya Lyubcheva PhD, University “Prof. Asen Zlatarov”, Member of the European Parliament, Burgas (Bulgaria)
- Prof. Marija Magdinceva – Shopova PhD, Faculty of tourism and business logistics, University “Goce Delchev”, Shtip (N. Macedonia)
- Prof. Maria Kavdanska PhD, Faculty of Pedagogy, South-West University Neofit Rilski, Blagoevgrad (Bulgaria)
- Prof. Vaska Stancheva-Popkostadinova, PhD, Faculty of Public Health and Sport, SWU Neofit Rilski, Blagoevgrad (Bulgaria)
- Prof. Mirjana Borota-Popovska, PhD, Centre for Management and Human Resource Development, Institute for Sociological, Political and Juridical Research, Skopje (N.Macedonia)
- Prof. Mihail Garevski, PhD, Institute of Earthquake Engineering and Engineering Seismology, Skopje (N.Macedonia)
- Prof. Mitko Kotochevski, PhD, Faculty of Philosophy, UKIM, Skopje (N.Macedonia)
- Prof. Milan Radosavljevic PhD, Dean, Faculty of strategic and operational management, Union University, Belgrade (Serbia)
- Prof. Marija Topuzovska-Latkovikj, PhD, Centre for Management and Human Resource Development, Institute for Sociological, Political and Juridical Research, Skopje (N.Macedonia)
- Prof. Marija Knezevic PhD, Academic, Banja Luka, (Bosnia and Herzegovina)
- Prof. Margarita Bogdanova PhD, D.A.Tsenov Academy of Economics, Svishtov (Bulgaria)
- Prof. Mahmut Chelik PhD, Faculty of Philology, University “Goce Delchev”, Shtip (N.Macedonia)
- Prof. Mihajlo Petrovski, PhD, Faculty of Medical Sciences, University “Goce Delchev”, Shtip (N.Macedonia)
- Prof. Marija Mandaric PhD, Faculty of Hotel Management and Tourism, University of Kragujevac, Vrnjacka Banja (Serbia)
- Prof. Marina Simin PhD, College of professional studies in Management and Business Communication, Sremski Karlovci (Serbia)
- Prof. Miladin Kalinic, College of professional studies in Management and Business Communication, Sremski Karlovci (Serbia)
- Prof. Marijan Tanushevski PhD, Macedonian Scientific Society, Bitola (N. Macedonia)
- Prof. Mitre Stojanovski PhD, Faculty of Biotechnical sciences, Bitola (N.Macedonia)
- Prof. Miodrag Smelcerovic PhD, High Technological and Artistic Vocational School, Leskovac (Serbia)
- Prof. Nadka Kostadinova, Faculty of Economics, Trakia University, Stara Zagora (Bulgaria)
- Prof. Natalija Kirejenko PhD, Faculty For economic and Business, Institute of Entrepreneurial Activity, Minsk (Belarus)
- Prof. Nenad Taneski PhD, Military Academy “Mihailo Apostolski”, Skopje (N.Macedonia)
- Prof. Nevenka Tatkovic PhD, Juraj Dobrila University of Pula, Pula (Croatia)
- Prof. Nedžad Korajlic PhD, Faculty of criminal justice and security, University of Sarajevo (Bosnia and Herzegovina)
- Prof. Nikola Sabev, PhD, Angel Kanchev University of Ruse, Ruse (Bulgaria)
- Prof. Nonka Mateva PhD, Medical University, Plovdiv (Bulgaria)
- Prof. Nikolay Georgiev PhD, “Todor Kableshev” University of Transport, Sofia (Bulgaria)
- Prof. Nishad M. Navaz PhD, Kingdom University (India)
- Prof. Nano Ruzhin PhD, Faculty of Law, AUE-FON University, Skopje (N.Macedonia)
- Prof. Oliver Dimitrijevic PhD, High medicine school for professional studies “Hipokrat”, Bujanovac (Serbia)
- Prof. Paul Sergius Koku, PhD, Florida State University, Florida (USA)

- Prof. Primoz Dolenc, PhD, Faculty of Management, Primorska University, Koper (Slovenia)
- Prof. Petar Kolev PhD, “Todor Kableshkov” University of Transport, Sofia (Bulgaria)
- Prof. Pere Tumbas PhD, Faculty of Economics, University of Novi Sad, Subotica (Serbia)
- Prof. Rade Ratkovic PhD, Faculty of Business and Tourism, Budva (Montenegro)
- Prof. Rositsa Chobanova PhD, University of Telecommunications and Posts, Sofia (Bulgaria)
- Prof. Rossana Piccolo PhD, Università degli studi della Campania - Luigi Vanvitelli (Italy)
- Prof. Rumen Valcovski PhD, Imunolab Sofia (Bulgaria)
- Prof. Rumen Stefanov PhD, Faculty of public health, Medical University of Plovdiv (Bulgaria)
- Prof. Rumen Tomov PhD, University of Forestry, Sofia (Bulgaria)
- Prof. Sasho Korunoski PhD, UKLO, Bitola (N.Macedonia)
- Prof. Snezhana Lazarevic, PhD, College of Sports and Health, Belgrade (Serbia)
- Prof. Vasil Markov PhD, Faculty of Arts, SWU Neofit Rilski, Blagoevgrad (Bulgaria)
- Prof. Stojna Ristevska PhD, High Medicine School, Bitola, (N. Macedonia)
- Prof. Suzana Pavlovic PhD, High health – sanitary school for professional studies, Belgrade (Serbia)
- Prof. Sandra Zivanovic, PhD, Faculty of Hotel Management and Tourism, University of Kragujevac, Vrnjacka Banja (Serbia)
- Prof. Shyqeri Kabashi, College “Biznesi”, Prishtina (Kosovo)
- Prof. Temelko Risteski PhD, Faculty of Law, AUE-FON University, Skopje (N. Macedonia)
- Prof. Todor Krystevich, D.A. Tsenov Academy of Economics, Svishtov (Bulgaria)
- Prof. Todorcka Atanasova, Faculty of Economics, Trakia University, Stara Zagora (Bulgaria)
- Prof. Tzako Pantaleev PhD, NBUniversity , Sofia (Bulgaria)
- Prof. Vojislav Babic PhD, Institute of Sociology, University of Belgrade (Serbia)
- Prof. Volodymyr Denysyuk, PhD, Dobrov Center for Scientific and Technological Potential and History studies at the National Academy of Sciences of Ukraine (Ukraine)
- Prof. Valentina Staneva PhD, “Todor Kableshkov” University of Transport, Sofia (Bulgaria)
- Prof. Venus Del Rosario PhD, Arab Open University (Philippines)
- Prof. Vjollca Dibra PhD, University of Gjakova “Fehmi Agani” (Kosovo)
- Prof. Yuri Doroshenko PhD, Dean, Faculty of Economics and Management, Belgorod (Russian Federation)
- Prof. Zlatko Pejkovski, PhD, Faculty of Agricultural Sciences, UKIM, Skopje (N.Macedonia)
- Prof. Zivota Radosavljevik PhD, Faculty FORCUP, Union University, Belgrade (Serbia)
- Prof. Zorka Jugovic PhD, High health – sanitary school for professional studies, Belgrade (Serbia)

REVIEW PROCEDURE AND REVIEW BOARD

Each paper is reviewed by the editor and, if it is judged suitable for this publication, it is then sent to two referees for double blind peer review.

The editorial review board is consisted of 67 members, full professors in the fields 1) Natural and mathematical sciences, 2) Technical and technological sciences, 3) Medical sciences and Health, 4) Biotechnical sciences, 5) Social sciences, and 6) Humanities from all the Balkan countries and the region.

CONTENTS

THE ROLE OF VIDEO-ASSISTED THORACOSCOPY VATS IN THE DIAGNOSIS AND TREATMENT OF PLEURAL EMPYEMA	311
Stefanija Ristova.....	311
Stefan Petrovski.....	311
MODERN LABORATORY TESTS FOR SCREENING FOR DIABETES MELLITUS DURING PREGNANCY	315
Ljubica Mitreva	315
Danijela Janicevic Ivanovska	315
ULTRASONOGRAPHY AS A BIOFEEDBACK TOOL IN PELVIC FLOOR REHABILITATION ...	321
Inna Ivanova	321
Elvira Nikovska	321
Stefan Yanev.....	321
Vanina Mihaylova	321
Todor Dimitrov.....	321
GENITAL INFECTIONS AS A CAUSE OF PREMATURE BIRTH.....	327
Meral Uzeiri Ferati	327
Bashkim Ismailil.....	327
RETROSPECTIVE ANALYSIS OF THE USE OF SPINAL ANESTHESIA AT THE PHI GENERAL HOSPITAL KUMANOVO (2023–2024).....	333
Emilija Krstevska	333
Maja Mojsova Mijovska.....	333
PHYSIOLOGICAL AND PHARMACOLOGICAL FOUNDATIONS OF GENERAL ANESTHESIA IN MODERN MEDICAL PRACTICE.....	337
Aleksandra Aleksandrovska	337
Maja Mojsova Mijovska.....	337
HUMAN BIOMONITORING FOR TOXIC METALS – A REVIEW OF THE CONTEMPORARY PERSPECTIVES	341
Delyana Davcheva.....	341
SPIRONOLACTONE ORAL SUSPENSION (5 mg/mL): FORMULATION STRATEGIES AND PHYSICO-CHEMICAL CHARACTERIZATION	347
Ivan Stojkovski	347
Katerina Kochova.....	347
Irena Slaveska Spirevska	347
Emilija Janevik-Ivanovska	347
EVOLUTION OF TOPICAL RETINOIDS IN DERMOCOSMETICS: INNOVATIONS AND TOXICOLOGICAL EVALUATION	355
Svetlana Laskova.....	355
Lora Georgieva	355
Ilko Bakardzhiev.....	355
ACTIVE AND NEWLY DIAGNOSED CASES OF BLADDER CANCER FOR 2025 IN STRUMICA, REPUBLIC OF NORTH MACEDONIA	363
Katerina Shuleva.....	363
Gordana Kamceva Mihailova	363
RESPIRATORY DISTRESS SYNDROME IN NEWBORNS AT THE CLINIC FOR CHILDREN'S DISEASES – SKOPJE FOR 2025, CARE AND TREATMENT BY THE NURSE	369
Ljubica Koceva.....	369
Gordana Kamceva Mihailova	369
IMPACT OF THE QUALITY OF ROOT CANAL FILLING ON THE PERIAPICAL STATUS	375
Lidija Popovska	375

EFFECTS OF MANUAL THERAPY IN THE TREATMENT OF INDIVIDUALS WITH TEMPOROMANDIBULAR DISORDERS	383
Lejla Hadžić.....	383
Amra Mačak Hadžiomerović.....	383
Tarik Agić.....	383
DISTRIBUTION OF BMI CATEGORIES IN RELATION TO FOOT STATUS IN EARLY SCHOOL-AGE STUDENTS.....	389
Olgica Ristovska.....	389
Isan Emini.....	389
Srdjan Dimitrievski.....	389
Abdulraim Taci.....	389
Fadil Rustemi.....	389
EFFECTS OF INTENSIVE 24-MONTH KINESITHERAPY ON MUSCLE TONE IN CHILDREN WITH SPASTIC DIPLEGIC FORM OF CEREBRAL PALSY: A PROSPECTIVE LONGITUDINAL STUDY	395
Isan Emini.....	395
EFFECTIVENESS OF SENSORY INTEGRATION INTERVENTIONS ON POSTURAL CONTROL DEVELOPMENT IN CHILDREN WITH AUTISM SPECTRUM DISORDER: AN EXPERIMENTAL STUDY	403
Ivan Mihaylov.....	403
FROM SCIENTIFIC EVIDENCE TO THE PATIENT: HUMANITY, EVIDENCE-BASED MEDICINE AND SUSTAINABLE HEALTH CARE IN EMERGENCIES	409
Miroslava Ilieva.....	409
Despina Georgieva	409
Greta Koleva.....	409
Irinka Hristova.....	409
MODALITIES IN THE REHABILITATION FOR FACIAL NERVE PARESIS	417
Sanel Nuspahić	417
Meris Jušić.....	417
Alen Lonić	417
COMPLICATIONS OF DIABETIC RETINOPATHY.....	423
Eva Davkovska	423
Biljana Iliev	423
Strahil Gazepov	423
REFRACTION IN INDIVIDUALS WITH LOW VISION: CLINICAL AND PSYCHOLOGICAL ASPECTS	429
Biljana Iliev	429
Strahil Gazepov	429
Dragana Velickovska.....	429
REFRACTIVE ANOMALIES OF CITIZENS IN KOCANI.....	435
Marija Zlateva.....	435
Strahil Gazepov	435
Biljana Iliev	435
THE EPIDEMIOLOGICAL STATUS OF MYOPIA AS A LEADING REFRACTIVE ERROR.....	441
Zorica Iliev	441
Strahil Gazepov	441
CHANGES IN COGNITIVE FUNCTIONS IN CHILDREN WITH AMBLYOPIA.....	447
Biljana Iliev	447
Strahil Gazepov	447
Sara Simonovska	447

ACUTE PHYSIOLOGICAL RESPONSE IN PATIENTS AFTER CONJUNCTIVITIS ELECTRICA	453
Marija Jordanovska.....	453
Strahil Gazepov	453
PSYCHOLOGICAL ASPECTS OF VISUAL ACUTY DYSFUNCTION IN CENTRAL RETINAL VEIN OCCULSION (OVCR/ CRVO)	457
Biljana Iliev	457
Strahil Gazepov	457
Milka Koceva-Vaseva	457
THE PSYCHOLOGY OF VISUAL IMPAIRMENT IN ADULTS	465
Biljana Iliev	465
Strahil Gazepov	465
Ivana Anchovska – Mihajlova	465
PSYCHOLOGICAL ASPECTS OF REHABILITATION IN PERSONS WITH LOW VISION	471
Strahil Gazepov	471
Biljana Iliev	471
Biljana Gjorgieva.....	471
AGE-DEPENDENT VERBAL-SEMANTIC ABILITIES IN WOMEN: AN ANALYSIS OF VERBAL ORIENTATION TEST RESULTS ACROSS DIFFERENT AGE GROUPS.....	475
Mirza Rošić	475
Asmir Aldžić.....	475
Šemso Rošić	475
SKILLS FOR CRITICAL EVALUATION OF INTERNET INFORMATION AMONG HEALTHCARE STUDENTS	483
Angelina G. Kirkova-Bogdanova	483
WATER HARDNESS IN BULGARIA – SPATIAL DISTRIBUTION AND POTENTIAL IMPACT ON HUMAN HEALTH	489
Rumyana Etova.....	489
Elena Valkanova.....	489
Mariya Georgieva.....	489
Ani Kevorkyan	489
Desislava Todorova	489

COMPLICATIONS OF DIABETIC RETINOPATHY

Eva Davkovska

University „Goce Delcev” Shtip, North Macedonia, eva.153671@student.ugd.edu.mk

Biljana Iliev

JZU Clinical hospital -Stip, North Macedonia biliev@live.com

Strahil Gazepov

University „Goce Delcev” Shtip, North Macedonia, strahil.gazepov@ugd.edu.mk

Abstract: Diabetic retinopathy (DR) is one of the most significant microvascular complications of diabetes mellitus and a leading cause of acquired blindness in the working-age population in developed countries. The aim of this paper is to comprehensively analyse the main complications of diabetic retinopathy, namely diabetic macular edema (DME), vitreous hemorrhage, retinal detachment, and neovascular glaucoma, as well as the modern therapeutic approaches available for their management. The paper is based on a review of relevant scientific literature, clinical guidelines, and epidemiological data from international and regional sources. The global prevalence of diabetic retinopathy is estimated at approximately 34.6% among all persons with diabetes, with proliferative diabetic retinopathy (PDR) affecting around 10.2% and DME present in approximately 8.6%. In North Macedonia, over 100,000 individuals live with diabetes, and at least 30% are estimated to have signs of retinopathy, with approximately 10% at high risk of vision loss. Diabetic macular edema, caused by increased vascular permeability and disruption of the blood-retinal barrier mediated primarily by VEGF, represents the most common cause of visual impairment in DR. Vitreous hemorrhage results from rupture of newly formed, fragile neovascular vessels in proliferative DR and may lead to permanent vision loss if untreated. Tractional retinal detachment arises through fibrovascular membrane formation and contraction at the vitreoretinal interface. Neovascular glaucoma, driven by anterior segment neovascularization from ischemia-induced VEGF overproduction, results in acute intraocular pressure elevation and rapid optic nerve damage. The primary treatment modalities include anti-VEGF intravitreal injections (ranibizumab, aflibercept), laser photocoagulation (focal, grid, and panretinal), and vitrectomy for advanced cases. Anti-VEGF therapy has revolutionized DME management and is now the first-line treatment, achieving visual acuity improvement of 15 or more ETDRS letters in 34-50% of treated patients. Panretinal photocoagulation remains a cornerstone for PDR, reducing the risk of severe vision loss by 50-60%. Early vitrectomy is superior in type 1 diabetes patients with severe vitreous hemorrhage. The findings underscore that timely diagnosis, regular ophthalmological screening, optimal glycaemic control, and multidisciplinary collaboration are essential for preventing progression and preserving visual function. An estimated 90% of severe vision loss cases related to DR are preventable with appropriate intervention.

Keywords: diabetic retinopathy, macular edema, vitreous hemorrhage, retinal detachment, anti-VEGF. Field:

1. INTRODUCTION

Diabetes mellitus affects over 537 million adults globally and is projected to reach 783 million by 2045 (IDF, 2021). Among its most significant microvascular complications, diabetic retinopathy (DR) stands out due to its direct impact on vision and quality of life. DR is the leading cause of acquired blindness in working-age adults in developed countries, yet it is largely preventable with early detection and appropriate treatment. The purpose of this paper is to review the mechanisms, clinical features, and modern management of the major complications of diabetic retinopathy: diabetic macular edema, vitreous hemorrhage, tractional retinal detachment, and neovascular glaucoma.


2. MATERIALS AND METHODS

This paper is a narrative review based on analysis of peer-reviewed scientific literature, clinical practice guidelines from the American Academy of Ophthalmology and the American Diabetes Association, as well as epidemiological data from the World Health Organization, the International Diabetes Federation, and the Institute of Public Health of North Macedonia. Literature was searched across PubMed, Google Scholar, and institutional databases using the terms: diabetic retinopathy, macular edema, vitreous hemorrhage, retinal detachment, neovascular glaucoma, anti-VEGF, laser photocoagulation, vitrectomy. Articles published in the past 15 years were prioritized, with inclusion of landmark studies regardless of publication date.

3. RESULTS EPIDEMIOLOGY


Approximately 30-40% of all persons with diabetes have some form of DR (Yau et al., 2012). Globally, 93 million individuals live with DR, of whom 28 million have proliferative disease (WHO, 2020). In Europe, between 25% and 35% of diabetic patients have DR, with notable disparities between Western and Eastern European countries (Einarson et al., 2018). In North Macedonia, at least 30,000 of an estimated 100,000 people with diabetes show signs of retinopathy, with approximately 2,000 new cases registered annually, of which at least 400 are in a proliferative phase (Institute of Public Health, 2021).

Graphic 1: Prevalence of Diabetic Retinopathy by region




Извор: истражување на авторот

Graphic 2: Distribution of Diabetic Retinopathy types



Извор: истражување на авторот

Graphic 3: Diabetic Retinopathy situation in North Macedonia



Извор: истражување на авторот

DIABETIC MACULAR EDEMA (DME)

DME results from disruption of the inner and outer blood-retinal barriers, predominantly mediated by VEGF-induced hyperpermeability. Fluid accumulates in the intraretinal and/or subretinal space of the macula, which is responsible for central vision and color discrimination. DME is clinically significant (CSME) when retinal thickening is present within 500 μm of the foveal center, or when hard exudates with adjacent thickening are detected. Symptoms include blurred central vision, metamorphopsia, and reduced reading ability. Optical coherence tomography (OCT) is the gold standard for diagnosis, providing cross-sectional imaging with micrometer resolution. Fluorescein angiography delineates zones of leakage and capillary non-perfusion.

VITREOUS HEMORRHAGE

Vitreous hemorrhage (VH) results from rupture of neovascular vessels in proliferative DR. These newly formed vessels lack pericytes, have absent tight junctions, and grow into the vitreous cavity. Mechanical triggers such as physical exertion, blood pressure fluctuation, or Valsalva maneuver can cause their rupture. Clinically, patients experience sudden, painless vision loss, floaters, or complete visual blackout. Small hemorrhages may resorb spontaneously within weeks to months. Massive or non-resolving hemorrhage can lead to fibrovascular membrane formation, tractional retinal detachment, and neovascular glaucoma. B-scan ultrasonography is essential when fundus examination is precluded by the hemorrhage.

TRACTIONAL RETINAL DETACHMENT (TRD)

TRD is the dominant form of retinal detachment in DR. Retinal ischemia drives VEGF upregulation and neovascularization at the vitreoretinal interface. Fibrovascular membranes form alongside new vessels and, upon contraction, exert traction on the retina, separating the neurosensory retina from the retinal pigment epithelium. Subretinal fluid accumulates in the created space. Clinically, patients report photopsia, floaters, and a progressive curtain over the visual field. Macular involvement results in central vision loss. TRD in DR is typically chronic and progressive. OCT detects subretinal fluid and subtle traction, while B-scan ultrasound is indispensable when VH obscures the fundus view.

NEOVASCULAR GLAUCOMA (NVG)

NVG is a severe secondary glaucoma arising from extensive retinal ischemia. VEGF diffuses anteriorly, stimulating rubeosis iridis (neovascularization of the iris) and angle neovascularization. Fibrovascular membranes obstruct trabecular meshwork outflow and may form anterior peripheral synechiae, leading to acute intraocular pressure elevation, often exceeding 50-60 mmHg (normal: 10-21 mmHg). Patients experience intense ocular pain, headache, corneal edema, conjunctival injection, nausea, and rapid optic nerve damage. Even with aggressive treatment, many patients sustain significant permanent vision loss, making prevention through timely panretinal photocoagulation critical.

TREATMENT

Anti-VEGF therapy (ranibizumab, aflibercept) is the current first-line treatment for center-involving DME. Clinical trials (VIVID, VISTA, RIDE, RISE) demonstrated that anti-VEGF achieves ≥ 15 -letter BCVA improvement in 34-

50% of patients compared to laser monotherapy. Anti-VEGF also induces regression of neovascularization in PDR, though the effect is temporary and often combined with panretinal photocoagulation (PRP). PRP, applying 1,200-1,600 laser spots to the peripheral retina, reduces severe vision loss risk by 50-60% by decreasing metabolic demand and VEGF production from peripheral photoreceptors (Diabetes Control and Complications Trial Research Group, 1993; UKPDS Group, 1998). Vitrectomy is indicated for non-resolving vitreous hemorrhage (3-6 months), tractional retinal detachment, and DME refractory to anti-VEGF. Modern 23G/25G/27G minimally invasive techniques allow sutureless surgery with faster recovery. The DRVS study showed that early vitrectomy is superior in type 1 diabetes patients with severe vitreous hemorrhage.

4. DISCUSSION

The last two decades have witnessed a paradigm shift in DR management. The introduction of anti-VEGF therapy transformed DME treatment, while improved understanding of VEGF biology has provided mechanistic insight into all major complications. The regional disparities in DR prevalence and outcomes, particularly the higher burden in Eastern Europe and Balkan countries, reflect differences in healthcare infrastructure, screening programme implementation, and access to anti-VEGF therapy. In North Macedonia, the absence of a national screening programme and limited OCT availability—concentrated mainly in Skopje—result in delayed diagnosis, often at the proliferative stage. Implementing mobile screening units, telemedicine platforms, and AI-assisted fundus image analysis could substantially improve early detection in rural areas. The finding that 90% of severe DR-related vision loss is preventable underscores the need to shift resources towards primary prevention: optimal glycaemic control (HbA1c <7%), blood pressure management, lipid control, and regular annual ophthalmological examinations for all diabetic patients.

5. CONCLUSIONS

Diabetic retinopathy and its complications represent a major, yet largely preventable, public health burden. Diabetic macular edema, vitreous hemorrhage, tractional retinal detachment, and neovascular glaucoma share a common pathogenetic mechanism centred on VEGF-driven microvascular dysfunction. Modern therapies—anti-VEGF injections, laser photocoagulation, and vitrectomy—are highly effective when applied in a timely manner. Early and regular ophthalmological screening, combined with optimal metabolic control and a multidisciplinary approach integrating endocrinology, ophthalmology, and patient education, is essential for preventing progression and preserving visual function. Patients with type 1 diabetes should undergo ophthalmological examination within 5 years of diagnosis and annually thereafter; patients with type 2 diabetes should be examined immediately upon diagnosis and annually. Investment in national screening infrastructure, digital registries, and healthcare professional training is urgently needed, particularly in countries with transitional health systems such as North Macedonia.

ACKNOWLEDGEMENTS

The author would like to express sincere gratitude to mentor Prof. Dr. Strahil Gazepov for his guidance and expert support throughout the development of this work. The author also acknowledges the Faculty of Medical Sciences, Goce Delchev University - Shtip, for providing access to academic resources.

REFERENCES

- American Diabetes Association. (2023). Standards of Medical Care in Diabetes. *Diabetes Care*, 46(Suppl. 1).
- Diabetes Control and Complications Trial Research Group. (1993). The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *New England Journal of Medicine*, 329(14), 977–986.
- Einarson, T. R., Acs, A., Ludwig, C., & Panton, U. H. (2018). Prevalence of cardiovascular disease in type 2 diabetes: A systematic literature review of scientific evidence from across the world in 2007–2017. *Cardiovascular Diabetology*, 17(1), 83.
- Gazepov, S. (2025). Slabovidnost. Univerzitet „Goce Delcev” -Shtip
- Gazepov, S. (2019). Oftalmoloski i opticki instrumenti. Univerzitet “Goce Delcev” –Stip
- Institute of Public Health of Republic of North Macedonia. (2021). Health-statistical yearbook of the Republic of North Macedonia. Ministry of Health.
- International Diabetes Federation. (2021). *IDF Diabetes Atlas* (10th ed.). Brussels, Belgium. Janev, K. (2004). *General ophthalmology*. Menora – Skopje.
- Kumar, V., Abbas, A. K., Fausto, N., & Mitchell, R. N. (2007). Endocrine system. In *Robbins Basic Pathology* (8th ed.). Elsevier Inc.
- Laban-Gucheva, N. (2020). *Ophthalmology*. Goce Delchev University – Shtip. MIA.

- (2020). Diabetic retinopathy in Macedonia. Macedonian Information Agency.
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., & IDF Diabetes Atlas Committee. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045. *Diabetes Research and Clinical Practice*, 157, 107843.
- Salmon, J. F. (2024). *Kanski's Clinical Ophthalmology: A systematic approach* (10th ed.). Elsevier.
- Scanlon, P. H., Aldington, S. J., & Stratton, I. M. (2013). Epidemiological issues in diabetic retinopathy. *Middle East African Journal of Ophthalmology*, 20(4), 293–300.
- Schulze, M. B., Hu, F. B., & Manson, J. E. (2016). Dietary patterns and type 2 diabetes risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Diabetologia*, 59(7), 1473–1482.
- UK Prospective Diabetes Study Group. (1998). Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33). *Lancet*, 352(9131), 837–853.

